FINAL REPORT ADMINISTRATIVE ORDER BY CONSENT

UNITED SITE

Effective Date Of Order: August 2, 1985


Prepared by: Richard M. Armstrong PEPCO Project Coordinator Date: January 13, 1986

TABLE OF CONTENTS

- Table 1	Page
INTRODUCTION	1
GENERAL SITE MANAGEMENT CONSIDERATIONS	
A. Sediment and Erosion Control B. Site Security C. Fugitive Dust Emission Control D. Safety Plan E. Equipment Decontamination F. Material Stored for Disposal G. Spill Prevention Control and Countermeasure Plan H. Traffic Control I. Split Samples J. Total Quantities Removed K. Unanticipated Conditions	2 2 2 2 2 2 3 3 3 3 3
WORK PLAN	
Area A Area B Area C Area D Area E Area F Additional Areas	5 7 8 9 10 11
APPENDIX	
A. Cleanup Schedule B. Extension Requests C. Notification of Work Completion D. Grading Permit E. Grading Certification Letter and Soil Compaction Test Results F. Health and Safety Plan G. Spill Prevention Control and Countermeasure Plan H. PCB Test Results - Met Electrical Testing Company I. PCB Test Results - Biospherics, Inc. J. PCB Test Results - Maryland State Department of Health and Mental Hygiene	, Inc.
K. Site Plans	

INTRODUCTION

The cleanup of the United Site began on July 30, 1985. Management of the cleanup was by the Potomac Electric Power Company (PEPCO). PEPCO engaged Chemical Waste Management, Inc. (CWM) as the primary cleanup contractor; Biospherics, Inc. and MET Electrical Testing Company, Inc. as the test labs; and B. Frank Joy Company, Inc. and The Driggs Corporation as the site restoration contractors.



A further extension was required on December 2, 1985 (see Appendix) due to unusually wet weather during November and additional work which was identified and not part of the original Work Plan. On January 6, 1986 PEPCO formally notified the EPA and DHMH that all work had been completed as of December 23, 1985 (see Appendix).

GENERAL SITE MANAGEMENT CONSIDERATIONS



A. Sediment and Erosion Control

A sediment and erosion control plan was developed by PEPCO's consultant McCrone, Inc. and approved by the EPA and DHMH. PEPCO then obtained a Grading Permit (see Appendix), No. 6772-85-G, on September 17, 1985 from Prince George's County, Maryland. By the time the permit was obtained, all sediment and erosion control devices were in place and an approval inspection was requested and obtained.

At the completion of the project, all sediment control devices were removed and the site was stabilized. PEPCO wrote a letter (see Appendix) to Prince George's County certifying that the excavation and controlled backfill was completed in accordance with the approved plans, specifications and code.

B. Site Security

A security service was engaged by United Rigging to provide 24 hour per day site security to ensure limited access to contaminated areas.

C. Fugitive Dust Emission Control

Control of fugitive dust emissions was accomplished by watering the areas of the site being worked with a hose.

D. Safety Plan

A health and safety plan was established as part of the CWM Work Plan (see Appendix). CWM maintained a full time Safety Officer on the job site to ensure that the safety plan was complied with by all parties.

E. Equipment Decontamination

A concrete decontamination pad was constructed at the same location where the EPA constructed a temporary decontamination pad during the emergency response phase. A portable pool was erected adjacent to the pad. A high pressure steam cleaner was used to wash off vehicles and equipment. The wash water was collected in a sump, pumped into the pool and then recirculated back through the steam cleaner.

F. Material Stored for Disposal

Most material stored for disposal was staged in the area being excavated. The sediment control devices provided adequate protection against runoff contaminating clean areas. Some material was staged in a clay lined and bermed holding area until it was loaded on trucks for disposal.

G. Spill Prevention Control and Countermeasure Plan

A spill prevention control and countermeasure plan was prepared (see Appendix) and approved by the EPA On-Scene Coordinator. Daily inspections of the oil handling operation were made to ensure compliance.

H. Traffic Control

Traffic control was achieved by the use of a snow fence around contaminated areas. All traffic working within a contaminated area was decontaminated before entering a clean area.

ORIGINAL

I. Split Samples

All parties to the Order agreed that 10% of the samples taken each day from a specific area were to be made available to the EPA and/or DHMH. The EPA and DHMH chose not to accept the splits until work was begun on the F Areas (drains, outfalls and storm sewers).

J. Total Quantities Removed

Transformers - 787
Mineral oil, water and diesel fuel flush material - 6100 gallons
Soil - 10,562 tons (553 truckloads)
Sediment Basin Water - 61,800 gallons

K. <u>Unanticipated Conditions</u>

- 1. Concrete rubble and four transformer carcasses were encountered while excavating for the F4 sediment basin. Only two of the transformers had nameplates. They were identified as having been purchased by United Rigging from PEPCO. The original source of the remaining transformers could not be identified.
- 2. Bags of buried asbestos were encountered while excavating in Area C. United Rigging hired Walter E. Campbell Company, Inc. to remove the asbestos.
- 3. A liquid seep was identified on the slope between F3 and F4. Subsequent testing indicated that the PCB content of soil and liquid samples did not exceed the background level of 3 ppm.
- 4. The DHMH tested four points along the slope between F3 and F4. One of the results indicated contamination of 66.3 ppm in soil. None of the other results exceeded background which was established at 15 ppm.

Further testing around the contaminated point indicated a relatively large area which had to be cleaned up. This work was performed and the area certified clean.

5. A 350' long swale leading from F3 through the woods to the creek was found to be contaminated. This area was cleaned up to a background level of 3 ppm.



AREA A

(PEPCO Transformer Storage Area Inside the Fence)

Schedule:

Started - August 8, 1985

Completed - November 18, 1985

Classification of Transformers Prior to Disposal:

Note: Transformer PCB test results were provided by the EPA and DHMH.

0-49 ppm PCB - 621 transformers

50-499 ppm PCB - 151 transformers (includes 85 transformers which could not be tested and therefore were assumed to be in this category)

500 and above ppm PCB - 15 transformers

Transformer Handling and Disposal:

0-49 ppm PCB:

Pumped as dry as possible into PEPCO waste oil tanker, turned upside down to attempt to drain any remaining liquid, exterior wiped down, loaded on trailer, transported to F and S Electric Motor and Transformer Company in Chester, Virginia for metal recycling.

50-499 ppm PCB:

Pumped as dry as possible into PEPCO waste oil tanker, filled with diesel fuel and allowed to sit for 18 hours, flush material pumped out into PEPCO waste oil tanker, turned upside down to attempt to drain any remaining liquid, exterior wiped down, loaded on trailer, transported to F and S Electric Motor and Transformer Company in Chester, Virginia for metal recycling.

500 ppm PCB and above:

Removed from Area A, wiped down, staged in an adjacent area, transported to SCA Chemical Services in Model City, New York for disposal in accordance with EPA regulations.

Liquid Handling and Disposal Procedures/Liquid Quantites:

The above activities were performed in a cleaning area properly contained and constructed using straw bales, polyethylene sheeting and oil absorbant materials. The mixture of PCB contaminated mineral oil, water and diesel fuel flush material was disposed of at PEPCO's Morgantown Generating Station in accordance with the Work Plan.

Contaminated Material Handling and Disposal:

All contaminated debris was disposed of in accordance with the Work Plan.

Macadam and soil was sampled, analyzed, removed and disposed of in accordance with the Work Plan.

Site Restoration:

Area A was restored in accordance with the Work Plan.

AREA B

(Electric Equipment Corporation of Virginia Transformer Storage Area)

(Red)

Schedule:

Started - September 23, 1985

Completed - November 14, 1985

PCB Testing/Contaminated Material Handling and Disposal:

Note: Prior to the start of work at the site by PEPCO, the EPA relocated all transformers belonging to Electric Equipment Corporation of Virginia to another location on the site. These transformers were subsequently drained, flushed and disposed of by the EPA.

Soil was sampled, analyzed, removed and disposed of in accordance with the Work Plan.

Site Restoration:

Area B was restored in accordance with the Work Plan.

AREA C

(Transformer Breakdown Area)



Schedule:

Started - August 12, 1985

Completed - November 5, 1985

PCB Testing:

Samples were taken on a 25' grid at depths of 4", 12", 24" and 36" as required until no PCB's at greater than background were detected. The sample data was used to produce a three dimensional PCB soil contamination contour map of Area C.

Contaminated Material Handling and Disposal:

Debris not in contact with the ground was assumed to be non-contaminated and moved to a clean area on site.

Metal debris in contact with ground was cleaned while hanging from crane hook using a high pressure steam cleaner and solvent. All liquid was retained within Area $\mathbb C$.

Non-metallic debris in contact with ground was removed and disposed of in accordance with the Work Plan.

All soil present in Area C and identified by the contour map as containing PCB at greater than background levels was excavated and disposed of in accordance with the Work Plan.

Site Restoration:

Area C was restored in accordance with the Work Plan.

AREA D

(Isolated Contaminated Unpaved Areas)

Schedule:

Started - October 14, 1985

Completed - November 26, 1985

PCB Testing:

Samples were taken on a 50' grid at 4" depth and analyzed in accordance with the Work Plan.

ORIGINAL (Red)

Contaminated Material Handling and Disposal:

Debris not in contact with the ground in contaminated sections of Area D was assumed to be non-contaminated and moved to a clean area on site. Metal debris is contact with ground in contaminated sections of Area D was cleaned while hanging from a crane hook using a high pressure steam cleaner and solvent. All liquid was retained within Area D.

Non-metallic debris in contact with ground in contaminated sections of Area D was disposed of in accordance with the Work Plan.

All soil in contaminated sections within Area D was excavated and disposed of in accordance with the Work Plan.

Site Restoration:

Area D was restored in accordance with the Work Plan.

AREA E

(All Remaining Paved Areas on the United Rigging Site)

Schedule:



Started - October 2, 1985

Completed - November 26, 1985

PCB Testing:

Samples were taken on the surface and 4" below the macadam surface on a 25' grid and analyzed in accordance with the Work Plan.

Contaminated Material Handling and Disposal:

Surface areas which were initially contaminated above background levels were scraped clean using the front bucket of a backhoe and a bobcat loader. The soil and other debris removed was disposed of in accordance with the Work Plan. The macadam surface was then cleaned using a high pressure truck vacuum with the collected material disposed of in accordance with the Work Plan. The macadam surface was then washed using a high pressure washer with a water/Penetone solution.

All grid locations which were originally above background levels were resampled and tested. Some areas had to be washed a second and third time to obtain clean results.

Several grid locations were contaminated at 4" below the macadam. These locations were excavated and the material disposed of in accordance with the Work Plan.

All wash water was collected in the F2 sediment basin and disposed of by burning at PEPCO's Morgantown Generating Station.

Site Restoration:

The excavated areas were backfilled and repaved to the original slope and grade.

AREA F

(Drains, Outfalls, and Storm Sewers)

F1

Schedule:

ORIGINAL (Red)

Started - October 14, 1985

Completed - November 19, 1985

Sediment and Erosion Control:

A straw bale dike was constructed at the discharge point of Fl prior to any excavation in this area.

PCB Testing:

Surface samples were taken every 10' along the flow line and analyzed in accordance with the Work Plan.

Contaminated Material Handling and Disposal:

All contaminated soil was removed and disposed of in accordance with the Work Plan.

Site Restoration:

Area Fl was restored in accordance with the Work Plan.

F2

Schedule:

Started - August 8, 1985

Completed - December 5, 1985

Sediment and Erosion Control:

A sediment basin was constructed in accordance with Prince Georges County Grading Permit No. 6772-85-G. A straw bale dike was constructed at the discharge point of F2. This work was performed before any cleanup activities were begun.

PCB Testing:

Surface samples were taken every 10' along the flow line and analyzed in accordance with the Work Plan.

Contaminated Material Handling and Disposal:

The catch basins on the United Rigging and Gichner properties were cleaned of all sediment and the sediment disposed of in accordance with the Work Plan. This sediment was assumed to be contaminated. The drainage pipe was then cleaned using a high pressure jet mole. The pipe was flushed until there were no visible traces of that contamination remaining. This work was performed on November 12,011

All water contained by the sediment basin was burned at PEPCO's Morgantown Generating Station.

All contaminated soil was removed and disposed of in accordance with the Work Plan.

Site Restoration:

Area F2 was restored in accordance with the Work Plan.

F3

Schedule:

Started - August 8, 1985

Completed - December 5, 1985

Sediment and Erosion Control:

A sediment basin was constructed in accordance with Prince Georges County Grading Permit No. 6772-85-G. A straw bale dike was constructed at the discharge point of F3.

PCB Testing:

Surface samples were taken every 10' along the flow line. In addition, a 40' wide grid with samples taken every 20' was established in the area of the sediment basin.

Contaminated Material Handling and Disposal:

All water contained by the sediment basin was burned at PEPCO's Morgantown Generating Station.

All contaminated soil was removed and disposed of in accordance with the Work Plan.

Site Restoration:

Area F3 was restored in accordance with the Work Plan.

F4

Schedule:

Started - August 16, 1985

Completed - November 9, 1985

ORIGINAL (Red)

Sediment and Erosion Control:

A sediment basin was constructed in accordance with Prince Georges County Grading Permit No. 6772-85-G. The basin was constructed much deeper than originally planned because of concrete rubble encountered during excavation.

A straw bale dike was constructed at the creek line before the discharge area was excavated.

PCB Testing:

Since the sediment basin was located in Area C samples were taken on the surface on a 25' grid and analyzed in accordance with the Work Plan for Area C.

The F4 pipe discharge area was sampled on the surface along each of the three (3) identified flow lines on 10' centers and analyzed in accordance with the Work Plan.

Contaminated Material Handling and Disposal:

The drainage pipe was decontaminated on October 8, 1985 by using a high pressure jet mole. The pipe was flushed until there were no visible traces of contamination remaining.

All contaminated soil was removed and disposed of in accordance with the Work Plan.

Site Restoration:

Area F4 was restored in accordance with the Work Plan.

ADDITIONAL AREAS

(Not Part of Original Work Plan)



Slope Between F3 and F4

NOTE: This area was not part of the original Work Plan. Contamination was found in this area as a result of testing performed by the State of Maryland on November 25, 1985. PEPCO was instructed to consider this area an extension of Area D with background established at 15 ppm.

Schedule:

Started - December 2, 1985

Completed - December 23, 1985

PCB Testing:

Surface samples were taken on approximately a 25' grid and analyzed in accordance with the Work Plan for Area D.

Contaminated Material Handling and Disposal:

All contaminated soil was removed and disposed of in accordance with the Work Plan.

Site Restoration:

The area was restored to the original slope and grade and hydroseeded.

F3 Discharge Area

NOTE: This area was not part of the original Work Plan. Contamination was found in this area as a result of testing where a temporary bypass around F3 sediment basin discharged. Further testing indicated contamination for approximately 350' through the woods. This area was apparently the original discharge area for F3 before it was regraded by United Rigging. Background for this area was established at 3 ppm.

Schedule:

Started - December 2, 1985

Completed - December 23, 1985



PCB Testing:

Surface samples were taken on a 50' grid after initial samples were taken on a 10' and 25' grid and analyzed in accordance with the Work Plan for F Areas.

Contaminated Material Handling and Disposal:

All contaminated soil was removed and disposed of in accordance with the Work Plan.

Site Restoration:

The area was restored to the original slope and grade and hydroseeded.

APPENDIX A

CLEANUP SCHEDULE

PRELIMINARY CLEAN-UP SCHEDULE UNITED RIGGING & HAULING, INC. SUPERFUND SITE

		WEEK NUMBER										
ACTIVITY DESCRIPTION	1	5 [3	4	5	6	7	8	9	10	11	1
Prepare Safety Plan & Obtain OSC Approval	X	X			i							L
Prepare SPCC & Obtain OSC Approval	į x į	Χį				!	!					
Prepare Traffic Control Plan & Obtain OSC Approval	X	ΧI		•								
Set up Field Office, Generator, etc.	į x į	ΧŢ				!						
Bid and Award Contracts:												
Security	į x į	!										_
Hazardous Waste Disposal	Х	x)	X									
Testing Lab	į x į	Х	X									
AREA A					ASSAULT:							
Remove Mineral Oil Transformers		X	X									Ĺ
Clean Surface Area Inside Area A Fence				X								
Sample Area A	İ		Vi	X	Ϊ,							Ĺ
Remove Contaminated Macadam & Soil					X							
Restore Area A			\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	<u> </u>	X						!	i
AREA B												
Remove EEC Transformers from Site			ĺ	X	!			l			İ	!
Sample Area B			Ī	X	1							L
Remove Contaminated Soil					X							1
Restore Area B						Х						
AREA C					!			<u> </u>		<u> </u>	<u> </u>	
Clean and Remove PCB Debris			l		X							L
Sample Area C						į X	įχ	!	ļ		!	I
Prepare 3 Dimensional Contour Map							X			Re	j.	
Remove Contaminated Soil				<u> </u>	i	i		X	X	WAL	!	1
Restore Area C										X		1
	j		Ĭ.		<u>j</u>	<u> </u>						1
			1									L

PRELIMINARY CLEAN-UP SCHEDULE UNITED RIGGING & HAULING, INC. SUPERFUND SITE

		WEEK NUMBER										
ACTIVITY DESCRIPTION		2	_3	4	_ 5	6	7	8	9	10	11	12
AREA D												
Decontaminate & Remove Metal Pieces				X			. !					
Remove & Dispose of Contaminated Trash				X								
Remove Visible Traces of Contaminated Soil					X							
Sample Area D					X							
Remove Remaining Contaminated Soil	!					χ						
Restore Area D						72.25	X					
AREA E												
Sample Area E							X					
Remove Contaminated Macadam & Soil		<u> </u>						χ				
Restore Area E									X			
AREA F			1			ļ. <u>.</u>						
Decontaminate Drains & Sewer Pipes			l 						X			
Remove Visible Traces of Contaminated Sediment	i	<u> </u>	<u>'</u>	<u> </u>	l		!		X			
Sample Remaining Sediments										X		
I.J Remove Contaminated Sediments	ļ									X		
Restore Area F		ļ	İ								X	
Demobilize Site	<u> </u>	<u> </u>				ļ .	İ					X
Δ.												
				<u> </u>					!	<u> </u>		
		<u> </u>			!				RIG Re	l		
									J. A.			
			İ	İ			l			İ		
			1	1		ĺ						

APPENDIX B
EXTENSION REQUESTS

POTOMAC ELECTRIC POWER COMPANY

1900 PENNSYLVANIA AVE., N.W.

WASHINGTON, D. C. 20068

October 25, 1985

ORIGINAL (Red)

Mr. R. M. Aitken U.S. Environmental Protection Agency 841 Chestnut Building, Region III Philadelphia, Pennsylvania 19107

Mr. F. R. Henderson State of Maryland Department of Health and Mental Hygiene 201 West Preston Street Baltimore, Maryland 21201

Gentlemen:

This letter confirms prior discussions regarding extension of the cleanup schedule contained in Administrative Order By Consent among PEPCO, United Rigging and Hauling, U.S. Environmental Protection Agency and Maryland Department of Health and Mental Hygiene which became effective August 2, 1985. Despite diligent prosecution of the cleanup, the extension is necessary because of certain events and conditions beyond PEPCO's control, including, among other things, adverse weather and the discovery of unanticipated fill material at the site which required special handling. PEPCO has kept EPA and the State advised of such causes of delay as they occurred. PEPCO's best estimate for completion of cleanup activities is currently December 1, 1985.

Very truly yours,

R. M. armstrong / cal.

PEPCO Project Coordinator

cc: United Rigging and Hauling, Inc.

Messrs. K. Rader

R. E. Caron

M. Powell

J. Koontz

Mrs. K. B. DeWeese

POTOMAC ELECTRIC POWER COMPANY

1900 PENNSYLVANIA AVE., N.W.

WASHINGTON, D. C. 20068



December 2, 1985

Certified Mail

Mr. R. M. Aitken U.S. Environmental Protection Agency 841 Chestnut Building, Region III Philadelphia, Pennsylvania 19107

Mr. F. R. Henderson State of Maryland Dept. of Health and Mental Hygiene 201 West Preston Street Baltimore, Maryland 21201

Gentlemen:

This letter is to inform you that cleanup at the United Rigging site has not yet been completed due to wet weather and additional sampling not originally contemplated. Although most of the cleanup has been accomplished, test results are being awaited to determine any future action. PEPCO will continue to keep you advised as to the status of the cleanup activities.

Very truly yours,

R. M. Armstrong Scal

PEPCO Project Coordinator

cc: United Rigging and Hauling, Inc.

Messrs. K. Rader

R. E. Caron

M. Powell

J. Koontz

Mrs. K. B. DeWeese

APPENDIX C NOTIFICATION OF WORK COMPLETION

POTOMAC ELECTRIC POWER COMPANY - 1900 PENNSYLVANIA AVENUE, N. W., WASHINGTON, D. C. 20068 (202) 872-2000

January 6, 1986

Mr. R. M. Aitken U. S. Environmental Protection Agency 841 Chestnut Building, Region III Philadelphia, Pennsylvania 19107



Gentlemen:

This letter is to inform you that cleanup at the United Rigging site has been completed. The last hazardous waste shipment left the site on December 18, 1985 and the final hydroseeding was completed on December 23, 1985. The final report is being prepared and will be sent to you as soon as possible.

Very truly yours,

RM amotrong

R. M. Armstrong

PEPCo Project Coordinator

cc: United Rigging and Hauling, Inc.

Messrs. K. Rader

R. E. Caron

M. Powell

J. Koontz

Mrs. K. B. DeWesse

POTOMAC ELECTRIC POWER COMPANY . 1900 PENNSYLVANIA AVENUE, N. W., WASHINGTON, D. C. 20068

January 6, 1986

ORIGINAL (Red)

Mr. F. R. Henderson State of Maryland Dept. of Health and Mental Hygiene 201 West Preston Street Baltimore, Maryland 21201

Gentlemen:

This letter is to inform you that cleanup at the United Rigging site has been completed. The last hazardous waste shipment left the site on December 18, 1985 and the final hydroseeding was completed on December 23, 1985. The final report is being prepared and will be sent to you as soon as possible.

Very truly yours,

R. M. Armstrong

PEPCo Project Coordinator

cc: United Rigging and Hauling, Inc.

Messrs. K. Rader

R. E. Caron

M. Powell

J. Koontz

Mrs. K. B. DeWesse

APPENDIX D
GRADING PERMIT

301-737-43 FIRE MANSHAL ELECTRICAL ままいた × × X X > NON-RES KITCHENS XX ELECTRICITY: N/A C-711 -3/31/45 CENTRAL A/C: CHIEF BUILDING MD 20705 VEND MACH CHEMICAL MASTE MANAGEMENT STALAR ELEVATOR 2 NEWEN 10' ON ... MORK DESCRIPE ROUGH GRADE EXPINATION DATE: OPEN LANDS HON MIS.PAOJ ENG. PLUABING 6701 A 4MENDALE HEAL TH BELTSVILLE. 800,000 208,200 FILS PERMIT IS VOID FMEL/E (1.2) MONTHS FROM DATE ISSUED IF CONSTRUCTION HAS NOT STRATED, OF HAS BEEN SUSPENDED OR DISCONTINUED FOR A PERIOD OF SIX (6) MONTHS OF JALESS DIMERMISE INDICATED. MSSC ASSC EXISTING OR . YES X > Z FORMER USE ENVI KONMENTAL RESOURCES TOTAL SIFE AREA MARCEL T HULLI G. VISION OF CONSTAUCTION STANDARDS COUNTY ADMINISTRATION BUILDING OCCUPANCY LOAD STAUCTURE CERT CONTRACTORS SITE CEATIF SRAUED AREA PRINCE GEORGE'S COUNTY INSPECTION APPRIVALS AUTOING INSPECTOR SEABR MATER HEAT 35 CT. 75 301-037-8510 0000000 ~ `1. × 123 PIVISION OF ... FI NO STORIES DAGLE UNTA PAHKING SPI TYPE CONS F LIVE LIAU SHOW DEPAR FARM F PROPOSED JSE OPEN LANJS M TOTA DEPIA USE 4D 20705 910) STON AMMENDALE ANT GAS OF STATE OF STATE OF THE PROTON 01/3265001 000 SLUAM, CHARLES AL SANCHEZ. 1P IN FEA-CL IY BELISVILLE. PAIVAFE INSPECTION AREA! 52936 43.32 0013 PER 11 F EDVACE NO. 11.01S1/1087S SUCED AS CBCS 24.12 JANER 1 GI HSEET IO CAX MAS Me or SKIC YES 37.02K 7 3 E PILIO S

INVINCE BUTCHOOF COCKET CELLERANTERIAL DE CINVERDINGERAND RESOURT ES

KE: NO. 06772-85-6 CC

LOCATION 6701 AMMENDALE
BELTSVILLE

09/1//85 PRD 20705

PERMIT IS CONDITIONED AS FULLOWS, SUBMIT THE FOLLOWING:

____AT COMPLETION, CERTIFICATION BY DESIGNER THAT SITE GRADING CONFORMS
TO CODE AND APPROVED PLAN.

____AT COMPLETION, CERTIFICATION BY DESIGNER THAT PRIVATE STORM DRAIN AND/OR DETENTION SYSTEMS CONFORM TO CODE, APPROVED PLANS AND SPECIFICATIONS

_____COMPACTION TEST REPORTS BY APPROVED AGENCY FOR CLASS I AND II FILL AS

SITE CERTIFICATE

PRINCE GEORGE'S COUNTY--DEPARTMENT OF ENVIRONMENTAL RESOURCES

RE: NO. 06772-85-6 00

WORK PROGRESSES.

LUCAT ION

6701 AMMENDALE BELTSVILLE 09/17/85 RD

20705

A USE AND GCCUPANCY CERTIFICATE WILL NOT BE ISSUED UNTIL ALL CERTIFICATIONS AND REPORTS ARE RECEIVED.

CHEMICAL WASTE MANAGEMENT
RON MIS, PROJ ENG.
6701 AMMENDALE RD
BELTSVILLE MD 20705

ALWAYS USE THE ABOVE NUMBER (RE: NO.) WHEN INQUIRING ABOUT THIS NUTICE, OR SUBMITTING INFORMATION. MOSTAFA A. FAHMY STRUCTURAL ENGINEER CONSTRUCTION STANDARDS DIVISION (JUL) 952-4480

APPENDIX E

GRADING CERTIFICATION LETTER AND SOIL COMPACTION TEST RESULTS

POTOMAC ELECTRIC POWER COMPANY . 1900 PENNSYLVANIA AVENUE, N. W., WASHINGTON, D. C. 20068

(202) 872-2000 ORIGINAL

January 2, 1986

Prince George's County Department of Licenses and Permits 14741 Gov. Oden Bowie Drive Upper Marlboro, Maryland 20870

Attention: Mr. Arthur M. Brown

Chief of Construction Standards

Department of Environmental Resources

Re: Submittal of Certification Statement

and Report of Inspections

United Rigging Superfund Cleanup Site

Building Permit No. 6772-85-G

Gentlemen:

This letter is to certify, to the best of my knowledge and belief, based on observations on the job site, and test reports submitted by Law Engineering Testing Company, that the excavation and controlled backfill was completed in accordance with the approved plans, specifications, and code.

In compliance with the requirements of the building permit. I am submitting the "Report of Inspection/Testing Services" prepared by Law Engineering Testing Company, dated November 7, 1985. The report states that fill has been compacted to at least 90% of the specified Modified Proctor maximum dry density in accordance with ASTM D-1557.

If I can be of further assistance, please feel free to contact me on 202-872-2720.

Equineer

Marylandsc Acation 11314



LAW ENGINEERING TESTING COMPANY geotechnical, environmental & construction meternals consultants OAKLAND CENTER 8940J ROUTE 108 COLUMBIA, MARYLAND 21045

(301) 992-5442

November 7, 1985

NOTED NOV 1 4 1985 R.M.A.

Potomac Electric Power Company 1900 Pennsylvania Avenue, N. W. Washington, D. C. 20068

ATTENTION: Mr. Mike Fekete

SUBJECT:

Report of Inspection/Testing Services

United Rigging-PCB Fill

Prince Georges County, Maryland

Law Engineering Testing Project No.: B5-182

Gentlemen:

Law Engineering is pleased to submit this report of our inspection and testing services for the above referenced project. Our services were provided in accordance with our scope of services outlined in our Proposal PB5-178 dated October 1, 1985.

As a result of PCB contamination of the soil at the above project location, our services were requested to monitor placement of controlled fill at the contaminated area. After the contaminated soil was removed, the area was proofrolled to detect any areas of unstable subgrade. The area was then filled and compacted in approximately one foot lifts to return the area to original grade. The total area filled measured approximately 200 by 250 feet. The attached Drawing No. 1 shows the approximate boundaries of the site.

Generally, the northern portion of the site received approximately 4 to 5 feet of fill, the southern portion received approximately 1 to 2 feet of fill and the sediment pond received approximately 7 to 8 feet of fill. The underlying subgrade soil throughout most of the area consisted of previously placed uncontrolled debris fill.

According to our project information, we understand that the area filled will be unpaved and will be used only for open storage. Since most of the site is underlain by soils that were placed in an uncontrolled manner, we do not consider this site suitable for any permanent structures.

The following is a summary of field services provided on each of the given dates from September 30, 1985 through October 14, 1985.

Potomac Electric Power Company November 7, 1985 Page Two

September 30, 1985

LETCo personnel were on site to observe general site conditions prior to fill placement. LETCo personnel also met with PEPCo personnel to discuss our scope of services.

October 10, 1985

LETCo personnel were on site to observe proofroll and filling operations at the northern portion of the site. The proofroll of this area was considered satisfactory this date. Field density test results are attached.

October 11, 1985

LETCo personnel were on site to observe the filling operations at the northern portion of the site. A total of approximately 4 to 5 feet of fill was placed within this portion of the site. Field density test results are attached.

October 12, 1985

LETCo personnel were on site to observe proofroll and filling operations within the southern portion of the site and filling operations within the sediment pond. The proofroll conducted at the southern portion of the site was considered satisfactory. Field density test results are attached. A proofroll was not conducted at the sediment pond prior to placement of fill. Two layers of fill material were used to stabilize the soil within the sediment pond. Initially, 1 to 2 feet of stone was worked into the subgrade soils at the bottom of the sediment pond. Filter cloth was then placed on top of the stone and the first lift of soil fill was placed on top of the filter cloth this date.

October 14, 1985

LETCo personnel were on site to observe the continuation of filling operations within the southern portion of the site and the sediment pond. A total of approximately 1 to 2 feet of fill was placed at the southern portion of the site and approximately 5 feet of fill was placed on top of the filter cloth at the sediment pond to reach original grade. Field density test results are attached. Law Engineering completed its testing and inspection services for this project this date.

The attached field density test results were obtained during monitoring of compacted fill for the site from October 10, 1985 through October 14, 1985. These tests were performed on compacted fill. As indicated by the test results, the fill has been generally compacted to at least 90% of the specified modified Proctor maximum dry density (ASTM D-1557).



Potomac Electric Company November 7, 1985 Page Three

We appreciate being of service to you on this project and have enjoyed our cordial relationship with you in the past. We welcome the opportunity to be of service to you with future projects.

Very truly yours, LAW ENGINEERING TESTING COMPANY

Scott D Myens Scott D. Myers

Staff Geologist

William R. Mosher, P.E. Manager, Baltimore Office


Attachments: Drawing No. 1

Field Density Report

Proctor Curve

SDM/WRM/rkz

(Red)



LAW ENGINEERING TESTING COMPANY



OAKLAND CENTER 8940J ROUTE 108 COLUMBIA, MARYLAND 21045 (301) 992-5442

REPORT OF FIELD DENSITY

(Red)

CLIENT:

PEPCo

DATE:

November 7, 1985

PROJECT: United Rigging-PCB Fill

JOB NO. B5-182


TEST NO.	WEIGHT PCF	PERCENT MOISTURE		•	PERCENT COMPACTION	PERCENT COMPACTION REQUIRED	LOCATION	DEPTH FROM GRADE
1 2 3 4	139.2 140.2 142.2 134.7	15.1 15.4	120.0 121.8 123.4 116.9	1	93 94 95 90	90 90 90 90	Tests Performed October 10, 1985 See Attached Drawing No. 1 See Attached Drawing No. 1 See Attached Drawing No. 1 See Attached Drawing No. 1	4' 4' 3' 2'
5 6	146.4 141.4		126.4 121.2		98 94	90 90	Tests Performed October 11, 1985 See Attached Drawing No. 1 See Attached Drawing No. 1	1'
7 8	135.4 134.4		112.8 116.7		87 ** 90	90 90	Tests Performed October 12, 1985 See Attached Drawing No. 1 See Attached Drawing No. 1	0'
9 10 11 12 13 14	142.1 146.8 140.7 142.6 136.6 139.5	11.1 15.0 16.5 15.8	123.2 132.1 122.3 122.4 117.9 124.3	1 1 1	95 100+ 95 94 91 96	90 90 90 90 90 90	Tests Performed October 14, 1985 Retest of Test #7 See Attached Drawing No. 1 See Attached Drawing No. 1 See Attached Drawing No. 1 See Attached Drawing No. 1 See Attached Drawing No. 1 See Attached Drawing No. 1	0' 0' 3' 2' 1' 0'

The above tests were performed by Engineering Technicians D. Gardner and M. Javad-pour via Sand Cone Method (ASTM D1556).


. TESTS COMPARED TO:

MOISTURE-DENSITY RELATIONSHIP NO.	MAXIMUM DRY DENSITY, PCF	OPTIMUM MOISTURI PERCENT				
1	129.3	7.7				

^{**} Area needed to be recompacted and retested.



APPENDIX F HEALTH AND SAFETY PLAN



SECTION 5.0

HEALTH AND SAFETY PLAN



- I. PURPOSE AND SCOPE
- II. MEDICAL SURVEILLANCE
- III. EMPLOYEE TRAINING AND INFORMATION
- IV. AIR QUALITY MONITORING PROGRAM
- V. GENERAL SAFE WORK PRACTICES
- VI. PERSONAL PROTECTIVE EQUIPMENT
- VII. WORK ZONE AND DECONTAMINATION PROCEDURES
- VIII. EMERGENCY RESPONSE PLAN

Ÿ.	

HEALTH AND SAFETY PLAN

I. PURPOSE AND SCOPE

ORIGINAL (Red)

This health and safety plan for the United Rigging site is intended to prescribe minimum procedural and equipment requirements for worker protection. Operating conditions can be expected to change as the work progresses, requiring some modification of the plan. As appropriate, addenda will be provided by the CWM-ENRAC Site Safety Officer and/or the Health and Safety Manager. The plan is designed to comply with established CWM-ENRAC policies and procedures, and applicable state and federal OSHA regulations. Therefore, no changes to the plan will be authorized without prior approval of the ENRAC Health and Safety Department. All CWM-ENRAC site personnel, site visitors, and subcontractor personnel are subject to the provisions of this directive.

II. MEDICAL SURVEILLANCE

A. Examination Requirements

All CWM-ENRAC personnel on-site shall have successfully completed a preplacement or annual periodic/update medical examination in accordance with established CWM/ENRAC policies and procedures, and consistent with the provisions of the OSHA carcinogen standards. This examination shall include a complete medical and occupational history, physical examination, and selected biological sampling. Laboratory studies include a complete blood count (CBC); urine analysis; chemistry panel (SMAC); pulmonary function testing (FEV, and FVC); chest X-ray (PA); audiometry; and vision screening. Additional tests are conducted as deemed appropriate by the occupational physician. Ongoing medical consultation and post-project testing will be provided.

B. Medical surveillance for subcontractor and/or transportation shall be consistent with the requirements of Section A above.

C. Emergency Medical Treatment

In the event of an employee injury or illness requiring emergency medical care beyond the capabilities of on-site CPR and first-aid trained personnel, local safety resources will be utilized as appropriate in consultation with the contingency plan developed with the Perth Amboy Fire Department.

ORIGINAL (Red)

III. EMPLOYEE TRAINING AND INFORMATION

A. All ENRAC site personnel shall have completed the Basic Hazards
Awareness Course provided by the ENRAC Health and Safety Department.
This coursework is a combination of formal classroom training, practical exercise, and written and practical performance evaluation.

This formal training is augmented by daily crew briefings and site specific training as required. All subcontractor personnel will be required to complete the Basic Hazards Awareness Course and attend all crew briefings.

- B. In the event that specific organic/inorganic compounds and/or substances are encountered during initial background air monitoring studies or during site operations which mandate additional employee training, such training will be conducted in accordance with ENRAC's Safety Procedures.
- C. A completed Material Safety Data Sheet, prepared in accordance with established CWM-ENRAC procedures, for each hazardous substance or hazardous mixture likely to be encountered at the site, shall be available at the Command Center for employee review.

IV. AIR QUALITY MONITORING PROGRAM

A. General

An air quality monitoring program shall be implemented to provide baseline and on-going air quality data for site operations. The program shall include as a minimum, the following:

- A preliminary survey of existing air quality conditions, prior to any surface disturbances and, if possible, under anticipated "worst case" weather conditions (hot, dry and stagnant), to be used to establish baseline levels for input into the respiratory protection selection process;
- An on-going evaluation of on-site atmospheric contaminant concentrations during site remediation activities that involve significant surface disturbances; and
- Perimeter monitoring of off-site downwind air quality conditions during significant surface disturbances.

B. Specific Site Sampling Requirements

Industrial Hygiene Sampling

Representative personnel exposure monitoring, to determine eight-hour time weighted average (TWA) exposure concentrations shall be conducted as deemed appropriate by the Site Safety Officer or his designees. Sampling methods, analytical procedures, and sampling frequencies shall be consistent with OSHA and NIOSH requirements and established CWM-ENRAC policies and procedures.

2. Regular Review of Selected Level of Protection

The site Safety Officer will compare the monitoring results on a regular basis with the OSHA standard to insure that the selected level of protection is appropriate.

ORIGINAL (Red)

GENERAL SAFE WORK PRACTICES

- A. Eating, drinking, chewing gum or tobacco, smoking, or any practice that increases the probability of hand to mouth transfer and ingestion of material is prohibited in any area where the possibility of contamination exists.
- B. Hands must be thoroughly washed upon leaving a contaminated or suspected contaminated area before eating, drinking, or any other activities transpire.
- C. Thorough washing of the entire body should be accomplished whenever decontamination procedures for outer garments are in effect. The washing should occur as soon as possible after the final wearing of protective garments.
- D. Legible and understandable precautionary labels shall be prominently affixed to containers of raw materials, intermediates, products, mixtures, scrap, waste, debris, and contaminated clothing.
- E. Contaminated protective equipment shall not be removed from the regulated area until it has been cleaned or properly packaged and labeled.
- F. Removal of materials from protective clothing or equipment by blowing, shaking, or any other means which may disperse materials into the air is prohibited.
- G. Portable or fixed emergency shower/eyewash stations shall be strategically located throughout the regulated area.
- H. A deluge shower or hose and nozzle shall be available if needed in the Contamination Zone to wash down heavily contaminated personnel before removing protective clothing.

- I. All trenching and excavation work will comply with regulatory agency rules.
- J. Personnel on-site must use the "buddy" system when wearing any respiratory protective equipment. Communications between members must be maintained at all times. Emergency communications should be prearranged in case of radio breakdown or lack of radios. Visual contact must be maintained between "pairs" on-site and each team should remain in close proximity to assist each other in case of emergencies.
- K. Personnel should be cautioned to inform each other of subjective symptoms of chemical exposure such as headache, dizziness, nausea, and irritation of the respiratory tract, eyes, or skin.
- L. No excessive facial hair which interferes with a satisfactory fit of the mask-to-face seal, will be allowed on personnel required to wear respiratory protective equipment.
- M. All respiratory protection selection, use, and maintenance shall meet the requirements of established CWM-ENRAC procedures, recognized consensus standards (AIHA, ANSI, NIOSH), and shall comply in all respects to the requirements set forth in 29 CFR 1910.134.
- N. Appropriate work areas for support, contamination reduction and exclusion will be established.
- ENRAC personnel on-site are to be thoroughly briefed on the anticipated hazards, equipment requirements, safety practices, emergency procedures and communications methods, initially and in daily briefings.
- P. Any skin contact with surface and groundwater shall be avoided.
- Q. Steel toe and shank neoprene boots will be worn on-site at all times.

B. Emergency Equipment

The following equipment shall be available at the work site:

4. Establish work regimens consistent with ACGIH Guidelines.



- 5. To assist in determining the body's recuperative ability to excessive heat, one or more of the following monitoring techniques should be used as a screening mechanism for determining recovery. Monitoring of personnel should commence at least when the ambient temperature increases or as monitoring indicates slow recovery rates (after every work period above 85°).
 - a. Heart Rate (HR) should be measured by the radial pulse during 30 seconds as early as possible in the resting period. The HR at the beginning of the rest period should not exceed 110 beats per minute. If the HR is in excess of the above value, the next work period should be shortened by 10 minutes (or 33%) while the length of the rest period stays the same. If the pulse rate is in excess of 110 beats per minute at the beginning of the next rest period, the following work cycle should be further shortened by 33%.
- b. Body Temperature (BT) should be measured orally with a clinical thermometer as early as possible in the resting period. Oral temperature should not exceed 99.7°F (corresponding to 100.4°F BT). If OT exceeds 99.7°F, the next work period should be shortened by 10 minutes (or 33%) while the length of the rest period stays the same. However, if the OT is in excess of 99.7°F at the beginning of the next rest period, the following work cycle should be further shortened by 33%. OT should be measured again at the end of the rest period to make sure that OT has decreased below 99.7°F.

ORIGINAL (Red) Body Water Loss (BWL) due to sweating during the work day should be measured by the difference between body weight in the morning before work and body weight in the evening after finishing work. The clothing worn should be similar at both weighings; preferably the worker should be nude. The scale should be accurate to ±½ lb. BWL should not exceed 1.5% of total body weight. If BWL exceeds 1.5%, the worker should be instructed to increase his daily intake of fluids by the amount of total deficit (morning body weight minus evening body weight). The ideal condition is to maintain the body fluids at a constant level during the whole work day. This requires the replacement of the salt lost in the sweat as well. This can be achieved by eating salted meals during the day and/or drinking fluids containing 0.1% salt.

VI. PERSONAL PROTECTIVE EQUIPMENT

A. Introduction

It is important that personal protective equipment and safety requirements be appropriate to protect against the potential hazards at the site. Protective equipment will be selected based on the contaminant type(s), concentration(s), and routes of entry. In situations where the type of materials and possibilities of contact are unknown or the hazards are not clearly identifiable, a more subjective determination must be made of the personal protective equipment.

B. Levels of Protection

Level A: Should be worn when the highest level of respiratory, skin, and eye protection is needed.

<u>Level B</u>: Should be selected when the highest level of respiratory protection is needed, but a lesser level of skin protection is required.



<u>Level C</u>: Should be selected when the type(s) of airborne substance(s) is(are) known, the concentration(s) is(are) measured. Nand the criteria for using air-purifying respirators are met.

Level D: Should not be worn on any site with respiratory or skin hazards. Is primarily a work uniform providing minimal protection.

C. Required Protection

ENRAC will provide its employees with appropriate personal protective equipment as required. Only NIOSH/MSHA certified respiratory protective equipment will be utilized.

Respiratory protection as specified in the OSHA standards shall be provided (Exhibit A). Protective clothing for site operations must provide vapor and liquid barrier protection against chlorinated hydrocarbons.

VII. WORK ZONE AND DECONTAMINATION PROCEDURES

A. General

A site must be controlled to reduce the possibility of exposure to any contaminants present and their transport by personnel or equipment from the site.

A control system is required to assure that personnel and equipment working on the hazardous waste site are subjected to appropriate health and safety surveillance.

The possibility of exposure or translocation of contaminants can be reduced or eliminated in a number of ways, including:

- Setting up security or physical barriers to exclude unnecessary personnel from the general area.



- Minimizing the number of personnel and equipment on-site consistent with effective operations.
- Establishing work zones within the site.
- Establishing control points to regulate access to work zones.
- Conducting operations in a manner to reduce the exposure of personnel and equipment.
- Minimizing the airborne dispersion of contaminant(s).
- Implementing appropriate decontamination procedures.

B. Field Operations Work Areas

Work areas (zones) will be established based on anticipated contamination. Within these zones prescribed operations will occur utilizing appropriate personal protective equipment. Movement between areas will be controlled at checkpoints. The planned zones are:

- Exclusion Area (contaminated);
- 2. Contamination Reduction Area; and
- Support Area (non-contaminated).

1. Exclusion Area

The Exclusion Area is the innermost area of three concentric rings and is considered contaminated, dirty or "hot". Within this area, prescribed protection must be worn by any entering personnel. An entry checkpoint will be established at the periphery of the Exclusion Area to control the flow of personnel and equipment between contiguous zones and to ascertain that the procedures established to enter and exit the zones are followed. The Exclusion Area boundary will be established initially based on the presence of the contaminant(s) within the area. Subse-

quent to initial operations the boundary may be readjusted based on observations and/or measurements. The boundary will be physically secure and posted.

Contamination Reduction Area

Between the Exclusion Area and the Support Area is the Contamination Reduction Area. The purpose of this zone is to provide an area to prevent or reduce the transfer of contaminants which may have been picked up by personnel or equipment returning from the Exclusion Area. All decontamination activities occur in this area.

The boundary between the Support Area and the Contamination Reduction Area is the contamination control line. This boundary separates the possibly-contaminated area from the clean zone.

Entry into the Contamination Reduction Zone from the clean area will be through an access control point. Personnel entering at this station will be wearing the prescribed personal protective equipment for working in the Contamination Reduction Area. Exiting the Contamination Reduction Area to the clean area requires the removal of any suspected, or known, contaminated personal protective equipment and compliance with decontamination procedures.

Support Area

1

The Support Area is the outermost of three rings and is considered a non-contaminated or clean area. It contains the Command Post (CP) for field operations and other elements necessary to support site activities. Normal street or Level D work clothes are the appropriate apparel within this zone.

C. Zone Dimensions

ORIGINAL (Red) Considerable judgement is needed to assure safe working distances for each zone, balanced against practical work considerations. Physical and topographical barriers may constrain ideal locations. Field/laboratory measurements combined with meteorological conditions and air dispersion calculations will assist in establishing the control zone distances.

Ē

D. Decontamination Procedures

1. Introduction

As part of the system to prevent or reduce the physical transfer of contaminants by people and/or equipment from on-site, procedures will be instituted for decontaminating anything leaving the Exclusion Area and Contamination Reduction Area. These procedures include the decontamination of personnel, protective equipment, monitoring equipment, clean-up equipment, etc. Unless otherwise demonstrated, everything leaving the Exclusion Area should be considered contaminated and appropriate methods established for decontamination. In general, decontamination at the site consists of rinsing equipment, personnel, etc., with copious amounts of water and washing the same with detergent water solution.

Procedure

- a. Personnel equipment worn into the Exclusion Area will be decontaminated upon leaving the Contamination Reduction Area. All equipment decontaminated will be air dried.
- b. The decontamination of equipment, material and personnel used or working in the Contamination Reduction Area may be somewhat less complex than that used within the Exclusion Area.

c. The spent solution, brushes, sponges, containers, stands, etc., used in the decontamination process must, until shown otherwise, be considered contaminated and must be properly disposed.

ORIGINAL

VIII. EMERGENCY RESPONSE PLAN

A. Site Emergency Warning System

Several warning systems may be utilized depending on the worksite conditions or emergency involved:

- Verbal communications
- Verbal communications assisted with a bull horn
- Verbal communications assisted with a site PA system
- 4. Radio communications
- Vehicle horns
- Portable hand-held compressed gas horns

Verbal instructions with or without assistance are used to deal with specific incidents.

Radio communications are used on-site to give instructions and directions. Emergency radio communications are prefixed as such and have priority over operations communications.

Horn signals are used to signify an emergency warning.

One long blast is used on-site to signify emergency evacuation of the immediate work area to a predetermined location upwind, where a head count will be taken and further instructions given.

Repeated short blasts are used on-site or from off-site to signify evacuation of all personnel from the site to the hot line where further instructions will be given after a head count is taken.

B. Emergency Equipment

The following equipment shall be available at the work site:

- Fire extinguishers dry chemical
- ORIGINAL2. First aid kits (including chemical burn kit)
 - (Red) 3. Emergency oxygen kit
 - 4. Emergency shower kit (pressurized)
 - 5. P.D.T. (personal decontamination trailer)
 - 6. Non-sparking tool kit
 - 7. Fire Blankets
 - 8. Litters
 - 9. Portable two-way radio equipment
 - Combustible gas and oxygen detector alarm.
 - 11. Organic vapor detection instruments HNU photoionizer detector or Foxboro Analytical (formerly Century Systems) OVA
 - Inorganic vapor detector tubes and air supply pumps Draeger and/or MSA
 - Hand-held compressed gas horns
 - 14. Bull horns
 - 15. Appropriate spill cleanup supplies and equipment

C. General Emergency Procedures

In case of an emergency or hazardous situation, the team member that observes this condition shall immediately give the alarm.

- Upon hearing an alarm, all non-emergency communications will cease and the member giving the alarm will proceed to give the Project Manager all pertinent information.
- Actions to be taken will be dictated by the emergency.
- Power equipment will be shut down and operators will stand by for instruction.

- 4. Injured personnel will be transported to the Personnel Decontamination Trailer (PDT).

 ORIGINAL (Red)
- 5. CWM-ENRAC Command Post (CP) will be notified immediately.
- In case of a fire, explosion or hazard alarm, individuals will proceed immediately to assigned pre-located safe sites.
- Upon arrival at the safe sites, a complete head count will be given to project Manager and individuals will stay at the safe site until the area is secured.

D. Personal Injury

If an injury occurs due to an accident or exposure to a hazardous substance, the CWM-ENRAC CP will be immediately notified by radio. The Site Safety Officer will be given all appropriate information concerning the nature and cause of the injury so that treatment preparations can be initiated. The injured person will be transported to the hot line where appropriate first aid and treatment can begin. The Project Manager will be informed and will investigate the cause of the injury and make any necessary changes in work procedures.

E. Ambient Monitoring Contingencies

When ambient monitoring on the downwind edge of the site indicates higher than background levels of any contaminant, the Safety Officer and Project Manager will immediately determine the cause, make changes to work practices or procedures, and if necessary, make changes in site layout (i.e., change the location of the CP, decon area, or Exclusion Area), warn unprotected personnel to evacuate or don protective equipment, coordinate with local authorities to effect off-site evacuation.

	20	

APPENDIX G SPILL PREVENTION CONTROL AND COUNTERMEASURE PLAN

POTOMAC ELECTRIC POWER COMPANY . 1900 PENNSYLVANIA AVENUE, N. W., WASHINGTON, D. C. 20068 (202) 872-2000

This is to certify that I have reviewed the "PEPCO PCB/Oil Spill Prevention Control and Countermeasure Plan for Superfund Cleanup at United Rigging Site" and I found it satisfactory. Therefore, I attest that this document has been prepared in accordance with good engineering practice as required in Code of Regulations 40 Section 112.3(d).

> Washington, D. C., July 16, 1985 Richard M. Armstrong Senior Project Engineer Substation Construction and Maintenance

State of Maryland P.E. #9871





PEPCO PCB/OIL SPILL PREVENTION CONTROL AND COUNTERMEASURE PLAN FOR SUPERFUND CLEANUP AT UNITED RIGGING SITE



1.0 PURPOSE

- 1.1 To provide instruction for the safe handling of PCBs/oil, including PCB contaminated equipment and materials.
- 1.2 To ensure that the decontamination of PEPCO transformers located at the United Rigging site is conducted in a manner so as to minimize/ eliminate the potential discharge of oil or PCBs to the environment.
- 1.3 To ensure compliance with the Federal Toxic Substances Control Act (TSCA), Superfund, Department of Transportation (DOT) regulations; and the State of Maryland Controlled Hazardous Substances (CHS) regulation.
- 1.4 To comply with the Administrative Consent Order # III-85-19-DC of EPA, DHMH, PEPCO, and United Rigging.

2.0 SCOPE

2.1 This procedure is currently limited solely to the decontamination of PEPCO transformers containing PCBs/oil located at the United Rigging

3.0 APPLICABILITY



3.1 This procedure applies to all PEPCO personnel or PEPCO contractors associated solely with the decontamination of transformers containing PCBs/oil.

4.0 RESPONSIBILITY

4.1 The PEPCO site Project Coordinator is responsible for ensuring that the appropriate personnel comply with this procedure.

5.0 FACILITY DESCRIPTION

The United Rigging and Hauling Company owns and operates a rigging and hauling business located at 6701 Ammendale Rd., Beltsville, Maryland, Prince Georges County, Maryland. The site consists of approximately ten acres and is bounded on all sides by industrial facilities. Stormwater run-off from the site enters two storm drains and travels via ditches to a local unnamed stream, a tributary of Indian Creek. As part of its operation, United Rigging stores and recovers metal from scrap electrical transformers, some of which contain various levels of water, oil, and/or

PCB contaminated oil. The majority of these transformers are stored in Area A as described by the attached work plan.



6.0 INSTRUCTIONS

- 6.1 Emergency Equipment Required:
 - (a) Solvents: kerosene, SS-25, and power cleaner
 - (b) Absorbents: sand, vermiculite, and sol-speedi dri
 - (c) Protective Clothing: aprons, rain suits, rubber boots, hard hats, non-porous gloves, and full-face respirator with organic fumes filter
 - (d) Containment Equipment: drip pans, 55 gallon drums, oil booms, sandbags, rags, and plastic bags.

6.2 General Safety Precautions:

- (a) Wear appropriate protective clothing and eye wear to prevent contact with PCBs
- (b) Avoid breathing vapor or fumes from PCBs

- (c) Avoid contact with PCB liquids
- (d) In case of skin contact with PCBs, wash with warm water and soap

 ORIGINAL
- (e) In case of skin or eye irritation, consult Company Medical
 Department or nearest Physician
- (f) Wash with warm water and soap before eating, drinking, smoking, or using toilet facilities
- (g) Report spills of any quantity to PEPCO site Project Coordinator and Environmental Affairs representative.

6.3 PCBs/Oil Handling and Storage:

- (a) Conduct pre-work inspection to ensure that appropriate safety and containment equipment is at site and functioning.
- (b) Ensure that all containment structures, including berms, booms, etc., have been appropriately deployed and maintained around the proposed work area in accordance with the project work plan.
- (c) Wear protective clothing prior to handling PCBs. When protective clothing becomes contaminated, it must be wiped clean with a solvent. All cleanup materials must be placed in a plastic bag and discarded in the appropriately-labelled disposal drum.

- (d) At the start and end of each workday, conduct visual inspections of PCBs/oil storage and handling areas to determine evidence of ORIGINAL (Red) material spill/leaks. Evidence of these inspections should be logged daily using form in APPENDIX I. Ad hoc visual inspections of the work area should be conducted for evidence of any spill/leak.
- (e) In the event of a spill, immediately notify the site Project
 Coordinator or his designee and attempt to stop the spill. The
 Project Coordinator will visit the site and determine the
 severity and extent of the spill and direct the appropriate
 cleanup response. All spills will be reported to OSC and the
 PEPCO Environmental Affairs representative. All cleanup
 materials must be placed in appropriately-labelled drums for
 temporary storage prior to disposal.
- (f) The Environmental Affairs representative is responsible for all PEPCO reporting to State and Federal agencies of spills and waste disposal.

6.4 PCBs/Oil Transfer:

(a) Prior to pumping PCBs/oil from the waste oil tank to waste oil tanker, ensure all connections are properly secured. Place drip pans along the temporary line under pipeline connections and/or

valves.

- (b) Start oil pumps and inspect the pipeline for system leaks. If no leak is observed, continue pumping.
- (c) In the event of an oil leak, stop the pumps immediately and follow instruction 6.3(e).

6.5 PCBs/Oil Pre-Disposal Requirements:

- (a) All PCBs/oil debris resulting from any site cleanup activity must be placed in a plastic bag and hand-loaded into drums. Make sure the outside and bottom of drums remain free of contaminated material. When drums are full, install metal top with locking ring.
- (b) All drums containing contaminated material from cleanup must be appropriately marked, dated, and labelled and stored in an area in accordance with the site work plan. Decontaminated transformers must also be labelled and stored in non-contaminated areas for disposal consistent with the site work plan.
- (c) PCB material greater than 500 ppm must be disposed of within 30 days from date of temporary storage. PCB material less than 500 ppm must be disposed of within 90 days of temporary storage.

- (d) Contaminated waste oil/water pumped into the Maryland CHS certified waste oil tanker for disposal must be sampled for PCB concentration. CAUTION: In no case, must transformer oil tested and found to have PCB concentrations greater than 499 be pumped into the waste oil tanker.
- (e) PCB contaminated oil must be transported and disposed of at Morgantown in accordance with the PCB/Oil Burning Procedure OP 118, Rev. 2.

6.6 Record-keeping:

- (a) All spills occurring as a result of site cleanup activity must be documented in accordance with APPENDIX II. Copies of these reports must be forwarded to the site Project Coordinator.
- (b) Drums with PCB contaminated material must be appropriately labelled and weighed prior to disposal. Records of weight must be logged in a book supplied by site Project Coordinator.
- (c) All shipments of PCB material for disposal must be manifested in accordance with Appendix III. Copies of each manifest must be turned over to the site Project Coordinator.
- (d) The Project Coordinator shall transmit copies of all spill, storage, and disposal records to the Water and Land Use

Department at the completion of this project for the preparation of PEPCO's annual PCB/RCRA reports.

ORIGINAL (Red)

7.0 TRAINING

- 7.1 All PEPCO personnel assigned to the United Rigging site cleanup must be previously trained in the safe handling and cleanup response of PCB and oil materials in accordance with existing Company procedures.
- 7.2 All PEPCO personnel involved in the transportation of oil or PCB materials must be previously certified by the Department of Health and Mental Hygiene and the Department of Natural Resources.

8.0 CONCLUSIONS

- 8.1 All cleanup and decontamination activities must be conducted in strict adherence to the site cleanup work plan.
- 8.2 Cleanup of PCBs/oil spills must be started promptly.
- 8.3 Record of oil spill events must be kept. Information on spills must be gathered and reported promptly.
- 8.4 Use good common sense in approaching and resolving problems.

Utilize all necessary facilities and equipment for prompt action.

SPILL PREVENTION CONTROL AND COUNTERMEASURE PLAN

ORIGINAL (Red)

APPROVALS

Title	Signature	Date
Manager, Water and Land Use	fulfand L. S. Guiland	7/17/85
Director, Environmental Affairs	W. A. Foy	1/17/85
Senior Project Engineer,		
Substation Construction and	Q.1 0 -	- 1 /
Maintenance	KM amotory	7/16/85
	R. M. Armstrong	
EPA On-the-Scene Coordinator	John .	7/30/95

R. Caron

APPENDIX I

POTOMAC ELECTRIC POWER COMPANY SPCC INSPECTION CHECKLIST



Date:	Time:		a.m. p.m.
Facility:			(neu)
OIL STORAGE AREAS		Yes	No
Do storage tank(s), tanker, truck-association?	ciated equipment e in good physical	//	
If not, give explanation of condition(s):		
Is there oil or petroleum products beir which are not referred to in the facili	ng stored in locations ity's contingency plan?		
<pre>If yes, give oil type(s), quantity(s),</pre>	and location(s):		
Is the tank(s) diked, enclosed by other or located in an area from which draina receiving stream or municipal storm or	ge would not reach the		
Give the probable drainage route (from of spilled oil from this location:	source to end point)		
Do nearby drains, ditches, gutters, or slicks?	sumps contain oil		
If yes, give location(s):	***		

ORI	GINAL
IR	ed)

Does the overall storage area(s) appear clean and free of oil?	
If not, explain:	* x.
TRUCK, LOADING/UNLOADING, AND FUEL TRANSFER AREAS	
Is there any evidence of oil leaks from oil tanker, or from pumps or piping?	
Does the overall loading/unloading area appear clean and free of oil?	
If not, explain:	
EQUIPMENT CHECK	
Does facility have SPCCP equipment on-site and in locations specified in their SPCCP?	
If not, explain:	
Name of person conducting inspection:	
Signature: Date:	

APPENDIX II

POTOMAC ELECTRIC POWER COMPANY PCB/OIL SPILL/LEAK REPORT



Date:a.m.	County:		State:
Time: p.m.	City:		Facility:
Amount:			
Type 0il:			
Was spill contained on 1	and?	Explain:	
Did oil enter waterway?			
Specify PCB concentratio			
How did spill occur?			
Was there a fire?		If yes, explai	n:
		·	
State cleanup measures a	pplied:		
What is anticipated clea	nup time?		
Additional information:			
·			
Name of person reporting	spill:		
Signature:		Da	te:

APPENDIX III



EPA Form 8700-22 (7-84)

HAZARDOUS WASTE MANIFEST

Department of Health and Mental Hygiene
Office of Environmental Programs
Waste Management Administration • Hazardous Waste Division
P.O. Box 13877 • Baltimore, Maryland 21203



	UNIFORM HAZAF		1. Gene	retor s C	IS EP	~ 10	140.			Man	ifest ent No	2. Pag	pe 1		netion			
1	WASTE MANIF 3. Generator's Name and Maili		ш			_			1	1.1	11	of		San Control	require			l law.
1	S. Cenerator's reame and Main	ng Address										0.000		fest Doc		Numb	•r	
1												_		004		U.L		
4	Generator's Phone (·												sporter's				
	. Transporter 1 Company Na				6.		US	EPA I	D Nun	her				1 11			жЦ	
1					1.1	-1	1 1	1	1	1 1	1.1			er's Phor		١,,	~ []	Ш
7	7. Transporter 2 Company Na	me			8.		US	EPA I	D Nun	ber				sporter's				
L					11	1	11	1		11	1.1	S 100	VH []]		1111	1 (oc []	ш
9). Designated Facility Name an	d Site Addres	4		10.		US	EPAI	Num	ber		_		c's Phon			- 11	
1													te Faci			_		
1					2 22							H. Fe	cility's l	hone				-
H														11	11	11	11	1
11	1. US DOT Description (Inclu	ding Proper Si	hippina N	Vame Ha	tard i	Class	and	ID N	mher	1	2. Cont	ainers		13.	14.		1.	-
	AND DESCRIPTION OF THE PARTY OF					····	. •	10 110	iiii) er j		No.	Type	Qu	otal	WtV		Waste	No.
ľ											00170				1		- 5	
										1	1.1	11	111	1.1	1	1	1	1
ь),					_				_		1	Ш		1_		•	_
1																1:		
										1	1.1	11	111	1.1		. 1	131	1
c.							-			-		++-	ш	\perp	-	\vdash	955.00	
										- 1	2000					1	4.5	4
										-1		11	111	11	1	1 1		- 1
٥.						-				-	1 1	-	ш		-	+	-1	
										1	n 10					١.	100	30
Ļ																11		
٦.	Additional Descriptions for M	Autorials Lister	d Above	*		Physic	cel .	14	ecitic				K. Han	dling Co	des for	Waste	Liste	d Abo
•.		1111	11	e. °	٦٦	39"	1	Ιľ	TI	1.1	1 1	ĪI		ШЦ	1111	.11	in	1111
		W 020 R 0	27 70	2	٠, ٠				1				(0.55)	шц	ш	[ח נד	ш
		1 1 1 1		a.	JI			Ш		11		11	b.	ШЦ	1111	d.	111	111
ь.					200 11				No. Xer	30, 15								
	5. Special Handling Instruction	ns and Additio	nal Infor	mation														
		ns and Additio	nal Infor	mation														
		ns and Additio	nal Infor	mation														
		ns and Additio	nal Infor	metion														
15	5. Special Handling Instruction																	
15	is. Special Handling Instruction is. Special Handling Instruction is. GENERATOR'S CERTIFIC by proper shipping name and	CATION: I her	eby deci	are that t											ed abov			
15	5. Special Handling Instruction	CATION: I her	eby deci	are that t											ed abov	•		
15	5. Special Handling Instruction 5. GENERATOR'S CERTIFIC by proper shipping name an highway according to applic	CATION: I her	eby deci	are that t	gover	nmer	ntal r								ed abov		Date	
15	is. Special Handling Instruction is. Special Handling Instruction is. GENERATOR'S CERTIFIC by proper shipping name and	CATION: I her	eby deci	are that t	gover		ntal r								ed abov		Date h Day	
15 16	5. Special Handling Instruction 5. GENERATOR'S CERTIFIC by proper shipping name and highway according to applic inted/Typed Name	CATION: I her d are classified able internation	eby deck d, packed onal and	are that t I, marked national	gover	nmer	ntal r								ed abovesport b		n Day	Y • •
15 16	5. Special Handling Instruction 5. GENERATOR'S CERTIFIC by proper shipping name an highway according to applic	CATION: I her d are classified able internation	eby deck d, packed onal and	are that t I, marked national	gover	Sign	ntal r								ed abov	Mont	Date	Y ••
15 16	5. Special Handling Instruction 5. GENERATOR'S CERTIFIC by proper shipping name an highway according to applic inted/Typed Name 1. Transporter 1. Acknowledge	CATION: I her d are classified able internation	eby deck d, packed onal and	are that t I, marked national	gover	nmer	ntal r								ed abov	Mont	n Day	Y ••
16 Pri	5. Special Handling Instruction 5. GENERATOR'S CERTIFIC by proper shipping name an highway according to applic inted/Typed Name 1. Transporter 1. Acknowledge	CATION: I her d are classified able internation ement of Rece	eby decir 5, packed onal and supt of Ma	are that t l, marked national aterials	gover	Sign	ntal r								ed above	Mont	Date h Day	Y 44
15 16 Pri	5. Special Handling Instruction 5. GENERATOR'S CERTIFIC by proper shipping name an highway according to applic inted/Typed Name 7. Transporter 1. Acknowledge inted/Typed Name	CATION: I her d are classified able internation ement of Rece	eby decir 5, packed onal and supt of Ma	are that t l, marked national aterials	gover	Sign	ature								sport b	Mont.	Date	Y &
15 16 Pri 17	6. Special Handling Instruction 6. GENERATOR'S CERTIFIC by proper shipping name an highway according to applic inted/Typed Name 7. Transporter 1. Acknowledge inted/Typed Name 8. Transporter 2. Acknowledge 9. Transporter 2. Acknowledge	CATION: I her d are classified able internation ement of Rece	eby decir 5, packed onal and supt of Ma	are that t l, marked national aterials	gover	Signi	ature								sport b	Mont.	Date h Day Date h Day	Y•.
15 16 17 17 18 Pro	6. Special Handling Instruction 6. GENERATOR'S CERTIFIC by proper shipping name an highway according to applic inted/Typed Name 7. Transporter 1. Acknowledge inted/Typed Name 8. Transporter 2. Acknowledge 9. Transporter 2. Acknowledge	CATION: I her d are classified able internation ement of Rece ement of Rece	eby decir 5, packed onal and supt of Ma	are that t l, marked national aterials	gover	Signi	ature								sport b	Mont.	Date h Day Date h Day	Y•.
15 16 17 17 18 Pro	6. Special Handling Instruction 6. GENERATOR'S CERTIFIC by proper shipping name an highway according to applic inted/Typed Name 7. Transporter 1. Acknowledge inted/Typed Name 8. Transporter 2. Acknowledge inted/Typed Name	CATION: I her d are classified able internation ement of Rece ement of Rece	eby decir 5, packed onal and supt of Ma	are that t l, marked national aterials	gover	Signi	ature								sport b	Mont.	Date h Day Date h Day	Y•.
16 Pri 17 Pri	6. Special Handling Instruction 6. GENERATOR'S CERTIFIC by proper shipping name an highway according to applic inted/Typed Name 7. Transporter 1. Acknowledge inted/Typed Name 8. Transporter 2. Acknowledge inted/Typed Name	CATION: I her d are classified able internation ement of Rece ement of Rece	eby decir 5, packed onal and supt of Ma	are that t l, marked national aterials	gover	Signi	ature								sport b	Mont.	Date h Day Date h Day	Y
15 16 17 17 18 18	5. Special Handling Instruction 5. GENERATOR'S CERTIFIC by proper shipping name and highway according to applic inted/Typed Name 7. Transporter 1. Acknowledge inted/Typed Name 8. Transporter 2. Acknowledge inted/Typed Name 9. Discrepancy Indication Spec	CATION: I her d are classified able internation ement of Rece ement of Rece e	eby decil, f, packed f, packed onal and eipt of Ma eipt of Ma	are that t l, marked national aterials	gover	Signi Signi Signi	ed, a ntal r ature	nd are	in all	respected Ma	cts in piryland	oper co	ndition or regu	for translations.	sport b	Mont.	Date h Day Date h Day	Y
15 16 17 17 18 18	6. Special Handling Instruction 6. GENERATOR'S CERTIFIC by proper shipping name an highway according to applic inted/Typed Name 7. Transporter 1. Acknowledge inted/Typed Name 8. Transporter 2. Acknowledge inted/Typed Name	CATION: I her d are classified able internation ement of Rece ement of Rece e	eby decil, f, packed f, packed onal and eipt of Ma eipt of Ma	are that t l, marked national aterials	gover	Signi Signi Signi	ed, a ntal r ature	nd are	in all	respected Ma	cts in piryland	oper co	ndition or regu	for translations.	sport b	Mont.	Date h Day Date h Day	Y•.
15 16 Pri 17 Pri 18 Pri	5. Special Handling Instruction 5. GENERATOR'S CERTIFIC by proper shipping name and highway according to applic inted/Typed Name 7. Transporter 1. Acknowledge inted/Typed Name 8. Transporter 2. Acknowledge inted/Typed Name 9. Discrepancy Indication Spec	CATION: I her d are classified able internation ement of Rece ement of Rece e	eby decil, f, packed f, packed onal and eipt of Ma eipt of Ma	are that t l, marked national aterials	gover	Signi Signi Signi	ed, antal rature	nd are	in all	respected Ma	cts in piryland	oper co	ndition or regu	for translations.	sport b	Mont.	Date h Day Date h Day	Yes

FACE TY DETACH & RETURN THIS COPY TO DISPOSAL STATE

.

OPTIONAL INFORMATION: INSTRUCTIONS

The Hazardous Waste Manifest is designed to track waste from point of generation to final disposal (cradle to grave). In order to accomplish this aim, it is essential that all items on the manifest be completed correctly. Incomplete or incorrect manifests could make you subject to civil and criminal liabilities as specified in the Annotated Code of Maryland.

- State Manifest Document Number: Preprinted number except on continuation sheets. Enter this number on each continuation sheet attached to or part of a manifest.
- B. State Generator's I.D. Number: Enter Generator's State I.D. Number if it is different from U.S. EPA I.D. Number.
- C .- State Transporter's I.D. Number: Enter State Certified Hauler Number, Certified Vehicle Number, followed by Driver Certification Number.
- D. "Transporter's Phone: Enter a telephone number where an authorized agent of the transporter may be reached in the event of an emergency.
- State Transporter's I.D. Number: If applicable, enter Certified Hauler Number, Certified Vehicle Number and Driver Certification I.D. Numbers of the second transporter who will transport this waste.
- Transporter's Phone: If applicable enter a telephone number where an authorized agent of the second transporter may be reached in the event of an emergency.
- G. State Facility's I.D. Number: If applicable enter the Facility's State I.D. Number.
- H. Facility's Phone: Enter the telephone number of the facility or where an authorized agent of the facility may be reached in the event of an emergency.
- 1. Waste Number: Enter EPA Hazardous Waste Number, if not RCRA Hazardous, enter State Hazardous Waste Code Numbers.
- J. Additional Descriptions for Materials Listed above: Enter EPA Hazardous Codes, physical states, specific gravity if other than one, and if known, the estimated percentages.

Codes for Physical States

S - Solid LiquidGas

SL- Sludge

EPA Hazardous Codes

- Ignitable Waste - Corrosive Waste

Corrosive Waste Reactive Waste
 EP Toxic Waste

H - Acute Hazardous Waste T - Toxic Waste

K. Handling Codes: Enter in this space one of the following handling codes for waste listed above:

Handling Codes Code 1 Landfill

B

Incineration, heat recovery, burning Chemical or physical treatment

Т Beneficial reuse or recycling

Storage

Boxes 1 thru 20 are to be completed using instructions contained in 40 CFR Part 260, 262 and 261 and 49 CFR Parts 171 and 172 Uniform Hazardous Waste Manifest; Joint EPA/DOT Rule Coding for boxes 12 and 14 are indicated below. Instructions for item 19 Discrepancy Indication Space are also listed below.

Table 1 - Types of Containers

DM = Metal drums, barrels, ke js

DW = Wooden drums, barrels, kegs

DF = Fireboard or plastic druins, barrels, kegs

TP = Tanks portable

TT = Cargo tanks (tank trucks)

TC = Tank cars .

:

DT = Dump truck

CY = Cylinders

CM = Metal boxes, cartons, cases (including roll-offs)

CW = Wooden boxes, cartons, cases

CF = Fiber or plastic boxes, cartons, cases

BA - Burlap, cloth, paper or plastic bags

Table II - Units of Measure

G = Gallons (liquids only)

P = Pounds

T = Tons (2000 lbs.)

Y = Cubic yards

L - Liters (liquids only)

K = Kilograms

M = Metric tons (1000 kg)

N = Cubic meters

Item 19: Instructions

The authorized representative of the designated (or alternate) facility's owner or operator must note in this space any significant discrepancy between the waste described on the Manifest and the waste actually received at the facility. Disposal methods not specified in item K above are considered discrepancies and must be reported in this space.

Upon discovering a significant discrepancy, the owner or operator shall attempt to reconcile the discrepancy with the waste generator or transporter (for example, with telephone conversations). If the discrepancy is not resolved within 15 days after receiving the waste, the owner or operator shall immediately submit to the secretary a letter describing the discrepancy and attempts to reconcile it, and a copy of the manifest at issue.

APPENDIX H

PCB TEST RESULTS - MET ELECTRICAL TESTING COMPANY, INC.





ISSUED TO:

Pepco

DATE OF REPORT:

c/o United Rigging & Hauling, Inc. 6701 Ammendale Road

MET REPORT NO:

11228Y-1

Beltsville, Md. 20705 ATTN: R. M. ARMSTRONG

PROJECT: Pepco/United Rigging Clean-Up

DESCRIPTION:

Samples were analyzed for contamination by polychlorinated biphenyls (PCB's) by Gas Chromatograph at the following conditions:

Column:

3% SP-2100

Detector:

ECD

Column Temp: 235 deg. C

In accordance with EPA methods 600 and 608, concentrations are reported in parts per million (ppm) weight PCB to weight sample.

Analysis of U.S. EPA QA/QC samples are included in each report and number no less than ten percent (10%) of total samples. Reference value data sheets accompany the following analysis.

RESULTS:

See the attached sheet.



MET ELECTRICAL TESTING COMPANY, INC. ORIGINAL TESTING COMPANY, INC. ORIGINAL TESTING COMPANY, INC. ORIGINAL TESTING COMPANY, INC. ORIGINAL TESTING COMPANY, INC. ORIGINAL TESTING COMPANY, INC. ORIGINAL TESTING COMPANY, INC.



SAMPLE NUMBER PCB IN PPM CF4-01 9.0 -CF4-02 0.6 CF4-03 3.8 CF4-04 7.0 CF4-05 66.0 CF4-06 3765 . CF4-07 300,460 CF4-08 3075 -

CF4-014 4.5
CF4-015 9.0
US EPA Group 1 #681 29.4
US EPA Group 1 #220 12.0
US EPA Group 2 #917 3.6
US EPA Group 3 #689 6.3/9.2*

3950 .

1080

18.0 .

0.6

4.5

*Arochlor 1242/1254

Data, Chromatograms, Chain of Custody Information:

CF4-09

CF4-10

CF4-011

CF4-012

CF4-013

See Attached Sheets.





REPORT

	SAMPLE CHAIN OF	F CUSTODY	ORIC	SINAL
SAMPLE SOURCE	TED RIGGING	BELTSVIL		
CONTRACTOR PEPCO				
COLLECTOR RAME	NSON	1:50 TIME	8-9	-85
SAMPLE ID NO(s):	_		2	
CF4-01 C	FY 011			
CF4-02 C	F4 012			
CF4 03 C	F4 013			
	F4 014		-	
AND DESCRIPTION OF THE PROPERTY OF THE PROPERT	F4 015			
CF4 06 _			-	
CF4 07 _			-	
CF4 00 _				
CF4 09			•	
CF4 010			-	
SAMPLE POSSESSION:	18	1 11	20	
FROM Kuy Mahman !		TO NAME	TIME TIME	8-9-85 DATE
FROM NAME WOND TIME		TO La	Sway 757	8-995 DATE
FROM		то		
NAME TIM		NAME	TIME	DATE
FROM NAME TIM		TO NAME	TIME	DATE
ANALYSED BY:	AME T	TME	D-13-55	-





REPORT

ISSUED TO:

Pepco

DATE OF REPORT:

ORIGINAL 9/9/85

c/o United Rigging & Hauling, Inc.

6701 Ammendale Road

MET REPORT NO:

11228Y-2

Beltsville, Md. 20705

ATTN: R. M. ARMSTRONG

PROJECT:

Pepco/United Rigging Clean-Up

DESCRIPTION:

Samples were analyzed for contamination by polychlorinated biphenyls (PCB's) by Gas Chromatograph at the following conditions:

Column:

3% SP-2100

Detector:

ECD

Column Temp: 235 deg. C

In accordance with EPA methods 600 and 608, concentrations are reported in parts per million (ppm) weight PCB to weight sample.

Analysis of U.S. EPA QA/QC samples are included in each report and number no less than ten percent (10%) of total samples. Reference value data sheets accompany the following analysis.

RESULTS:

See the attached sheet.





Jahr Keerid.	SAMPLE NUMBER		PCB IN PPM	
8 13.86	CF4-210		4.6	ORIGINAL
	CF4-410		0.6	(Red)
	CF4-610		0.7	
	CF4-810		2.0	
	CF4-211		160.0	
	CF4-411		4.0	
	CF4-611		1.6	
	CF4-811		3.5	
	CF4-212		22.0	
	CF4-412		0.3	
	CF4-612		0.5	
	CF4-812		3.2	
	CF4-213		4.4	
	CF4-413		0.8	
	CF4-613		0.5	
	CF4-813		0.2	
	CF4-214		6.0 -	
	CF4-414		0.5	
	CF4-614		0.6	
	CF4-814		0.1	
	CF4-215		9.0	
	CF4-415		2.5	
	CF4-615		0.5	
V	CF4-815		31.0	
	USEPA Group #1	#681	29.4	
	USEPA Group #1		12.0	
	USEPA Group #2		3.6	
	USEPA Group #3		6.3/9.2*	

*Arochlor 1242/1254

Data, Chromatograms, Chain of Custody Information:

See Attached Sheets.





REPORT

CHEMICAL LABORATORY DEPARTMENT 916 W. Patapsco Avenue, Baltimore, Maryland 21230 ORIGINAL

SAMPLE CHAIN OF CUSTODY

SAMPLE SOURCE UNITED RIGGING BELTSVILLE ME							
CONTRACTOR	PERCO				· ·		
COLLECTOR N	ON STON	E	/ \\ TI	30 ME	8- DAT	12-85 E	
SAMPLE ID NO(s)							
CF4-210	CF4-	612	CF4	- 215			
1 410		812		415			
1 610		213	()	615			
810		413	11	815			
211		613	- 11				
411		813					
611		214	-				
811		\$14					
212		614					
CF4- 412	4	814					
SAMPLE POSSESSI	ON:	~ -			•		
FROM Jariel Store	19.95 TIME	8/285 DATE	TO C	Jone Lev	0 7:364 TIME	1.M. 8-13 DATE	-85
FROM Longelde							
NAME	TIME .	8-13-85 DATE	- 10	NAME	TIME	DATE	
FROM NAME	TIME	DATE	TO	NAME	TIME	DATE	0
FROM	TIME	DAIL	TO		******	22	80
NAME	TIME	DATE	- 10	NAME	TIME	DATE	
ANALYSED BY:	Teo De	in		£	-14-85		
	NAME	8	TIME		DATE		





REPORT

ISSUED TO:

Pepco

DATE OF REPORT:

11/7/85

c/o United Rigging & Hauling, Inc.

6701 Ammendale Road

Beltsville, Md. 20705 ATTN: R. M. ARMSTRONG

MET REPORT NO:

11228Y-3

PROJECT: Pepco/United Rigging Clean-Up

DESCRIPTION:

Samples were analyzed for contamination by polychlorinated biphenyls (PCB's) by Gas Chromatograph at the following conditions:

Column:

3% SP-2100

Detector:

ECD

Column Temp: 235 deg. C

In accordance with EPA methods 600 and 608, concentrations are reported in parts per million (ppm) weight PCB to weight sample.

Analysis of U.S. EPA QA/QC samples are included in each report and number no less than ten percent (10%) of total samples. Reference value data sheets accompany the following analysis.

RESULTS:

See the attached sheet.





REPORT

Late recover	SAMPLE NUMBER	PCB IN PPM	ORIGINAL (Red)
8-14-82	CF4-21 CF4-41	6.0	
	CF4-61	0.5	•
	CF4-81	2.3	
	CF4-22	1.6	
	CF4-42	0.3	
	CF4-62	0.8	
	CF4-82	1.2	
	CF4-23	0.9	
	CF4-43	0.4	
	CF4-63	0.5	
	CF4-83	2.5	
	CF4-24	27	
	CF4-44 CF4-64	125	
	CF4-84	150 16.5	
	CF4-25	4.3	
	CF4-45	3.3	
	CF4-65	1.0	
	CF4-85	15	
	CF4-26	1.4	
	CF4-46	1.4 .	
	CF4-66	4.0	
	CF4-86	16 -	
	CF4-27	5.6	
	CF4-47	0.6	
	CF4-67	2.2	
	CF4-87	2.7	
	CF4-28	6.7 J	
	CF4-48	4.6	
	CF4-68	213 -	
	CF4-88	370	
	CF4-29	564	
	CF4-49	:05 -	
1	CF4-69	223 -	
. 7	CF4-89	530	
	U.S. EPA Group #1 #6		
	U.S. EPA Group #1 #2		
	U.S. EPA Group #2 #9		
	U.S. EPA Group #3 #6	6.0/8.9*	

*Arochlor 1242/1254

Data, Chromatograms, Chain of Custody Information:

See Attached Sheets.





REPORT

CHEMICAL LABORATORY DEPARTMENT 916 W. Patapsco Avenue, Baltimore, Maryland 21230

ORIGINAL

SAMPLE SOURCE	PERO / 11	NITED TO		STODY		749		
CONTRACTOR	1-1-w/ u/	WITCH A	15/5/1	VG	-			
COLLECTOR LAR	RY SHEP	PULSKI	// T	1:30 IME		. <u>8-</u>	14-85	
SAMPLE ID NO(s):						Dr	.11	
CF4- 21 41 61 81 22 42 62 82 23 43	CF4-	63 83 24 44 64 84 25 45 65 85			26 \$6 86 21 47 61 87 28	CF4	- 68 88 29 49 69 89	
SAMPLE POSSESSION		<u> </u>	-		48			_
FROM Sorry Dopins	<u> </u>	8-14-E	TO	NAME T	and T	15:25 IME	- 8-14 DATE	85
FROM NAME	16:23 FIME	8-14-8 DATE	TO	NAME	Tua .	<u>) 16</u> 2	4 S-7	1 PY
FROM NAME	TIME	DATE	TO _	NAME		IME	DATE	-
NAME	TIME	DATE	TO _	NAME	T	IME	DATE	•
ANALYSED BY:	Les Zu NAME	my,	TIME		8-1	7-85		

TIME





ISSUED TO:

Pepco

LATE OF REPORT:

11/7/85

c/o United Rigging & Hauling, Inc. 6701 Ammendale Road

MET REPORT NO:

11228Y-4

Beltsville, Md. 20705 ATTN: R. M. ARMSTRONG

PROJECT:

Pepco/United Rigging Clean-Up

DESCRIPTION:

Samples were analyzed for contamination by polychlorinated biphenyls (PCB's) by Gas Chromatograph at the following conditions:

Column:

3% SP-2100

Detector:

ECD

Column Temp: 235 deg. C

In accordance with EPA methods 600 and 608, concentrations are reported in parts per million (ppm) weight PCB to weight sample.

Analysis of U.S. EPA QA/QC samples are included in each report and number no less than ten percent (10%) of total samples. Reference value data sheets accompany the following analysis.

RESULTS:

See the attached sheet.

Leon Thomas Pape





REPORT

SAN	MPLE NUMBER	PCB IN PPM
	014 021 031A 068 247 255 279	4.1 29 595 14.2 60 0.7 0.5
	318 414 424 467 468 60 6 618	17 0.7 2.5 7.8 13 58
7'	621 629 637 656 670 693	1.0 15 860 No sample available 336
	702 744 752 021A 656 686 (H2O) 692 (H2O) 765 (H2O) U.S. EPA Group #1 #681 U.S. EPA Group #1 #220 U.S. EPA Group #2 #917	12 0.5 26 27 1080 2 PPB 2 PPB 7.5 PPB 29.4 PPB 12.0 PPB 3.7 PPB
	U.S. EPA Group #3 #689	6.0/8.9* PPB

*Arochlor 1242/1254

Data, Chromatograms, Chain of Custody Information: See Attached Sheets.

() confirm in in it.





	SAMPLE CHAIN				
SAMPLE SOURCE	PEPCO / UNITED	RIG	GING		
CONTRACTOR	ii				
COLLECTOR DON NAM	STONE			_ ප-	<u>15-85</u>
SAMPLE ID NO(s):	_	u	TIME	DAT	Œ
2142-00141 BR					
01外 .	467 ·		697.		
O3/A '	<u>468 ·</u>	-	702 '		
021	606.		744.		
<u> 247 ·</u>	618 .		452.		
255 .	621 .		765	(
279 1	629 .	0.	686	2	
301.	637 .	•	068.		
318 .	670	84	-656.	3	1
414 .	692	-	0.56	-	
424 .	693			N	
		1		3 	
SAMPLE POSSESSION	7 0		0 0	-	
FROM JONAL NAME	Store 8-15-85 TIME DATE	TO	Janel Juin	13:39 TIME	8-15-85 DATE
FROM Jace Levo.	14:24 8-15-85 TIME DATE	TO	New June	m 1425 TIME	8-1583 DATE
FROM NAME	TIME DATE	TO	NAME	TIME	DATE
FROM		TO	MATE	IIME	DATE
NAME	TIME DATE	10	NAME	TIME '	DATE
ANALYSED BY:	Les Tray	TIME		-17-85 ATE	





REPORT

	SAMI	PLE CHAIN	OF CUS	STODY		ORIGINAL (Red)
SAMPLE SOURCE P	PCO/U	WITED RI	GGII	VG	_ ;	
CONTRACTOR)	
COLLECTOR JEFF NAME	LEONE		T	IME	9-3 DAT	-85 E
SAMPLE ID NO(s):						
CB-B	-) -			
<u>CB-C</u>	10 to 10 to				9	
N D						
E						
F	•					
H						
I					e ee	
15						
→ K						
SAMPLE POSSESSION:	<u>.</u>	,		Ω	2	ni/
FROM V. Loone	11:45 PM		TO	D. Man	dua Ba	2, 1/3
NAME	TIME	DATE 9/J		NAME	TIME	DATE 9-US-
FROM NAME	TIME	DATE	TO	NAME NAME	TIME	9-485 DATE
FROM Smeff Line	L N'30 TIME	9/4/85 DATE	TO	Lu Suc	1 36 TIME	9-4-55 DATE
FROM NAME	TIME	DATE	TO	NAME	TIME ,	DATE
ANALYSED BY:	Leo NAME	Snay	TIME		9.685 DATE	





REPORT

SAMPLE SOURCE	ORIGINAL (Red)		
CONTRACTOR		20	•
COLLECTOR TIM	Kohl	TIME	9-3-85 DATE
SAMPLE ID NO(s):		,	
PEAC- A 1 - SURFACE	ŒC3	- suctage (3 h	4" ARCAC AZ:12"
_BI'\	AREAC A-1-	4"L D-1~	B-Z -)
CI'	A-2	Y D-2"	C-2 v
DI	A-3	D-3:	D-2-
AZ'	A-4	E-2	E-2 V
BZ'	B-1	F-3	A-3v
CŽ.	B-2	APERC A-1-	
D2'	B-3/	B-1-	(-3)
A 3 - 5	C-1\	- C-1×1	D-3"
B3-	C-2	D-1-	
SAMPLE POSSESSIO	N:		_ #
FROM Tundy / Kan	1400 9/3/8 TIME DAT	TO NAME	40 1410 9/3/85 TIME DATE
FROM NAME	a 9/4 TIME DAT	TO fuce to	10:17 9-4-85 TIME DATE
FROM Same fue	11:30 9/0 TIME DAT	H/85 TO STONE	ME DATE
FROM NAME	TIME DAT	TO NAME	TIME DATE
ANALYSED BY:	Les Tuay NAME	TIME	9-5-85 DATE





REPORT

ISSUED TO:

Pepco

DATE OF REPORT:

· (Red)

c/o United Rigging & Hauling, Inc.

6701 Ammendale Road

MET REPORT NO:

11228Y-6

11/7/85

Beltsville, Md. 20705 ATTN: R. M. ARMSTRONG

PROJECT: Pepco/United Rigging Clean-Up

DESCRIPTION:

Samples were analyzed for contamination by polychlorinated biphenyls (PCB's) by Gas Chromatograph at the following conditions:

Column:

3% SP-2100

Detector:

ECD

Column Temp: 235 deg. C

In accordance with EPA methods 600 and 608, concentrations are reported in parts per million (ppm) weight PCB to weight sample.

Analysis of U.S. EPA QA/QC samples are included in each report and number no less than ten percent (10%) of total samples. Reference value data sheets accompany the following analysis.

RESULTS:

See the attached sheet.





REPORT

	SAMPLE NUMBER	PCB IN PPM
9/6/0:	C4-5A	356
	C4-6A	356
10i	C4-7A	116 ORIGINAL
	C4-8A	1Red
	C4-9A	10
	C4-10A	10.1 9.6
	C4-4B	1760
	C4-5B	3612
	C4-6B	750
	C4-7B	18.6
	C4-8B	5.0
	C4-9B	10
	C4-10B	2.0
	C4-8C	2.7/5.2*
	C4-9C	
	C4-7D	27
	C4-8D	40
	C4-9D	92.2
	C4-7E	311
	C4-8E	24
	C4-9E	12.5/57.8**
	C4-7F	300
	C4-9F	44.8
	C4-9G	14.2
	C4-7H	5.7
	C4-8H	190
	Pile Pl	3.3/68.9*
	U.S. EPA Group #2 #917	11.2
149	U.S. EPA Group #3 550	12.3/15.6**
	U.S. EPA Group #1 #681	10.6
	HT-1 (H2O)	53 PPB
	HT-2 (H2O)	121.8/46.2* PPB
	HT-3 (H2O)	27.45 PPB
\ /	F3-1 (H2O)	7.5 PPB
V	F3-1 (H2O)	2.4 PPB

^{*} Arochlor 1242/1260

Data, Chromatograms, Chain of Custody Information:

See Attached Sheets.

^{**}Arochlor 1242/1254





REPORT

CHEMICAL LABORATORY DEPARTMENT 916 W. Patapsco Avenue, Baltimore, Maryland 21230

ORIGINAL

	SAMPLE CHAIN		
SAMPLE SOURCE	PEPCO / UNITED	RIGGING	
	6701 AMMENDA		
COLLECTOR	M KOHL	12:00 TIME	9-6-85 DATE
NAI	ME	TIME	DATE
SAMPLE ID NO(s):	7420 St. 100 S		
4"AREAC - SB	4"AREAC- 9A	4"AREAC-8D	HOLDINGTANK - HT 1
<u>6B</u>	10 A	48	MIDDLE HT 2
<u>7B</u>	9E		BACK HT 3
8B	8н	_ 7E	Pile P-1
9B	96	9 F	
10B	90	74	
5A	90	SEDIMENT BASIN	
6A	80	F3-1	
	7F		
8A	8E	F2-1	
1. 10 0 17	77	1 1 1	0/1/05
FROM Constant	TIME DATE	TO Danarea	11:20 7/6/80 TIME DATE
FROM N. Namel	ua 9-6-85	TO Sandala (14:52 9-6-85
NAME OO	TIME DATE	NAME	TIME DATE
FROM Property NAME	15:50 9-6-85 TIME DATE	TO Les Suan	350 9-6-85: FIME DATE
FROM		TO	
NAME	TIME DATE		TIME . DATE
ANALYSED BY:	Les Juny	9-	7-85
	NAME	TIME DA'	ΓE

DATE





REPORT

ISSUED TO:

Pepco

DATE OF REPORT:

(Red)

c/o United Rigging & Hauling, Inc.

MET REPORT NO:

11228Y-7

6701 Ammendale Road Beltsville, Md. 207

ATTN: R. M. ARMSTRONG

PROJECT:

Pepco/United Rigging Clean-Up

DESCRIPTION:

Samples were analyzed for contamination by polychlorinated biphenyls (PCB's) by Gas Chromatograph at the following conditions:

Column:

3% SP-2100

Detector:

ECD

Column Temp:

235 deg. C

In accordance with EPA methods 600 and 608, concentrations are reported in parts per million (ppm) weight P'B to weight sample.

Analysis of U.S. EPA QA/QC samples are included in each report and number no less than ten percent (10%) of total samples. Reference value data sheets accompany the following analysis.

RESULTS:

See the attached sheet.

Leon Thomas Pape





	SAMPLE NUMBER	PCB IN PPM	
4 · .:	C4-4C C4-4D C4-4E C4-4F C4-4F C4-4F C4-4G C4-4H C4-5C C4-5D C4-5E C4-5F C4-6C C4-6C C4-6C C4-6A C4-6A C4-6B	1107 659 534 140 110 3.0 752 7226 716 60.8 10.2 84.4 346 12.4 343.6 10.6 219 1.5 4.0 10.6 9.0 8.4 6.5 1.4 3.0 8.1 14.5 13.7 4.9 3.4	ORIGINAL (Red)
# 6	B5-4B B5-4C B5-4E B5-5A B5-5B B5-5C B5-5D U.S. EPA Group #1 #681 U.S. EPA Group #2 #917 U.S. EPA Group #3 #550 U.S. EPA Group #3 #689	1.8 5.7 432 6.0 5.9 6.9 2.7 22.2 5.1 17.3 15.9	

Data, Chromatograms, Chain of Custody Information: See Attached Sheets.





REPORT

	SAMPLE CH	HAIN OF CUSTO	DDY		inea)	
SAMPLE SOURCE	PEPCO / UNI	TED RIGGI	WG	33 4 9		
CONTRACTOR 6	850 N 19 W 556:	PALE Rd.		_ ,		
COLLECTOR				9-9	7-85	
NA	ME	TIME	3	DA'	TE	
SAMPLE ID NO(s):		,,				.,
AREA C - C6 4"	<u>C-65</u> -	4" AREAB	D1 4'	" B	D3	4"
E6	<u> </u>		El		=3-	
<u>D6</u>	64		A2		A4	
F6	FY	\	B2	1	34	
66	_ E4	_	CZ	(24	
H6	D4		DZ		E4	
<u>C5</u>	× C4	<u> </u>	EZ	B	A5	4"
105	ARAB AI -	4/4	A 3		B5	
E5	B1		B 3	(C5	
F5	4 (1		C 3		D5	
SAMPLE POSSESSION	1:	\cap	1			
FROM LARRY Shope	\$, 9-9	-85 to 🔬	Dauckea	1030	9/9	
NAME /	TIME DATE	/	NAME //	TIME	DATE	/ -
FROM NAME	1):56 9/9 TIME DATE	0, 1	NAME	TIME	DATE	185
FROM Jorce (1)	Twend 9-9-8	35 TO 6	Loo Dua	м -	9-9-	85
V/NAME V	TIME DATE	,	NAME	TIME	DATE	12.1
FROM NAME	TIME DATE	TO	NAME	TIME	DATE	
	<i>-</i> 0			,		
ANALYSED BY:	NAME DULL	TIME		10-85		





ISSUED TO: Pepco

DATE OF REPORT:

11/7/85

c/o United Rigging & Hauling, Inc.

MET REPORT NO:

11228Y-8

6701 Ammendale Road

Beltsville, Md. 20705 ATTN: R. M. ARMSTRONG

PROJECT:

Pepco/United Rigging Clean-Up

DESCRIPTION:

Samples were analyzed for contamination by polychlorinated biphenyls (PCB's) by Gas Chromatograph at the following conditions:

Column:

3% SP-2100

Detector:

ECD

Column Temp: 235 deg. C

In accordance with EPA methods 600 and 608, concentrations are reported in parts per million (ppm) weight PCB to weight sample.

Analysis of U.S. EPA QA/QC samples are included in each report and number no less than ten percent (10%) of total samples. Reference value data sheets accompany the following analysis.

RESULTS:

See the attached sheet.





REPORT

MOHYAL
15. 1
(ned)

Inle feeled	SAMPLE NUMBER	PCB IN PPM
9,11 32	024-31	2 -
, , , , , ,	C24-A1	0.5
	C24-B1	0.8
	C24-C1 C24-D1	1.8
	C24-D1 C24-A2	1.9
	C24-A2	0.2
	C24-B2	7.7
	C24-C2	7.1
	C24-B2	0.3
	C24-E2	9.2
	C24-B3	2.6
	C24-B3	1.5
	C24-D3	5.0 2.5
	C24-E3	7.5
	C24-A4	120
	C24-B4	115
*	C24-B6	19.1
	C24-C6	22.5
	C24-D6	6.2
	C24-E6	2.8
	C24-A7	4.9
V	C24-A9	0.4
4 C 75	C24-A5	317
	C24-A6	13.6
	C24-B4	32.4
	C24-B5	2752
	C24-C4	1.44
	C24-C5	1590
	C24-D4	15.7
	C24-D5	12.2
	C24-E4	2.6
	C24-E5	4.0
	C24-F7	18
	C24-F8	142
	C4-F1	105
	C4-G2	29
	C4-G3	82
	C12-A8	19.2
	C12-F1	10.5
	C12-F2	2.9
	C12-F3	8.8
V50 V0	C12-F4	51.8

C12-F5





	SAMPLE NUMBER	PCB IN PPM	
₽-16-85	C12-G2 C12-G3 C12-G4 C12-G5	48 30 128 11.4	ORIGINAL (Red)
	C12-G6 C12-H3 C12-H4 C12-H5	11.7 7.9 13.5 49	
N.	C12-H6 DW-1 U.S. EPA Group #3 #684 U.S. EPA Group #1 #220 U.S. EPA Group #1 #681	NDC 4.8 5.9/12.3* 19.1 21.8	
	U.S. EPA Group #1 #220 U.S. EPA Group #2 #917	19.4 11.96	

*Arochlor 1242/1254

Data, Chromatograms, Chain of Custody Information: See Attached Sheets.





REPORT

CHEMICAL LABORATORY DEPARTMENT
916 W. Patapsco Avenue, Baltimore, Maryland 21230

ORIGINAL (Pad)

SAMPLE CHAIN OF CUSTODY SAMPLE SOURCE PEPCO / UNITED RIGGING CONTRACTOR COLLECTOR TIME SAMPLE ID NO(s): 05 EZ 76 SAMPLE POSSESSION: 11:30 FROM TO FROM ME TO FROM FROM TO TIME NAME DATE NAME TIME DATE ANALYSED BY:





REPORT

CHEMICAL LABORATORY DEPARTMENT
916 W. Patapsco Avenue, Baltimore, Maryland 21230

SAMPLE CHAIN OF CUSTODY UNITED RIGGING SAMPLE SOURCE PERCO CONTRACTOR LARRY Shepulski COLLECTOR SAMPLE ID NO(s): C-F2-12 4 C-66-12 4 C-D5-24 C-G5-12 (C-A6-1224" C-63-12 = C-G3-4 C. F5- 12 * FROM 9'16.85 TO FROM FROM TO FROM DATE NAME TIME DATE NAME TIME ANALYSED BY:







ISSUED TO:

Penco

DATE OF REPORT: 11/22/85

c/o United Rigging & Hauling, Inc.

6701 Ammendale Road

MET REPORT NO:

Beltsville, Md. 20705 ATTN: R. M. ARMSTRONG

PROJECT: Pepco/United Rigging Clean-Up

DESCRIPTION:

Samples were analyzed for contamination by polychlorinated biphenvls (PCB's) by Gas Chromatograph at the following conditions:

Column:

3% SF-2100

Detector:

ECD

Column Temp:

235 deg. C

In accordance with EFA methods 600 and 608, concentrations are reported in parts per million (ppm) weight FCB to weight sample.

Analysis of U.S. EPA QA/QC samples are included in each report and number no less than ten percent (10%) of total samples. Reference value data sheets accompany the following analysis.

RESULTS:

See the attached sheet.

Thomas Pape





ID.	INA	,
10.		
	in	
1000	1)	

DATE FEID	SAMPLE NUMBER		PCB IN PPM
9/18/85	C24-A8		52.5
	C24-F4		6.6
	C24-F5		0.5
	C24-F6		5.3
	024-62	24 28	6.0
	024-64		6.0
	C24-H5	ž.	9.5
	C36-A4		0.6
	C36-A5	31	5.6
	036-84		0.3
	036-85		0.4
	C36-B6		2.4
	036-04		0.9
	036-05	1	0.3
	036-06	95 9 5	0.6
	036-04		1.3
	C36-F7		1.5
	U.S. FPA Gro	up #3 #689	12.8/15.4*
	U.S. EPA Gro		3.4

*Arochlor 1242/1254

Data. Chromatograms, Chain of Custody Information:

See Attached Sheets.





REPORT



	SAN	IPLE CHAIL	OF C	JSTODY			
SAMPLE SOURCE	ZEPCO/	UNITED	R16	GING			
	WM 1				•		
COLLECTOR AR	CY SHEPUL ME	LSKI	ı	IME	9- DA	<u>18-85</u> ate	
SAMPLE ID NO(s):	8						
C-A4-36				G2-2	727		
C-B4-36		<u> </u>	C-	45-2	4		
<u>C-B6-36</u>	<u>C - A8</u>	3 - 24	-				
<u>C-C6-36</u>							
C-D4-36		100					
C-F7-36		9.5	-				
C- A5-36	C-F	4 - 24					
C-B5-36	<u>C-</u> F	5-24					
C-C4-36	C-F	6-24	Re-la-state				
C-C5-36	C-G		W				
SAMPLE POSSESSION	N: ,			0 0			
FROM Jary Simi	VEL TIME	7-18-5 DATE	<u>9</u> 5 to	NAME	udua 12:30	9/18/85 DATE	-
FROM DANGE		9/18 DATE	TO	THAMP!	ev 21348	9-18-85)
FROM Jace Jee	0		TO	Les	Juay 13	DATE 919	Q.
FROM	IIME	DATE		NAME	TIME	DATE	
NAME	TIME	DATE	_ TO	NAME	TIME	DATE	
ANALYSED BY:	Les J	way			9-19-85		
	NAME	/_	TIME		DATE		





ISSUED TO: Pepco

DATE OF REPORT: 11/22/85

c/o United Rigging & Hauling. Inc.

MET REPORT NO: 11228Y-10

Beltsville, Md. 20705 ATTN: R. M. ARMSTRONG

6701 Ammendale Road

PROJECT: Fenco/United Rigging Clean-Up

DESCRIPTION:

Samples were analyzed for contamination by polychlorinated biphenyls (PCB's) by Gas Chromatograph at the following conditions:

Column:

3% SP-2100

Detector:

ECD

Column Temp: 235 deg. C

In accordance with FPA methods 600 and 608, concentrations are reported in parts per million (ppm) weight PCB to weight sample.

Analysis of U.S. EPA RA/RE samples are included in each report and number no less than ten percent (10%) of total samples. Reference value data sheets accompany the following analysis.

RESULTS:

See the attached sheet.





J. TE R'OVD	SAMPLE NUMBER	*	FCB IN FPM	ORIGINAL (Red)
iš∳, ize	012-E4 012-E5 012-E7 012-E8	9	0.4 159 0.8 12.2	
٧ ٩/٤٠٠٠	C12-E9 C12-F3 B4-F4 B2-F4		18.4 4.0 15.4 15.5	
	A8-F4 A6-F4 A4-F4 A2-F4		5.3 3.1 15.9 100	
	86-F4 88-F4 02-F4 04-F4		8.0 3.8 15.5 23.5	
	06-F4 08-F4 A4-A1 A4-A2		16.2 7.1 2.2 1.2	
X	A4-A3 A4-A4 U.S. EPA Group # U.S. EPA Group # U.S. EPA Group #	43 #550	15.6 13.5 6.2/8.2* 6.3/7.9* 10.6	

*Arochlor 1242/1254

Data. Chromatograms, Chain of Custody Information:

See Attached Sheets.





REPORT

CHEMICAL LABORATORY DEPARTMENT 916 W. Patapsco Avenue, Baltimore, Maryland 21230

	SA	MPLE CHAIN	OF C	USTODY	21250	ORIGINAL (Red)
SAMPLE SOURCE	PEPCO/	UNITED A	216611	VE	,	
	WM,	0.1				
COLLECTOR Jane	y Thepu	like		?:00 PIME	9	-19-85 ATE
SAMPLE ID NO(s):						
C-E4-12						
C-E9-12					-	*
C-E7-12						
C-E3-12						
C-E8-12		1	9.			
C-E5-12	DOCP.==1790000-35		3			
		(C=0)	-			
						35
SAMPLE POSSESSION				1	(
FROM Shet	10 00	9-20-85	TO	# 6	/A: 🗪	1 20 CC
NAME	TIME	DATE		NAME	/ TIME	<u>9-20-85</u> DATE
FROM NAME	7 TIME	9.20.85	TO	Jane New	20959	9-20-85 DATE
FROM Jaoxin	60					
NAME	TIME	DATE	то	NAME	TIME	9.10 }5-
FROM			TO			
NAME		DATE		NAME	TIME,	DATE
ANALYSED BY:	Leg	Lucy		9	7- }/ - \$5	
	NAME	1	TIME		ATE	

TIME

DATE





REPORT

CHEMICAL LABORATORY DEPARTMENT 916 W. Patapsco Avenue, Baltimore, Maryland 21230

		SAI	MPLE CHAIN	OF C	USTODY		
SAMPLE	E SOURCE	PEPCO/	INITED 1	RGG1	116		
CONTRA	092	WM	1.1				
COLLEC	TOR Lay	ry Shep	ulski			9-8	24-85 TE
CANDID	MAIN.	9 /		ı	TIME	DA	TE.
- 1	ID NO(s):	-/-					
F4-	A2	F4-C	. 6	_		_	
-	AH		8				
-	_A6	AREA A	- A1-4				
	A8_		2 -				
_	B2		3 -				
	B4		4-	2.			
	B6					_	
	B8						
	C2	*		Ni		-	
9-23-	C4					-	
SAMPLE	POSSESSION:						
FROM	Hora	- 13:50	9-71/95	mo.	A 11		
_	NAME	TIME	DATE	10	NAME	13:52 TIME	<u>9-24-8</u> 2 DATE
FROM /	Traffer.	N 14:32	9-24-85	TO	Les 7	ra	97485
1	/NAME//	TIME	DATE		NAME	TIME	DATE
FROM _	NAME	TIME	DATE	TO	- NA ME		·
FROM			DATE		NAME	TIME	DATE
	NAME	TIME	DATE	TO	NAME	TIME ·	DATE
ANALYSEI	D BV:	for en				0 0 1 05	
		NAME	7	TIME		9-26-85	

TIME

DATE

SAMPLING AND ANALYSIS

		DRAI	NAGE PIPE	
	+ F4-A2	+ F4-B2	+ F4-C2	(2' LEVEL)
	+ F4-A4	+ F4-B4	+ F4-C4	(4' LEVEL)
13	+ F4-A6	+ F4-B6	+ F4-C6	(6' LEVEL)
	+ F4-A8	+ F4-B8	+ F4-C8	(8. FEART)
1				.]

SAMPLING HOLES AT EACH POINT IS TWELVE(12) INCHES DEEP





ISSUED TO: Pepco

DATE OF REPORT:

c/o United Rigging & Hauling, Inc. 6701 Ammendale Road

MET REPORT NO: 11228Y-11

Beltsville, Md. 20705 ATTN: R. M. ARMSTRONG

(Addendum)

Pepco/United Rigging Clean-up

DESCRIPTION:

Samples were analyzed for contamination by polychlorinated biphenyls (PCBs) by Gas Chromatograph at the following conditions:

Column:

3% SP-2100

Detector:

ECD

Column Temp: 235 Deg. C.

In accordance with EPA methods 600 and 608, concentrations are reported in parts per million (ppm) weight PCB to weight sample.

Analysis of U.S. EPA QA/QC samples are included in each report and number no less than ten percent (10%) of total samples. Reference value data sheets accompany the following analysis.

RESULTS:

SAMPLE NUMBER

PCB IN PPB

PW-1

1.5





ORIGINAL (Red)

ISSUED TO: Pepco DATE OF REPORT: 11/22/85

c/o United Rigging & Hauling, Inc.

MET REPORT NO: 11228Y-11

6701 Ammendale Road Beltsville, Md. 20705

ATTN: R. M. ARMSTRONG

PROJECT: Pepco/United Rigging Clean-Up

DESCRIPTION:

Samples were analyzed for contamination by polychlorinated biphenyls (PCB's) by Gas Chromatograph at the following conditions:

Column:

3% SP-2100

Detector:

ECD

Column Temp: 235 deg. C

In accordance with EFA methods 600 and 608, concentrations are reported in parts per million (ppm) weight PCB to weight sample.

Analysis of U.S. EPA QA/QC samples are included in each report and number no less than ten percent (10%) of total samples. Reference value data sheets accompany the following analysis.

RESULTS:

See the attached sheet.

Chemist





REPORT

ORIGINAL (Red)

DATE REVD	SAMPLE NUMBER		PCB IN PPM
9/26/85			
1/20/63	C4-A1-3		244
	C4-A4-6		198
	C4-A7-9		9.0
	C4-B1-3		154.8
	C4-84-6		20.3
1	C4-R7-9		89.7
	C4-C1-3		102.7
	C4-C4-6		21.1
	C4-C7-9	1	15.9
	C4-D1-3		102.1
	C4-D4-6		40.3
	C4-D7-9		38.8
Į.	C4-E1-3		32.1
4	C4-F4-6		121.3
	C4-E7-9		33.3
	C4-F1-3		50.9
	C4-F4-6		60.4
*	C4-F7-9		61.6
	C4-G1-3	1	35.5
	C4-G4-6		31.8
	C4-G7-9		75.1
	D4-1		22.8
	D4-2		6.2
	D4-3		3.5
	D 4 – 4		6.5
	D4-5		6.7
	D4-6		4.9
	D4-7		11.2
00	D4-8		13.3
60	D4-9		3.0
	D4-10		1.9
	D4-11		12.7
0	D4-12		8.0
	D4-13		14.5
*	D4-14		26.5





DATE R'CVD	SAMPLE NUMBER	PCB IN PPM
12 e		
9/26/85	D4-15 D4-16 D4-17 D4-18 D4-19 D4-20 D4-21 D4-22 D4-23 D4-24	12.0 1.8 5.8 5.0 4.1 4.6 29.1 15 6.3 22.7
V	U.S. EPA Group #3 #550 U.S. EPA Group #2 #917 U.S. EPA Group #3 #689 U.S. EPA Group #1 #681 U.S. EPA Group #1 #220	1

*Arochlor 1242/1254

Data, Chromatograms, Chain of Custody Information: See Attached Sheets.







REPORT

ORIGINAL

SAMPLE CHAIN OF CUSTO	DY
SAMPLE SOURCE PEPCO/ UNITED RIGGING	
CONTRACTOR	
COLLECTOR LARRY SHEPULSKI NAME TIME	9-26-85 DATE
SAMPLE ID NO(s):	
	7-9
D1-3 E4-6 / POOL h	IATER &>
E7-9 C7-9 PW-	
F1-3 C4-6	
<u>C1-3</u> <u>F4-6</u>	
F7-9 G4-6	
<u>G1-3</u> <u>B4-6</u>	
<u>B1-3</u> <u>B7-9</u>	
A 1-3 G 7-9	
D7-9 A4-6	
SAMPLE POSSESSION: //	7/
FROM dary Sullie 9-26-85 TO	NAME TIME DATE
0.31 00-	
	NAME TIME DATE
FROM 12:30 9-26-85 TO	NAME TIME DATE
FROM TO TO	NAME TIME DATE
ANALYSED BY: Ley Triang	9-77-55
NAME TIME	DATE





REPORT

0	D	n	,		
U	11	G	IJ	V,	41
	11			0	4.0

	SAMPLE CHAIN O	F CUSTOD	Y		(red)
SAMPLE SOURCE	PEPCO/UNITED RIG	GING			
CONTRACTORC	WMI 11.			_ :	
COLLECTOR RAN	ry Sheduski	TIME		9-20 DATE	<u>5-85</u>
	3 - 1		.8		
SAMPLE ID NO(s):	·/				
AREAD 1 4					
2	12		2		
3	13		3		
4	14		4		
5	15				
6	16				
7	17	-0.00	v		
	18				
9				VIII.	
	20			-	
SAMPLE POSSESSATO	N:///	\mathcal{L}	Y /	_	
FROM BONN HAY	TIME DATE	то	NAME 9	, TIME	9-76-85 DATE
FROM S	9-26-8	5 TO _	malite	S117:	9-26-85 DATE
NAME	TIME DATE	. '	NAME -		0 110
FROM Mane	TIME DATE	TO	Teg Ju NAME	time 1330	DATE
FROM NAME	TIME DATE	TO	NAME	TIME	DATE
ANALYSED BY:	Par Ina			-88-88-	
ANALISED DI:	NAME	TIME		DATE	





ISSUED TO: Penco DATE OF REPORT: 11/22/85

c/o United Rigging & Hauling, Inc.

MET REPORT NO: 11228Y-12 6701 Ammendale Road

Beltsville, Md. 20705 ATTN: R. M. ARMSTRONG

PROJECT: Pepco/United Rigging Clean-Up

DESCRIPTION:

Samples were analyzed for contamination by polychlorinated biphenyls (PCB's) by Gas Chromatograph at the following conditions:

Column:

3% SP-2100

Detector:

ECD

Column Temp: 235 deg. C

In accordance with EPA methods 600 and 608, concentrations are reported in parts per million (ppm) weight PCB to weight sample.

Analysis of U.S. EPA QA/QC samples are included in each report and number no less than ten percent (10%) of total samples. Reference value data sheets accompany the following analysis.

RESULTS:

See the attached sheet.

Chemist





REPORT

DATE R'CUD	SAMPLE NUMBER	PCB IN PPM	ORIGINAL (Red)
9/30/85	D4-25 D4-26 D4-27 D4-28	7.4 140 297 80	•
10/1/82	CS-A1-3 CS-B1-3 CS-C1-3 CS-D1-3	18 20.4 46.8 35.1	
	CS-E1-3 RF4-AS RF4-B2	21.2 6.3 1.3 17.3	
	RF4-A2 RF4-A4 RF4-A5 RF4-BS RF4-B4	14 5.9 14.4 1.6	
	RF4-86 RF4-88 C-C-7-9- 5	0.8 0.4 32.9 25.1	
	C-E-7-9-5 RMA C-E-7-9-5 C-G-7-9-5 C-F-1-3-5	17.4 15.8 41.7 35.1	
	C-G-1-3-S C-A-4-6-S C-B-4-6-S C-C-4-6-S	37.4 29.5 174.8 59.2	
	C-D-4-6-S C-E-4-6-S C-F-4-6-S	18.9 37.7 27.0 18.9	
	C-G-4-6-S C-A-7-8-S C-B-7-8-S F4-1	86.2 12.5 28.8 29.3	
	F4-2 F4-3 F4-4 F4-5	12.8 21.3 22.4 5.4	
V	F4-6 U.S. EPA Group #3 #550 U.S. EPA Group #3 #689 U.S. EPA Group #1 #220 U.S. EPA Group #1 #681	6.0/5.8* 6.2/7.2* 17.6	•



NAME

ANALYSED BY:

TIME

DATE

MET ELECTRICAL TESTING COMPANY, INC.



REPORT

CHEMICAL LABORATORY DEPARTMENT
916 W. Patapsco Avenue, Baltimore, Maryland

ORIGINAL (Red)

TIME

DATE

NAME

TIME

SAMPLE CHAIN OF CUSTODY CONTRACTOR COLLECTOR TIME SAMPLE ID NO(s): ARFATD 25 SAMPLE POSSESSION: FROM FROM FROM FROM





REPORT

DATE R'CU	SAMPLE NUMBER	;	PCB IN PPM	
10/2/85				•
	A-1-S		1.8	
	A-1-4	20 20	2.2	PHOINI
	A-2-S	r.	1.4	ORIGINAL
	A-2-4		1.8	(Red)
	A-3-S		1.8	
	A-3-4		0.6	
	A-4-5 A-4-4	ž	1.8 1.4	
	A-5-S	ě	1.9	
	A-5-4	.5)	0.5	
	A-6-S	;	13.2	
	A-6-4	•	1.0	
	A-7-S		2.8	
	A-7-4		0.2	
	A-8-5 CM4	i	2.2	
	A-8-4		0.9	
	A-9-5	~	4.5	
	A-9-4	2	0.2	
	A-10-S		0.8	
	A-10-4		0.3	
	A-11-S		1.3	
	A-11-4		0.4	
	A-12-S	* e	2.5	
	A-12-4	**************************************	0.2	
	A-13-S		3.2	
	A-13-4	튛	0.3	
	A-14-S	g .	0.2	
	A-14-4		2.6	
	A-15-S		1.9	
	A-15-4		3.6	
	A-16-S		0.8	
	A-16-4		0.3	
	U.S. EPA Gra	un #1 #220	18.3	
	U.S. EPA Gra		6.0/7.4*	
	U.S. EPA Gra		4.8	
	U.U. LIN GIL	THE HILL		

*Arochlor 1242/1254

Data, Chromatograms, Chain of Custody Information:

See Attached Sheets.





REPORT

	SAMPLE CHAIN OF	CUSTODY	ORIGINAL (Red)
sample source <u>Pe</u>	PCO / UNITED	RIGGING	- ;
COLLECTOR SAME	W.M. S-Sulski	TIME RFACE	- 10-2-85 date
SAMPLE ID NO(s):			
AREA A-1-5	<u>6-5</u> 6-4	11-5	<u> 16-5</u> <u> 16-4</u>
2-5	7-5	12-5	
2-4	7-4	12-4	
3-5	8-5	13-5	
3-4	8-4	13-4	-
4-5	9-5	14-5	
4-4	9-4	14-4	
5-5	10-5	15-5	
5-4	10-4	15-4	
FROM JOSSESSION:	10-7-85 TIME DATE	TO NAME OF	10-2-85 TIME DATE
FROM SAME	/0-2-85 /FIME DATE	TO MAME	TIME DATE
FROM NAME!	TIME DATE	TO Lev 2	TIME DATE
FROM NAME	TIME DATE	TO NAME	TIME DATE
ANALYSED BY:	Loo Strang	TIME	10-385 DATE





REPORT

ISSUED TO: Penco DATE OF REPORT: 11/20/85

ORIGINAL

c/o United Rigging & Hauling. Inc.

6701 Ammendale Road

MET REPORT NO: 11228Y-14

Beltsville. Md. 20705 ATTN: R. M. ARMSTRONG

PROJECT: Pepco/United Rigging Clean-Up

DESCRIPTION:

Samples were analyzed for contamination by polychlorinated biphenyls (PCB's) by Gas Chromatograph at the following conditions:

Column: Detector:

3% SP-2100

Column Temp: 235 deg. C

In accordance with EPA methods 600 and 608, concentrations are reported in parts per million (ppm) weight PCB to weight sample.

Analysis of U.S. EPA RA/RC samples are included in each report and number no less than ten percent (10%) of total samples. Reference value data sheets accompany the following analysis.

RESULTS:

See the attached sheet.

Chemist

1: : -/4





REPORT

DATE RIC	CVD SAME	PLE NUMBER			PCB IN	PPM	
_ 11 12							ORIGINAL
1-101	. –						(Red)
10/3/	25	B-A-S			16.2		
1		B-B-S			76.2		
		B-C-S			26.7		•
		B-D-S			134.1		
		D-14-S			4.9		
		D-19-S			10.7		
		E-1-S			6.3		
		E-2-8			8.3		
		E-3-S		¥	18.6		
		E-4-S			10.6		
		E-5-S			13.2		
		E-6-S			19		
		E-7-S			16.4		
		E-8-S			16.9		
		E-9-S			34		
		E-10-S			18.5		
		F-11-S			20.9		
		E-12-S			16		
		E-13-5			24.5		
		E-14-S			10.4		
		E-15-S	*		6.1		
		E-16-S			9.9		
		E-17-S			20.5		
		E-18-S			12.2		
		E-19-S			8.3		
		E-20-5			18.9		
		E-21-S		•	11.4		
		E-22-S			6.6		
		E-23-S			2.3		
		E-24-S			5.4		
		E-25-S		*	11.5		
		E-26-S			4.7		
		E-27-S			5.9		
		E-28-S			0.2		
		E-29-S			20.2		
		E-30-S			0.1		
		E-31-S			3.1		
1.000		E-32-S			8.5		
V		E-33-5			8.2		





REPORT

DATE REVI	SAMPLE NUMBER		PCB IN PPM	
				ORIGINAL
10/3/85	E-34-S		4.6	(Red)
10/4/82	D-14-S		3.7	
1	E-35-8		12.5	•
	E-36-S		4.2	
	E-37-S		9.2	
	E-38-S	\$	4.7	
	E-39-S		5.3	
ğ	E-40-S		13	
	E-41-S		13.6	
	E-42-S		8.2	
	E-43-5		13.5	
	E-44-S	i d		
	E-45-S	% %	10.9 4.9	
	E-46-S	5	6.5	
	E-47-S		7.8	
	E-48-S	độ	8.3	
	E-49-S		0.7	
	E-50-S		0.7	
	E-51-S		9.9	
	E-52-S		11.2	
	E-53-S		0.7	
	E-54-S		8.1	
	E-55-S	**	5.1	
	E-56-S		8.0	
	E-57-S	•0	7.0	
	E-58-S		4.3	
	E-59-S		7.2	
	E-60-S		2.1	
	E-61-S		1.7	
	E-62-S		6,0	
	E-63-S	2	4 . 4	
	E-64-S		2.9	
	E-65-S		4.7	
	E-66-S	B	4.3	
	E-67-5		4.1	
	E-68-S		0.2	
	E-69-S		10.7	
	E-70-S		5.1	
	E-71-S		1.1	
	E-72-S		5.0	
\checkmark	E-73-S		13.9	





REPORT

SAMPLE NUMBER

FCB IN PPM

11 0	FFA	Group	#3	#689	7.3/6.5*	
11.5.	FFA	Group	#1	#220		
		Group			2.2	
		Group			18.4	
		Group			18.2	
		Group			18.5	
		Group			7.0/6.8*	
		Group			4.0	

*Arochlor 1242/1254

Data, Chromatograms, Chain of Custody Information:

See Attached Sheets.





REPORT

CHEMICAL LABORATORY DEPARTMENT
916 W. Patapsco Avenue, Baltimore, Maryland 21230RIGINAL (Red)

SAMPLE CHAIN OF CUSTODY RIGGING SAMPLE SOURCE CONTRACTOR TIME SAMPLE ID NO(s): Surface 15 19 20 10 TO FROM TIME FROM FROM TO FROM DATE NAME TIME DATE NAME TIME

ANALYSED BY: Les Trang 10-4-85
NAME TIME DATE





REPORT

CHEMICAL LABORATORY DEPARTMENT
916 W. Patapsco Avenue, Baltimore, Maryland 21230 (Red)

SAMPLE CHAIN OF CUSTODY UNITED KIGGING SAMPLE SOURCE YERCO CONTRACTOR COLLECTOR T 5- SURFAC SAMPLE ID NO(s): 37 68 38 69 70 SAMPLE POSSESSION: FROM FROM 10-7-85 1425 TO FROM NAME TO FROM DATE NAME TIME TIME DATE NAME 10-5-85 ANALYSED BY: DATE TIME





REPORT

ISSUED TO: Pepco

DATE OF REPORT:

ORIGINAL 11/27/85

c/o United Rigging & Hauling, Inc.

MET REPORT NO:

11228Y-15

6701 Ammendale Road Beltsville, Md. 20705 ATTN: R. M. ARMSTRONG

PROJECT: Pepco/United Rigging Clean-Up

DESCRIPTION:

Samples were analyzed for contamination by polychlorinated biphenyls (PCB's) by Gas Chromatograph at the following conditions:

Column:

3% SP-2100

Detector:

ECD

Column Temp: 235 deg. C

In accordance with EPA methods 600 and 608, concentrations are reported in parts per million (ppm) weight PCB to weight sample.

Analysis of U.S. EPA QA/QC samples are included in each report and number no less than ten percent (10%) of total samples. Reference value data sheets accompany the following analysis.

RESULTS:

See the attached sheet.

Chemist

11/7,10/8





REPORT

n	D	17	31	A	å.	Δ	ŀ
V	1 4	15	31	1	1		Ġ,
	1	D	-	4	t		
	١	n	C	U	J		

TATE F'CVD	SAMPLE NUMBER	<u> </u>	CB IN PPM
10/7/85	E-74-S	5	.5
ľ	E-75-S		.25.8
	E-76-S		54.8
İ	E-77-S	7	.1
	E-78-S	3	3.2
	E-79-S	2	.0
	E-80-S	2	. 6
	E-81-S	6	5.4
	E-82-S		8.8
	E-83-S		3.0
	E-84-S		5
	E-85-S	6	5.4
	E-86-S		134×33 RMA
	E-87-S		23
	E-88-S		1.2
	E-89-S		2.5
	E-90-S		3.5
	E-91-S		5.6
	E-92-S		10.5
	E-93-S		12.3
	E-94-S		5.6 5.1
	E-95-S		0.4
	E-96-S		0.3
	E-97-S		0.5
	E-98-S		1.5
	E-99-S		3.0
	E-100-S E-101-S		7.7
	E-101-S E-102-S		3.5
	E-102-5 E-103-S		9.3
	E-104-S		12.1
	E-105-S		12.7
	E-106-S		4.4
	E-107-S		15.0
	E-108-S		2.8
19	E-109-S		44.0
	E-110-S		44.5
	E-111-S		4.3
	E-112-S		19.7
1	E-113-S		2.5





ORIGINAL (Red)

REPORT

DATE RICVD	SAMPLE NUMBER	PCB IN PPM
10/8/25	E-1-4	0.6
	E-2-4	1.2
į	E-3-4	2.0
	E-4-4	0.8 7.9
	E-5-4	
	E-6-4	2.0
	E-7-4	4.4
	E-8-4	112.7 16.7
	E-9-4	6.5
	E-10-4	8.0
8	E-11-4	5.5
3	E-12-4	2.8
38	E-13-4	4.9
	E-14-4	4.9
	E-15-4 E-16-4	7.2
	E-17-4	14.7
	E-18-4	21.3
	E-19-4	6.0
	E-20-4	7.4
	E-21-4	1.7
	E-22-4	3.8
	E-23-4	0.3
	E-24-4	0.7
	E-25-4	0.4
	E-26-4	0.3
	E-27-4	1.1
	E-28-4	4.1
	E-29-4	3.8
	E-30-4	0.2
	E-31-4	0.8
	E-32-4	10.0
	E-33-4	2.3
	E-34-4	4.9
	E-35-4	5.9
	E-36-4	0.4
	E-37-4	1.3
	E-38-4	0.1
	E-39-4	1.8
./	E-40-4	0.1





SAMPLE NUMBER		PCB IN PPM	ORIGINAL (Red)
U.S. EPA Group U.S. EPA Group U.S. EPA Group U.S. EPA Group U.S. EPA Group U.S. EPA Group U.S. EPA Group U.S. EPA Group	#1 #220 #3 #689 #1 #681 #2 #917 #3 #689 #1 #681	4.7 35.0 7.6/7.0* 31.8 5.7 8.0/7.0* 23.1	•

*Arochlor 1242/1254

Data, Chromatograms, Chain of Custody Information:

See Attached Sheets.





REPORT

	. 300	SAMI	LE CHAIN O	F CUST	ODY		Red)	
	SAMPLE SOURCE	PEPCO/W	VITED RI	GGIN	1G	_ ;	3	
	CONTRACTOR	GWM /	A A					
	COLLECTOR _	ary Shepul	ski	ттм	T.	10-7	<u>-85</u>	
•	SAMPLE ID NO(s	1.	S-Surf	we	_	DAI	-	
	APEA E	7.	£71					
	(74-113)			*****		§ 1		
	(17-119)	ے ۔					9	
	-	_	**					
							·	
		_		-				
T	- 110					-		
IC	TAL 40				NIC		3	
	SAMPLE POSSESS	SION:	47 GC	<			11-7-86	_
	FROM A XX	TIME	DATE	TO	TAME Y	TIME	DATE	,
	FROM	5	10-7-8°	510 /	James Port	TIME 177	9 /0-7 DATE	7-85
	NAME	TIME	11. 7 0-		MAME	wan luop		
	FROM WAME	TIME	0 10-7-85 DATE	TO _	NAME	TAME	DATE :	
	FROM		-	TO _			DIME	
	NAME	TIME	DATE		NAME	TIME	DATE	
	ANALYSED BY:	Lan Si	ray			0-646		
	// 	NAME	0	TIME		DATE		





REPORT

	SAMPLE CHAIN	OF CUSTODY	ORIGINAL (Red)
SAMPLE SOURCE	PEPCO/UNITED RI		
CONTRACTOR	CWM 11		•
COLLECTOR Van	ry Ahipulski	TIME	10-8-85 DATE
SAMPLE ID NO(s)	:		
AREA "E"		-	
(1-40) 4"		_	
		9	
•			_
			_
Total - 40			
SAMPLE POSSESS	ION:	\mathcal{A}'	
FROM Jacres Shell	Whi 10-8-85	TO	70-8-85 TIME DATE
THE !	TIME DATE	NAME V	TIME DATE
FROM	TIME DATE	TO MAME	TIME DATE
FROM Guan On A	14 13:30 10/08/8	TO Les o	Dray 13 40 Lo/8-8
NAME	TIME DATE	NAME	TIME DATE
FROM NAME	TIME DATE	_ TONAME	TIME DATE
MAITE			, , /
ANALYSED BY: _	Les Tray	TIME	10/9/P5 DATE
	NAME 0	TIME	J 2





REPORT

ISSUED TO:

Pepco

DATE OF REPORT:

11/27/85

c/o United Rigging & Hauling, Inc.

MET REPORT NO:

11228Y-16

Beltsville, Md. 20705 ATTN: R. M. ARMSTRONG

6701 Ammendale Road

PROJECT: P

Pepco/United Rigging Clean-Up

DESCRIPTION:

Samples were analyzed for contamination by polychlorinated biphenyls (PCB's) by Gas Chromatograph at the following conditions:

Column:

3% SP-2100

Detector:

ECD

Column Temp:

235 deg. C

In accordance with EPA methods 600 and 608, concentrations are reported in parts per million (ppm) weight PCB to weight sample.

Analysis of U.S. EPA QA/QC samples are included in each report and number no less than ten percent (10%) of total samples. Reference value data sheets accompany the following analysis.

RESULTS:

See the attached sheet.

Leon Thomas Pape

Chemist





REPORT

DATE RYVD	SAMPLE NUMBER	PCB IN PPM	(Red)
10/9/85	V5		
incered at Accesses	E-41-4	4.0	
	E-42-4	3.0	
	E-43-4	2.6	•
	E-44-4	3.0	
	E-45-4	3.7	
	E-46-4	2.8	
	E-47-4	0.7	
	E-48-4	0.8	
	E-49-4	0.2	
	E-50-4	1.0	
	E-51-4	0.8	
	E-52-4	0.9	
	E-53-4 E-54-4	0.2	
	E-55-4	0.1	
	E-56-4	0.3	
	E-57-4	0.1	
	E-58-4	0.1 2.2	
	E-59-4	0.1	
	E-60-4	1.3	
	E-61-4	0.4	
	E-62-4	1.7	
	E-63-4	0.2	
	E-64-4	0.3	
	E-65-4	0.3	
	E-66-4	1.2	
	E-67-4	0.5	
	E-68-4	0.7	
	E-69-4	1.6	
	E-70-4	0.8	
	E-71-4	1.3	
	E-72-4	1.7	
	E-73-4	11.0	
	E-74-4	0.6	
	E-75-4	27.4	
	E-76-4	261.8	
	E-77-4	1.0	
	E-78-4	0.6	
25	E-79-4	1.8	
	E-80-4	0.4	





DATE R'CUD	SAMPLE NUMBER	PCB IN PPM
10/10/85	E-81-4	
(47,029	E-82-4	0.8
	E-83-4	0.7
	E-84-4	0.2
	E-85-4	0.4
	E-86-4	0.7
	E-87-4	1.7
	E-88-4	10.0
	E-89-4	7.0
	E-90-4	3.1 4.1
	E-91-4	0.9
	E-92-4	2.3
	E-93-4	1.9
	E-94-4	3.2
1 1	E-95-4	0.9
	E-96-4	1.0
	E-97-4	0.3
	E-98-4	0.6
	E-99-4	0.5
N	E-100-4	0.9
	E-101-4	1.4
	E-102-4	0.8
	E-103-4	0.3
	E-104-4	0.9
\vee	E-105-4	0.4
10/11/85	E-106-4	0.4
10(11,162	E-107-4	5.3
10/10/25	E-108-4 E-109-4	3.5
10.11/25	E-110-4	3.2
	E-111-4	0.3
	E-112-4	1.8
	E-113-4	1.2
	E-114-4	1.3
	E-115-4	3.7
# #	E-116-4	0.7 0.4
	E-117-4	0.4
ţ	E-118-4	3.8





DATE R'CVD	SAMPLE NUMBER	PCB IN PPM
10/10/85	E-119-4 E-120-4 E-121-4 E-122-4	0.6 1.0 0.3 0.2
	E-123-4 E-124-4 E-125-4 E-126-4 E-127-4	0.4 2.3 0.2 0.2 0.3
	E-128-4 E-129-4 E-130-4 E-131-4 E-132-4	0.5 0.3 0.1 0.6 0.3
	E-133-4 E-134-4 E-135-4 E-136-4 E-137-4	0.08 RMA 0.5 2.7 0.1 0.3
	E-138-4 E-139-4 E-140-4 E-141-4 E-142-4	0.1 2.8 0.3 Rma 0.4 0.2 1.3
	E-143-4 E-144-4 E-145-4 E-146-4 E-147-4	0.7 0.5 0.2 0.5 1.4
	E-148-4 E-149-4 E-150-4 E-151-4 E-152-4	0.2 0.6 1.9 0.2
	E-152-4 E-153-4 E-154-4 E-155-4 E-156-4 E-157-4	7.5 3.5 0.8 2.5 1.9
	~ 15/ 4	0.9





ORIGINAL

DATE R'EVD	SAMPLE NUMBER	PCB IN PPM
10/11/85	E-158-4 E-114-S E-115-S E-116-S E-117-S E-151-S	2.9 10.0 14.5 6.5 13.3 4.1
	E-154-S E-157-S E-160-S E-165-S E-166-S E-167-S E-168-S	11.8 20.7 26.8 6.6 5.2 4.7 15.4
	E-169-S E-170-S E-171-S E-172-S E-173-S E-174-S	12.0 18.5 17.0 31.7 28.7 217.3
	E-175-S E-176-S E-177-S E-159-4 E-160-4 E-161-4	8.2 8.6 2.3 3.6 3.3 1.1
	E-162-4 E-163-4 E-164-4 E-165-4 E-166-4 E-167-4 E-168-4	3.7 1.0 1.0 1.3 0.3 1.0
	E-168-4 E-169-4 E-170-4 E-171-4 E-172-4 E-173-4 E-174-4	2.4 3.1 1.2 6.2 6.2 9.5
· ·	E-174-4 E-175-4 E-176-4 E-177-4	2.7 2.0 0.7





DATE R'EVD	SAMPLE NUMBER	PCB IN PPM
10/15/85	U.S. EPA Group #1 #6 U.S. EPA Group #2 #9 U.S. EPA Group #1 #5 U.S. EPA Group #3 #6 U.S. EPA Group #1 #2 E-121-S E-122-S E-123-S E-124-S	17 4.3 50 20.8 89 7.3/6.6* 20 23.2 1.5 1.4 3.2
	E-125-S E-126-S E-127-S	19.5 2.8 2.5 6.0
	E-128-S E-129-S E-130-S	6.7 1.7 3.6
	E-131-S E-132-S E-133-S E-134-S	0.2 2.5 0.8 1.4
	E-135-S E-136-S E-137-S	3.0 1.6 0.4
	E-138-S E-139-S E-140-S	1.7 5.4 2.6
	E-141-S E-142-S E-143-S E-144-S	2.1 1.2 2.8
	E-145-S E-146-S E-147-S	2.3 1.9 0.1 0.1
	E-148-S E-149-S E-150-S	3.8 2.0 3.3
W	E-152-S E-153-S E-155-S E-156-S	7.7 8.2 6.3 2.7
	E-158-S	23.1





DATE R'CUD	SAMPLE NUMBER	PCB IN PPM
10/15/85	E-159-S E-161-S E-162-S E-163-S E-164-S U.S. EPA Group #1 #220 U.S. EPA Group #1 #681 U.S. EPA Group #1 #550 U.S. EPA Group #3 #689 U.S. EPA Group #1 #681 U.S. EPA Group #2 #917 U.S. EPA Group #1 #550	7.2 3.3 6.9 4.7 79.3 24.1 25.4 20.3 7.3/6.6* 19.4 4.3
	U.S. EPA Group #3 #689	20.8 7.3/6.6*

*Arochlor 1242/1254

Data, Chromatograms, Chain of Custody Information: See Attached Sheets.





REPORT

		MPLE CHAIN		USTODY			/
SAMPLE SOURCE	PERCO/UN	ITED RIGO	ING		,	ő.	
CONTRACTOR	CWM						
COLLECTOR Ma	ry Shep	ukki		PIME .		<u>-9-85</u>	
SAMPLE ID NO(s):			TIME	D.	ATE	
AREA E 41-							
4" SAMPLES			()				_
3		31			-		_
	-	72.					 .
			A rticles				_
MITTER STATE OF THE STATE OF TH							_
							_
5							-
					_		-1 .
	-		N -			**	_
SAMPLE POSSESSI				\sim	_		_
FROM READIL	Mouleh	10-9-85	TO	1	7		
MAME	TIME	DATE	10	NAME	TIME	10-9-89 DATE)
FROM NAME	9.15 TIME	10-9-85 DATE	TO	Surse	Donelly,	10/09/85	
FROM DO	11:00	in lack		Tane/	9:15	10/09	100
NAME O	TIME	DATE	10	NAME	TIME	DATE	180
FROM NAME	MTWP.	Damp	TO				_
MANE	TIME	DATE		NAME	TIME,	DATE	<u> </u>
ANALYSED BY:	Les Su	my			10/10/80	<u>-</u>	
	NAME		TIME		DATE		





URIGINAL				N	
	U	KI	U		

SAMPLE CHAIN	OF CUSTODY	[460]
SAMPLE SOURCE PEPCO UNITED RI	G-GING	
CONTRACTOR		
COLLECTOR Shepulski		10-10-85 DATE
NAME	TIME	DATE
SAMPLE ID NO(s):		
AREA E		
(81-106) 4"	1	
(109-120)4	2	
	-	
	8	
		2.
SAMPLE POSSESSION:	$\overline{\Omega}$	
FROM 10-10-84 NAME TIME DATE	5 TO #	D 10-10-85
	200	9 10-10-85 VIME DATE
FROM NAME TIME DATE	TO STORNE	LU 1:51 10/10/85
- 8H 1/1 1- 11	To Lega	JA'UN AGUILO
NAME TIME DATE	NAME NAME	PIME DATE
FROM	TO	
NAME TIME DATE	NAME	PIME , DATE
ANALYSED BY: Leg Juny	10	111/85
NAME	TIME DAT	TP.





REPORT

		SAMPLE CHAIN	OF CUSTODY	0	RIGINAL
	SAMPLE SOURCE PEPC	O/UNITED K	RIGGING		(Red)
	CONTRACTOR GAWM	1		•	
	COLLECTOR KOLLON	ns		 	85
	ирме		TIME	/0-1)- DAT	E
REA	SAMPLE ID NO(s): E" -4"				
	107,108 4"				
	107,108 4" _ 121 -> 158	*			
	SAMPLE POSSESSION:		$\overline{\mathcal{A}}$		
	FROM HAME TI	10-11-85 ME DATE	TO NAME	TIME	<u>10-11-8</u> 5 date
	FROM TI	10-11-85 ME DATE	TO STANLE	/2:22 TIME	10-11-85 DATE
		4:00 10/1/83 ME DATE	TO Lever	4 14-10 TIME	10/11/67 DATE :
	FROM NAME TI	ME DATE	TONAME	TIME	DATE
**	ANALYSED BY:	yung.		10/12/85	
	• 9	NAME 0	TIME I	DATE	





REPORT

		SAMPLE CHAIN O	F CUSTODY	01	RIGINAL
	SAMPLE SOURCE PERC	/ WITED RIG	GING	- :	(Red)
	CONTRACTOR CYM	11.			1
	COLLECTOR AND	elski	MINE	10-14	-85
	NAME	5- Surfa	$\omega^{\mathtt{TIME}}$	DATI	
1-0	SAMPLE ID NO(s): 1 <u>E' 151 -5</u>	S			
生				-	
	154-9				
	<u>1515</u> _				
	160_5			-	<u> </u>
	165-1775				
	E 114-117 51 _				
	E-165-1774	4			
	159-163	r			
	164				
	SAMPLE POŞŞÉ\$SION:/		Ω		
	FROM Shipubki	10-14-85	TO WALL		10-14-85 DATE
		IME DATE	NAME	TIME	DATÉ
	FROM WAME TO	IME DATE	TO ON Drul	TIME	DATE DATE
	970	lan colucted	To Leo Juan		10/14/05
	FROM CALLED TO	IME DATE	NAME	TIME	DATE
	FROM		TO	MTME	DATE
	NAME T	IME DATE	NAME	TIME	DATE
	ANALYSED BY: Le	2 Lucy	1	0/16/15	
		NAME	TIME D	ATE	





REPORT

CHEMICAL LABORATORY DEPARTMENT
916 W. Patapsco Avenue, Baltimore, Maryland 21230

SAMPLE CHAIN OF CUSTODY

	SAMPLE SOURCE PE	PCO/UNITED R	RIGGING	_ ;
	CONTRACTOR	1		_
•	COLLECTOR	bki	9	10-15-85 DATE
	NAME	S-SURFAC	E TIME	DATE
	SAMPLE ID NO(s):			150 C
RE	AE 121 -5	131 - 5	<u> 141 - S</u>	<u>152-S</u>
	122	132	142	153
		133	143	155
	124	134	144	156
	125	<i>135</i>	145	158
	126	136	146	159
	127	137	147	161
	128	138	148	162
	129	139	149	163
	130	140	150	164
	SAMPLE POSSESSION;		\mathcal{A}	
	FROM HAPLINE	10-15-85	TO AND G	10-15-85 TIME DATE
	NHME/	TIME DATE	NAME	AND DESCRIPTION OF THE PROPERTY OF THE PROPERT
	FROM 19	10-15-85 TIME DATE	TO NAME	lly 3:10 10-15-85
		HIME DATE	TO Les Jun	4 5:00 10/15/85
	FROM NAME	TIME DATE	NAME 0	TIME DATE
	FROM	*	TO	TIME DATE
	NAME	TIME DATE	NAME	TIME DATE
	ANALYSED BY:	Les Zuery		10/16/80
	· · · · · · · · · · · · · · · · · · ·	NAME	TIME	DATE





ISSUED TO:

Pepco

DATE OF REPORT:

11/27/85 NAL

c/o United Rigging & Hauling, Inc.

MET REPORT NO:

11228Y-17

6701 Ammendale Road Beltsville, Md. 20705

ATTN: R. M. ARMSTRONG

PROJECT: Pepco/United Rigging Clean-Up

DESCRIPTION:

Samples were analyzed for contamination by polychlorinated biphenyls (PCB's) by Gas Chromatograph at the following conditions:

Column:

3% SP-2100

Detector:

ECD

Column Temp: 235 deg. C

In accordance with EPA methods 600 and 608, concentrations are reported in parts per million (ppm) weight PCB to weight sample.

Analysis of U.S. EPA QA/QC samples are included in each report and number no less than ten percent (10%) of total samples. Reference value data sheets accompany the following analysis.

RESULTS:

See the attached sheet.

Chemist

10/17,10/18





REPORT

DATE RICID	SAMPLE NUMBER	PCB IN PPM	
10/17/85	F2-01-S	1.8	
7	F2-01-S	1.8 11.6	
	F2-03-S	2.9	
	F2-04-S	7.0	ORIGINAL
- 4	F2-05-S	5.6	(Red)
	F2-06-S	3.9	
	F2-07-S	5.0	
	F2-08-S	2.7	
	F2-09-S	4.9	
	F2-10-S	8.0	
	F2-11-S	0.2	
	F2-12-S	2.4	
	F2-13-S	3.3	
	F2-14-S	14.3	
	F2-15-S	1.3	
	F2-16-S	18.9	
	F2-17-S	18.3	
	F2-18-S	10.2	
	F2-19-S	11.9	
	F2-20-S	18.7	
	F2-21-S	8.0	
	F2-22-S	9.1	
	F2-23-S	38.5	
	F2-24-S	15.3	
	F2-25-S	31.5	
	F2-26-S	95.5	
	F2-27-S	14.9	
	F2-28-S	17.6	
	F2-29-S	2.1	
	F2-30-S	13.4	
	F2-31-S	14.9	
	F2-32-S	18.3	
	F2-33-S	24.9	
	F1-8-S	3.1	
	F1-9-S	4.5	
	F1-10-S	2.2	
	F1-11-S	3.4	
	F1-12-S	1.8	
	E-107-S	4.9	
V	E-108-S	13.3	





REPORT

1.8

9.3

3.2

0.2

20.1

22.2

7.0/5.0*

6.4/7.4*

7.1/7.7*

16.3

DATE R'CVD	SAMPLE NUMBER	PCB IN PPM
10/17/85	E-118-S	10.5
	E-119-S	8.8
٧	E-120-S	4.2
10/18/82	D-19-S	13.7
	D-26-S	1.6
	D-27-S	10.0
	D-28-S	1.8
	F4-01-S	0.6
	F4-A1-S	0.1
	B-D-7-S	1.5
	B-E-10-S	3.1
	B-B-10-S	0.3

U.S. EPA Group #3 #550

U.S. EPA Group #1 #220

U.S. EPA Group #1 #681

U.S. EPA Group #3 #689

U.S. EPA Group #3 #550

*Arochlor 1242/1254

Data, Chromatograms, Chain of Custody Information: See Attached Sheets.

B-A-4-S

B-D-8-S

B-D-9-S

B-D-4-S

B-C-10-S





REPORT

CHEMICAL LABORATORY DEPARTMENT
916 W. Patapsco Avenue, Baltimore, Maryland 21230

ORIGINAL (Red)

				(nea)
SAMP	LE CHAIN OF			
SAMPLE SOURCE PEPCO	/ UNI	TEDRIC	GIUG	*
CONTRACTOR _ C W.//S				
COLLECTOR Jury She	pulski	10: 30 TIME	/6-/7- DATE	25
SAMPLE ID NO(s):				
E-107 S F2-6	5 5	F2-16 5	F2-2	95
E-108 S F2-	<u> </u>	F2-19 5	F1-3	05
William Control of the Control of th		F2-18 S		
E-119 5 F2-9	7 5 1	F2-19 5	F2-3	25
E-1205 F2-1	05/	F2-20 5	F2-3:	3 5
F2-15 F2-11	5/1/	-2-24 S	F1-8	_5_
F2-2 5 F2-1.	25/	F2-25 5	F1-9	<u> </u>
F2-3 5 F2-1.	3 S / E	-2-26 5	F1-10	<u> </u>
F2-4 5 F2-1	45/	-2-27 5	F1-11	
F2-5 5 F2-1	55/	-2-285	F1-10	25
SAMPLE POSSESSION:	\	(1)		
FROM TIME	0/a/45	TO	7 TIME 1	2-17-85
	10-17-85	TO Politican	el/10:30/	10-17-85
TIME	DATE	77 NAME	TIME / I	DATE
FROM Struello 12:00 NAME TIME	10/17/83	TO Les Ju	y 13/0 TIME 1	/0/17/02 DATE
FROM		TO		
NAME TIME	DATE	NAME	TIME ,	DATE
ANALYSED BY: Let Zu	en		10-19-06	
NAME	J	IME	DATE - 3	4
E		NOTE FZ-	21725	or from
			M1351	N9 457





REPORT

CHEMICAL LABORATORY DEPARTMENT
916 W. Patapsco Avenue, Baltimore, Maryland 21230

SAMPLE CHAIN OF CUSTODY CONTRACTOR COLLECTOR L TIME SAMPLE ID NO(s): POSSESSION: FROM FROM TIME FROM TO NAME TIME . TIME DATE NAME DATE 10-19-85 ANALYSED BY:

TIME

DATE





REPORT

ORIGINAL (Red)

ISSUED TO: Pepco DATE OF REPORT:

11/27/85

c/o United Rigging & Hauling, Inc.

6701 Ammendale Road

MET REPORT NO:

Beltsville, Md. 20705 ATTN: R. M. ARMSTRONG

PROJECT: Pepco/United Rigging Clean-Up

DESCRIPTION:

Samples were analyzed for contamination by polychlorinated biphenyls (PCB's) by Gas Chromatograph at the following conditions:

Column:

3% SP-2100

Detector:

ECD

Column Temp: 235 deg. C

In accordance with EPA methods 600 and 608, concentrations are reported in parts per million (ppm) weight PCB to weight sample.

Analysis of U.S. EPA QA/QC samples are included in each report and number no less than ten percent (10%) of total samples. Reference value data sheets accompany the following analysis.

RESULTS:

See the attached sheet.

Chemist





REPORT

DATE R'CVD	SAMPLE NUMBER		PCB IN PPM
10/30/85	D-10-S D-11-S D-12-S		4.7 13.7 >210.2
	D-21-S		>169.7
	D-22-S		>86.9
	D-23-S		27.2
	D-24-S F3-10-S		29.8
	F3-10-S F3-11-S		>148.8 >141.9
	F3-11-5		4.7
	F3-13-S		11.6
	F3-14-S		8.0
	F3-15-S		3.7
	F3-16-S		1.3
	F3-17-S		2.3
	F3-18-S		4.2
	F3-19-S		>65.5
	F3-20-S F3-21-S		>49.0 3.0
	F3-21-5		19.3
	F3-23-S		>54.6
	F3-24-S		>274.8
V	F3-25-S		>116.7
135	F3-26-S		16.8
153:125	F1-07-S		>88.0
	D-01-S		2.3
	C-B1		0.5
	C-A0 C-A1		3.0
	C-F3		3.5 8.1
	E-3-S		6.5
	E-4-S		>48.1
	E-12-S		5.3
	E-29-S		6.8
	E-52-S		2.8
1	E-69-S		3.2
117	E-104-S		2.6
	E-105-S		6.1
### # 1	E-107-S		5.8
√	E-109-S E-110-S		4.5 6.5
\vee	U.S. EPA Group	#1 #220	19.8
	U.S. EPA Group		7.1/6.0*
	U.S. EPA Group		23.6

*Arochlor 1242/1254

Data, Chromatograms, Chain of Custody Information: See Attached Sheets.





(Red)

REPORT

CHEMICAL LABORATORY DEPARTMENT 916 W. Patapsco Avenue, Baltimore, Maryland 21230

SAMPLE CHAIN OF CUSTODY	(Red)
SAMPLE SOURCE PEPCO/UNITED RIGGING	-
CONTRACTOR CWM	· -
COLLECTOR Robert L. Johns	10-31-85 DATE
NAME 5-SURFACE SAMPLE ID NO(s):	DAIL
PEA D-1-5 3-5	
F1-7-5 4-5	-
E-104-5 12-5	
105-S APEAC-F3-5	
107.5 AO-5	
110-5 AI-S	
109-5 BI-5	
29-5	
69.5TOTAL 17	
52-5	-
SAMPLE POSSESSION:	2. 2-
FROM Point John TIME DATE TO NAME OF	10-31-85 TIME DATE
FROM 10-31-85 TO 31-85	mully 12:00 /0/31/85
TIME DATE NAME	TIME DATE
FROM Stornelly 17:00 10/31/85 TO SEE SUR	TIME DATE
FROM TO NAME TIME DATE NAME	TIME DATE
>> ~ ~	-01-95
ANALYSED BY: NAME TIME D	ATE





REPORT

ORIGINAL (Red)

ISSUED TO: Pepco

DATE OF REPORT: 11/29/85

c/o United Rigging & Hauling, Inc.

6701 Ammendale Road MET REPORT NO: 11228Y-19

Beltsville, Md. 20705 ATTN: R. M. ARMSTRONG

PROJECT: Pepco/United Rigging Clean-Up

DESCRIPTION:

Samples were analyzed for contamination by polychlorinated biphenyls (PCB's) by Gas Chromatograph at the following conditions:

Column:

3% SP-2100

Detector:

ECD

Column Temp: 235 deg. C

In accordance with EPA methods 600 and 608, concentrations are reported in parts per million (ppm) weight PCB to weight sample.

Analysis of U.S. EPA QA/QC samples are included in each report and number no less than ten percent (10%) of total samples. Reference value data sheets accompany the following analysis.

RESULTS:

See the attached sheet.

Chemist





REPORT

DATE RICVD	SAMPLE NUMBER	KLI OKI	PCB IN PPM	ORION
11/11/85			TOD IN ITH	ORIGINAL (Red)
1.711763	E-5-S		12.3	
	E-6-S		16.1	
	E-7-S		17.7	
i	E-44-S		0.7	•
1	E-112-S		43.7	
	E-115-S		3.8	
	E-117-S		8.6	
	E-118-S		8.7	
	E-168-S		6.4	
	E-169-S	3 - 01 (0-6")	4.1	
		3.41 (0-6)	13.8	
	F3-P20-6"	1	0.9	
	F3-P30-6" F3-P40-6"		0.8	
	F3-P50-6"		0.1	
	F3-P60-6"		0.6	
	F3-P70-6"		2.1	
	F3-P80-6"	(0.8	
	F3-P90-6"		>24.8	
	F3-P100-6"		>31.6	
	F3-P110-6"		0.1	
	F3-P120-6"	J/.	1.7	
	F3-P16-12" F	3- 91 (6-12")	1.5	
	F3-P26-12"		0.02	
	F3-P36-12"		2.3	
	F3-P46-12"		0.05	
	F3-P56-12"		0.3	
	F3-P66-12"	Î	0.3	
	F3-P76-12"	7.	0.7	
	F3-P86-12"		2.3	
	F3-P96-12"		0.2	
	F3-P106-12"		0.5	
	F3-P116-12"		0.1	
	F3-P126-12"	V	1.4	
	B-D-8-S	-12 (6-12")	0.2	
		-12 (6-12)	0.1	
	D-216-12"		0.4	
	D-226-12"		0.5	
j	D-236-12"	J	1.8	
V	D-246-12"	V	0.1	





(Red)

REPORT

DATE R'CVD	SAMPLE NUMBER	PCB IN PPM
11/12/85	F1-7-S	U
3 13 13	F3-10-S	0.05
	F3-11-S	17.2 0.7
	F3-12-S	1.9
	F3-13-S	0.3
	F3-14-S	3.0
	F3-15-S	0.3
	F3-16-S	0.1
	F3-17-S	0.1
	F3-18-S	1.8
	F3-19-S	0.1
	F3-20-S	0.7
	F3-21-S	1.0
	F3-22-S	0.5
	F3-23-S	0.2
	F3-24-S	3.0
	F3-25-S	0.1
	F3-26-S	0.7
	F3-27-S	0.1
	F3-28-S	0.1
	F3-29-S	0.4
	E-25-S	5.1
	E-86-S	4.4
	E-87-S	11.3
	E-92-S	1.9
	E-93-5 R+19	1.4
	E-108-S	9.8
	E-124-S	0.9
	E-152-S	1.0
	E-154-S	5.2
	E-157-S E-158-S	3.5
	E-160-S	15.0
	E-160-S E-164-S	3.4
	D-12-S	0.1
	D-21-S	0.9
	D-22-S	0.7
	D-23-S	0.4
	D-24-S	0.5
	U.S. EPA Group #2 #917	1.9
Tall (a)	U.S. EPA Group #1 #220	23.4
	U.S. EPA Group #3 #689	7.2/6.1*
100	U.S. EPA Group #1 #681	21.1
	U.S. EPA Group #2 #606	2.5
	U.S. EPA Group #2 #917	2.1

*Arochlor 1242/1254
Data, Chromatograms, Chain of Custody Information:
See Attached Sheets.





REPORT

CHEMICAL LABORATORY DEPARTMENT
916 W. Patapsco Avenue, Baltimore, Maryland 21230

		ŞA	MPLE CHAIN	OF CU	STODY		
S	SAMPLE SOURCE	PEPCO/U	NITED	16-61	NG	Ţ	я
	CONTRACTOR	WWW.			3		
c	COLLECTOR	obit Johns	/				<u>11-85</u> re
		NAMÉ	C. N-11		IME D	DA	re
" s	AMPLE ID NO(5-SURFAC		P-POST		
, ZEA E	5 -	S AREA FO	<u> 3-P1-0-6</u>	·	11 - 0-0	6" F3 -	9 6-12"
_	6	<u> </u>	2-1	L	12-11		10 - 11
122	7		3	F3-	P1-6-12	1 .	11 - 11
-	44		4		2	+	12 - "
_	112		5		3	ALEA B	"-D-8'-S
	117		6		4	AREA D"	-12-6-12"
2012	118		7	***************************************	5		21-
	115		8		6		22-
-	168		9		7	-	23 -
	169		10		8 +	-	24-
s	ample posses	SION:			0/11	AREA'F	1-7-5
	1.114 11	Tohas	11-1/-85	TO	1 1 1 12	INA	11-11-85
	NAME	TIME	DATE	10	NAME	TIME	DATE
F	ROM Robert	Loung	11-11-85	TO	Durall	Jourelly	3:00011/11/85
-	NAME Z	11 6	DATE		NAME	TIME (DATE //
F	ROM GNAME	/6:35 TIME	DATE	TO	NAME	TIME	DATE
F	ROM			TO			
	NAME	TIME	DATE		NAME	TIME .	DATE
٠.	NALYSED BY:	La 2	uera		//	1/2/95	
A	WEDIGED BI:	NAME	7	TIME		DATE	





REPORT

CHEMICAL LABORATORY DEPARTMENT
916 W. Patapsco Avenue, Baltimore, Maryland 21230

s.	AMPLE CHAIN OF CUS	STODY	ORIGINAL	
SAMPLE SOURCE PEPCO	UNITED R	166ING	(Red)	5
CONTRACTOR	,		•	7 w 22
collector L. Shepuls	KI	IME	11-12- DATE	85
SAMPLE ID NO(s):	5-SURFACE			
2FA F3"-(10-29)-5 F	-157 - S ARE	EAD"-12-5_	¥.	
Dra E - 124 - 5	160 "	21-5_		
93 `	25 "\	22-5		
92	108-"	<u>23</u> -5_		
87		24-5		
86				
158				
152				
164.				
154		TOTAL-	38	
SAMPLE POSSESSION: /		All		
FROM Shepukki	//-/2-85 TO	Hobert young	IME D	1-12-85 ATE
NAME TIME	11-12-85 TO	BI Punt	3:29	11/12/85
FROM KONTA JOUNG	DATE	NAME	Water State S	ATE /
FROM NAME TIME	DATE TO	NAME T	TME I	/\$/11/88 DATE
	TO	The National States		:
FROM NAME TIME		NAME T	IME I	DATE
ANALYSED BY:	- Trus	1///	185.	
NA NA	ME TIM	E PAT	E	





REPORT

ISSUED TO:

Pepco

DATE OF REPORT:

12/3/85

c/o United Rigging & Hauling, Inc. 6701 Ammendale Road

MET REPORT NO: 11228Y-20

Beltsville, Md. 20705

ATTN: R. M. ARMSTRONG

ORIGINAL (Red)

PROJECT:

Pepco/United Rigging Clean-Up

DESCRIPTION:

Samples were analyzed for contamination by polychlorinated biphenyls (PCB's) by Gas Chromatograph at the following conditions:

Column:

3% SP-2100

Detector:

ECD

Column Temp:

235 deg. C

In accordance with EPA methods 600 and 608, concentrations are reported in parts per million (ppm) weight PCB to weight sample.

Analysis of U.S. EPA QA/QC samples are included in each report and number no less than ten percent (10%) of total samples. Reference value data sheets accompany the following analysis.

RESULTS:

See the attached sheet.

Chemist





DATE R'CVD

SAMPLE NUMBER

PCB IN PPM

11/27/85

F3-DISCHARGE-3 F3-DISCHARGE-4 F3-DISCHARGE-5

11.8 117.2 129.5

ORIGINAL (Red)

Chromatograms, Chain of Custody Information: See Attached Sheets.

J.....





REPORT

CHEMICAL LABORATORY DEPARTMENT
916 W. Patapsco Avenue, Baltimore, Maryland 21230

ORIGINAL (Red)

	E.		SAM	PLE CHAI	N OF	CUST	YDC			inea)	
SAMPI	E SOURCE	Pec	1/02	mite DS	2,00	inta			9 .9 05	3	
	EACTOR C	. \	100	hado h	low	, (Local		•		
	CTOR 1			11 1 2°	TOPYU	9	NOW A		11.7	MAE	
COLLE	CTOR JC	NAME \	Off O	pukki		TIM	E		1 1-c	ATE	
SAMPI	E ID NO(s):									
_	Sparase	F									
13	cdan	ـ <u>ـ</u> الم			-				W		_
C V.	Sund	-			-	-			-		
13D	recount.	ے دی			-						
-					-				-		 -
-					-						
W						90 FF					
											2
77									W		
		_			•				#1		
				-					•		_
SAMPI	E POSSES	SION:	•••	11-27-9	5	,	011	1	1	, ,	20 2
FROM	MAME	Splings	IME J.I	DATE	T	9	NAME	nell	TIME	DATE	# 35
FROM	ATO	mell	1:0		785 10		100	Bi		40 11-	725
PROM	NAME	T	IME	DATE	ZO3 10		NAME	- 00	TIME	10 //- DATE	7 10
FROM		V			TO)					
	NAME	T	IME	DATE			NAME		TIME	DATE	:
FROM	NAME		IME	DATE	TO	_	NAME		TIME	DATE	
	MAITE	-	THE	DAIL			MANTE		, THE	DATE	
ANALY	SED BY:	Lac	Su	any.		nico de las		11-	19-45	_	
			NAME	1	TTN	TE:		יבת	PE		





REPORT

ISSUED TO: Pepco

DATE OF REPORT: 12/17/85

ORIGINAL

c/o United Rigging & Hauling, Inc.

6701 Ammendale Road

MET REPORT NO: 11228Y-21

Beltsville, Md. 20705 ATTN: R. M. ARMSTRONG

PROJECT: Pepco/United Rigging Clean-Up

DESCRIPTION:

Samples were analyzed for contamination by polychlorinated biphenyls (PCB's) by Gas Chromatograph at the following conditions:

Column:

3% SP-2100

Detector:

ECD

Column Temp: 235 deg. C

In accordance with EPA methods 600 and 608, concentrations are reported in parts per million (ppm) weight PCB to weight sample.

Analysis of U.S. EPA QA/QC samples are included in each report and number no less than ten percent (10%) of total samples. Reference value data sheets accompany the following analysis.

RESULTS:

See the attached sheet.

Chemist





REPORT

SAMPL	E NUMBER	PCB IN PPM	ORIGINAL (Red)
X- X- X-	2/9/85: 4F 4G 4H 4I	18.0 35.0 12.2 5.0	3 .€ 3
X4 X4 X4	2/10/85: 4D 4A 4 4 4F 4J	3.6 3.9 13.9 2.7 3.6	
F3 F3 F3 F3 F3 X4	2/11/85: 3-D-1 3-D-5 3-D-7 3-D-10 3-D-11 3-D-12 3-D-8 3-D-9 4-B 4-G 4-E	4.1 1.7 1.9 7.7 5.0 1.9 5.2 4.5 8.3 10.8 8.2 4.5	
F3 F3 F3	2/12/85: B-D-1 B-D-8 B-D-9 B-D-10 B-D-11	0.5 11.4 0.2 0.8 2.2	
υ. υ.	S. EPA Group #3 550 S. EPA Group #3 550 S. EPA Group #2 606 S. EPA Group #2 917	7.2/6.9* 3.1	

*Arochlor 1242/1254

Data, Chromatograms, Chain of Custody Information:

See Attached Sheets.





REPORT

CHEMICAL LABORATORY DEPARTMENT
916 W. Patapsco Avenue, Baltimore, Maryland 21230

SAMPLE SOUR	CE SOIL SAMP	LES				
CONTRACTOR	PEPCO				•	
COLLECTOR _	DAN DANDREA			1330 HRS	9 DEC	2.85
	NAME			TIME		TE
SAMPLE ID NO	O(s):					
X 4F						
X 4 G						
X 4 H						
X 4 I						
			9			·
-						
8						
SAMPLE POSSE	SSION:			40	N-2	
FROM NAME	rudica 180 pm	DATE	TO	a lo	melly 14	(:/8 /2-89 DATE
FROM Con		/2-09-8 DATE		Le I	1680	12-9-85
NAME	O TIME	DATE		NAME	TIME	DATE
FROM NAME	TIME	DATE	TO	NAME	TIME	DAME
FROM			TO	•1•••	LIFE	DATE
NAME	TIME	DATE	18-50-50	NAME	TIME	DATE
ANALYSED BY:	Les &	wy			12-10.50	
	NAME	0	TIME		DATE	





REPORT

CHEMICAL LABORATORY DEPARTMENT 916 W. Patapsco Avenue, Baltimore, Maryland 21230 ORIGINAL

SAMPLE SOURCE _	Soil	B				
CONTRACTOR	United 1	Perco	٠			
COLLECTOR DO	~ l	•	IO!	IS AM	12/10 TAD	85 E
SAMPLE ID NO(s)	:	₩				
X4D						
XHA	į.				10	
X4	-				() () () () () () () () () ()	· · · · · · · · · · · · · · · · · · ·
XYF						
X41						
						2
			No. or and the second			
12						
SAMPLE POSSESSI	ON:					
FROM MAIN	Pero 1045A4	12/10ks	TO	SIO.	elly 12:30	12-10-8
NAME	TIME	DATE	-	NAME	TIME	DATE -/0-8
FROM Sun		/2-/0- DATE	5 TO	Lev	Jusy 14:00	
FROM	TIME	DAIL		NAME	TEME	DATE .
NAME	TIME	DATE	TO	NAME	TIME	DATE
FROM			TO			
NAME	TIME	DATE		NAME	TIME ·	DATE
ANALYSED BY:	Les 2	wy			12-11-85	
	NAME		TIME		DATE	





(Red)

REPORT

CHEMICAL LABORATORY DEPARTMENT
916 W. Patapsco Avenue, Baltimore, Maryland 21230

SAMPLE SOURCE	_Joil_						
CONTRACTOR	United	/ Pelco					
COLLECTOR Do	n Stone	*	/0 T	30 AH	/2/(DA	TE	
SAMPLE ID NO(s):	•					
F3 D-1	<u> </u>	E	_				
F3 D-5	_X4_						
F3 D-7							_
F3 D- 10					A		
F3 D- 11							 -
F3 D- 12			Value of the latest				
F3D-8							
F3D-9							
X4-B							
X4-6			V-277-27-27-2	5	VE		
SAMPLE POSSESSI	ION:	9					_
FROM NAME	tone 103	DATE	TO.	GSQ- NAME	melly 13	2:40 / 3 DATE	2-11-85
FROM NAME	My 14:50	/2 ·//8	TO	Les 2 NAME	MIME 15.0		11-85
FROM NAME	TIME	DATE	TO	NAME	TIME	DATE	-
FROM NAME	TIME	DATE	TO	NAME	TIME	DATE	_
ANALYSED BY:	Leg J NAME	ray	TIME		12-12-8 2 DATE	s .	





REPORT


CHEMICAL LABORATORY DEPARTMENT
916 W. Patapsco Avenue, Baltimore, Maryland 21230

SAMPLE SOURCE	SOIL SAMPI	ES					
CONTRACTOR	PEPCO				•		
COLLECTOR	CHESTER BRINSE	3	160	00 HRS	12 D	EC 85	
	NAME		T	IME	DA	TE	
SAMPLE ID NO(8	3):						
F3D - 1		9					_
F3D - 8							
F3D - 9	_		-	15			=00
F3D - 10	_				*		
F3D - 11				•			
	_						
			-		S Section 1		— -
		7	20	8.	1		
							-
SAMPLE POSSESS	TON:						 8
FROM Chateller	1600 HQS	WINDS DATE	TO	GALLA NAME	Funelly 16	:22 /3 DATE	-/2-85
FROM NAME	welly 17:40	/2-/2-8 DATE	TO	NAME	Tune 16 The 07.3 THE	o /J-/	<u>3</u> →\
FROM NAME	TIME	DATE	TO	NAME	TIME	DATE	
FROM NAME	TIME	DATE	TO	NAME	TIME	DATE	_
ANALYSED BY: _	NAME	Luy	TIME	4	12-13-88 DATE		ŧ

APPENDIX I

PCB TEST RESULTS - BIOSPHERICS, INC.





Sept. 17, 1985

Mr. R.M. Armstrong c/o United Rigging and Hauling, Inc. 6701 Ammendale Road Beltsville, MD 20705

Dear Mr. Armstrong:

Enclosed are the results of analyses performed on the soil samples received by Biospherics on September 11 and September 12, 1985.

All samples were extracted with hexane, cleaned with sulfuric acid, followed by PCB quantitation via ECD/GC. Blanks were prepared by EPA Method 608. Quality control samples and spiked samples were prepared from EPA ampules.

If you have any questions concerning the results, please do not hesitate to contact us.

Sincerely,

Mark A. Vandriak Project Leader

John C. Yarko

Manager

Analytical Services Laboratory Division

MAV:JCY:slb 2780L Enclosures

TABLE I

DATE RECEIVED	AREA	SAMPLE DEPTH	oc	ORIGINAL SPIKE (Red)
9/11/85	В	4"	WP 282, Conc. 2 Aroclor 1254	WP 282, Conc. 1 Aroclor 1260
			Transformer Oil	
			59.6 µg/g	576 µg/g
			5715 F3. 3	
	UR \$ H #	BIOS #	PCB CONCENTRATION pg/g (Aroclor)	· ·
			pg/g (Arocior)	
	1 D	15314	<5	
	1 E	15315	<5	
	2 D	15316	5 (1260)	
	2 E	15317	<5	
	3 C	15318	<5	
	3 D	15319	<5	
	3 E	15320	11 (1260)	
	4 C	15321	<5	
	4 D	15322	16 (1260)	
	4 E	15323	<5	
	5 C	15324	<5	
	5 D	15325	<5	
	5 E	15326	7 (1260)	
	6 A	15327	<5	
	6 B	15328	<5	
	6 C	15329	<5	
	6 D	15330	6 (1260)	
	6 E	15331	<5	
	7 A	15332	<5 <5	
	7 B	15333	< 5	
	7 C 7 D	15334 15335	10,500 (1260)	
	7 E	15336	10 (1260)	
	8 A	15337	<5	
	8 B	15338	<5	
	8 C	15339	<5	
	8 D	15340	70	
	8 E	15341	6	
	9 B	15342	<5	
	9 C	15343	7	
	9 D	15344	104	
	9 E	15345	<5	
	9 F	15346	<5	
	10 B	15347	12,700	
	10 C	15348	455	
	10 D	15349	<5	
	10 E	15350	119	1201
	10 F	15351	<5	
	11 B	15352	<5	1
	11 C	15353	<5	9.50
	11 D	15354	<5 <5	
	11 E	15355	<5	
	11 F	15356	<5 <5	
		Blank	<5	

TABLE I (cont.)



		PCB CONC.	SPIKE	RESULTS
UR & H #	BIOS #	μq/q (Aroclor)	μg/g ADDED	% RECOVERY
(n	15328 Spike	< 5	11.2 (1260)	91
6 B		<5	11.1 (1260)	89
8 B	15338 Spike	<5	17.4 (1260)	83
9 E	15345 Spike	11 전 1 전 1 전 1 전 1 전 1 전 1 전 1 전 1 전 1	10.1 (1260)	90
9 F	15346 Spike	<5	10.1 (1200)	

	Paradia international de la laction de laction de la laction de laction de la laction de la laction de laction de la laction de la laction de la laction de laction de laction de laction de laction de la laction de laction de laction de laction de la laction de laction	į
QUALITY CONTROL NUMBER	PCB CONCENTRATIONμq/q (Aroclor)	% RECOVERY
00 303	56.3 (1254)	94
QC 293	57.3 (1254)	96
QC 294	60.3 (1254)	101
QC 295		102
QC 296	60.8 (1254)	102

^{*}Results are based on wet weight and have been adjusted for QC recoveries (75%)

TABLE II

1	201-
	TIGINIA.
	(Rod AL
	(00)

				(red)
DATE RECEIVED	AREA	SAMPLE DEPTH	<u>o</u> c	SPIKE
9/12/85	С	24*	WP 282, Conc. 2 Aroclor 1254 Transformer Oil 59.6 µg/g	WP 282, Conc. 1 Aroclor 1260 Transformer Oil 576 µg/g
	UR \$ H #	BIOS #	PCB CONCENTRATION PG/g (Aroclor)	
	в 7	15394	<5	2
	B 8	15394	<5	
	В 9	15396	<5	
	C 7	15397	<5	
	C 8	15398	<5	
	C 9	15399	<5	
	D 7	15400	<5	
	D 8	15401	<5	
	D 9	15402	<5	
	E 7	15403	<5	
	E 8	15404	<5	
	E 9	15405	<5	
	F 9	15406	<5	
		PCB CONC	The state of the s	SPIKE RESULTS % RECOVERY
UR & H #	BIOS #	μq/q (Aroclor)	μg/g ADDED	* RECOVERI
р 7	15400	<5	10.5	91
QUALITY CO		PCB CONCEN		% RECOVERY
QC 297		59.	9	100

^{*}Results are based on wet weight and have been adjusted for QC recoveries (75%)

TABLE III

		INDLE	111	
				ORIGINAL (Red)
DATE RECEIVED	AREA	SAMPLE DEPTH	oc	SPIKE
9/12/85	С	4"	WP 282, Conc. 2 Aroclor 1254 Transformer Oil 59.6 µg/g	WP 282, Conc. 1 Aroclor 1260 Transformer Oil 576 µg/g
	UR \$ H #	BIOS #	PCB CONCENTRATION pg/g (Aroclor)	
	-			
	C 7	15407	<5 10	
	F 2	15408	18 4 7	
	F 3	15409		
	G 2	15410	95 27	
	G 8	15411	<5	
	н 2	15412		
	н 3	15413	<5	
	н 5	15414	5	
	P 2	15415	<5	
		PCB CONC.		SPIKE RESULTS
UR & H #	BIOS #	µg/g (Aroclor)	μg/g ADDED	% RECOVERY
н 2	15412	<5	11.7	84
QUALITY CO		PCB CONCENT		% RECOVERY
QC 298		60.2	2	101

^{*}Results are based on wet weight and have been adjusted for QC recoveries (75%)

ORIGINAL (Red)

CHAIN OF CUSTODY SHEET

CLIENT NAME: PEPCO/UNITED RIGGING

Ī	Sample Identification Bios # Client I.D.	Description	Number of Containers	Remarks
ALEA.		PCB CANTAMINATED SOIL	8	Potentially HOT MAY NEED DILUTION
	P-2 1 15415	St	1	BETWEEN 50 and 100 PPM.

Custody Record	. 11 11.		
Samples Collected by:	Signature	Date 9-12-85	Time
Samples Relinquished by:	Signature Signature	Date <u>9-17-85</u>	Time 9:30
Samples Received by:	Vera Ramchanta	Date 9/12/54	Time
Samples Relinquished by:	Signature	Date	Time
Samples Received at Lab by	Signature	Date 9/12/85	Time 10:3272
Samples Relinquished by Lak	signature /	Date 12/16/85	
Samples Transferred to:	Pushand M. Comity Signature	Date 12/16/85	Time 1540

CHAIN OF CUSTODY SHEET

CLIENT NAME: PEPCO/UNITED RIGGING

ORIGINAL (Red)

Γ	Sample Id	entification	Description	Number of Containers	Remarks
ALEAC	B105 E CB7, D7, CB7, CB9, EB9,	Oclient I.D.	Description PCB CONTAMINATED SOIL	17. 17. 17. 17. 17. 17. 17. 17. 17. 17.	MAY BE UNDER 50 PPM.
N	F9'	15406			•

		1		
Custody	Record	, // //.	415.66	
Samples	Collected by:	Signature	Date <u>9-12-85</u>	Time
Samples	Relinquished by:	Signature	Date 9-12-85	
Samples	Received by:	Vera Ramhaielen Signature	Date 9/12/51-	Time_930
Samples	Relinquished by:	Signature	Date	Time
		Signature	Date_ 9/12/55	
Samples	Relinquished by Lab	signature,	Date 12-12-85	Time
Samples	Transferred to:	Signature M. Constin	Date 12/16/85	Time_1540

BIOSPHERICS 4928 WYACONDA RD ROCKVILLE, MD 20852 770-7700

REPORT

ORIGINAL (Red)

/		
SAMPLE SOURCE	INITED RIGGING	
CONTRACTORCWM		
COLLECTOR LARPY SHIPPULS	5 KJ	9-11-55
NAME	TIME	9-11-55 DATE
SAMPLE ID NO(s):	,	
ACEAR (2)4" F3	3 🗸	
(B3) D1	4	
(A4)	1 /	
ES That s	304/	
C3.V D	5 ✓	
D3 √ E	4 4	
EI 🗸 -		
E2 V		
02 /		
		y
SAMPLE POSSESSION:	notorgenally lected on paperwor	L
FROM RYOUNG 9	PATE TOM YANDRIAK TI	14:20 9/11/85 ME DATE
FROM MANE TIME D	DATE TO Residency 3.	c.9 9/11/15 ME DATE
PRON Robert Perry Sicol D	9/11/85 TO MVANDELAK SINATE NAME TIL	OO 9/1/65 ME DATE
MANE TIME D	ATE TO Below Minte	71540 12/16/85 ME DATE
AWALYSED BY:NAME	TIME DATE	

937 4370

REPORT

ORIGINAL (Red)

SAMPLE CHAIN OF COSTODI
ANPLE SOURCE _ PEPCO / UNITED RIGGING
ONTRACTOR _ CHEMICAL WASTE NANAGEMENT
NAME SHEPULSKI 9-11-85 NAME TIME DATE
B-10 V C-8 V E-5 V B A7V-4" B-10 V C-8 V E-5 V
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
FROM R. YOUNG 9-11-85 TO M. VANDRIAK 14:20 9/11/85 NAME TIME DATE NAME TIME DATE
FROM MANDRIAK 9/11/85 TO ROBERTHAN 5:09 9/11/85 NAME TIME DATE TO MANDRIAN 5:00 9/11/85
NAME TIME DATE TO M. VANDRIAK 5:00 9/11/85 NAME TIME DATE NAME TIME DATE NAME TIME DATE NAME TIME DATE
NAME TIME DATE
all samples circled were not among the shipment of sampi



ORIGINAL (Red)

October 7, 1985

Mr. R.M. Armstrong c/o United Rigging and Hauling, Inc. 6701 Ammendale Road Beltsville, Md 20705

Dear Mr. Armstrong:

Listed below are the results of analyses performed on the soil sample received by Bioshperics on October 2, 1985, as verbally reported that same day.

Sample I.D.	BIOS #	PCB concentration * $\mu q/q$ (Aroclor)
	Blank	<5
Backfill	16327	<5

^{*}Results are based on wet weight

The sample was diluted (extracted) with hexane, cleaned with sulfuric acid, followed by PCB quantitation via ECD / GC. The blank was prepared by EPA Method 608.

If you have any questions concerning the results, please do not hesitate to contact us.

Sincerely,

Mark A. Vandriak Project Leader

John C. Yarko

Manager, Analytical Services

MAV:JCY:dw 0291a

CHAIN OF CUSTODY SHEET

CLIENT NAME: PEPCO

ORIGINAL (Red)

Sample I Bios #	dentification Client I.D.	Description	Number of Containers	Remarks
		SOIL FOR BACKFILL (GREENBELT SITE)	1	ANALYZE FOR PCB'S
8				

Custody	Record	×2		
Samples	Collected by:	RM Christiany Signature	Date_10/1/85 Time_1300	
Samples	Relinquished by:	RM amoto	Date_10/2/85 Time_1148	
Samples	Received by:	Mand Mandeuse	Date 10/2/85 Time 1148	
Sa mples	Relinquished by:	Mark Warranas Signature	Date 10/2/85 Time 1:40 P	,
Samples	Received at Lab by:	Robert Perry Signature	Date 10/2/85 Time 1:40	
Samples	Relinquished by Lab		Date B-12-85 Time	
Samples	Transferred to:	Signature Signature	Date 12/16/85 Time 1540	



STED NOVAL 1985 R.M.A.

October 29, 1985

ORIGINAL (Red)

Mr. R.M. Armstrong c/o United Rigging and Hauling, Inc. 6701 Ammendale Road Beltsville, MD 20705

Dear Mr. Armstrong:

Enclosed are the results of analyses performed on the soil samples received by Biospherics from October 7 through October 16, 1985.

All samples were extracted with hexane, cleaned with sulfuric acid, followed by PCB quantitation via ECD/GC. Blanks were prepared by EPA Method 608. Quality control samples and spiked samples were prepared from EPA ampules.

If you have any questions concerning the results, please do not hesitate to contact us.

Sincerely,

Mark A. Vandriak Project Leader

not a Mandant

1 1

John C. Yarko

Manager

Analytical Services

MAV:JCY:csb Enclosure 0337a

ORIGINAL (Red)

TABLE I

DATE RECEIVED	AREA	SAMPLE DEPTH	QUALITY CONTROL	SPIKE
10/7/85	С	Surface	WP683, #1 Aroclor 1260 Transformer Oil 499 μg/g	WP683, #1 Aroclor 1260 Transformer Oil 499 µg/g

		PCB CONCENTRATION*
UR & H #	BIOS #	$\mu g/g$ (AROCLOR 1260)
c-7-s	16541	ZE.
F-1-S	16542	<5 5
F-2- 5	16543	<5
B-1-S	16544	
B-2-S	16545	137 <5
B-3-S	16546	100
A-7-S	16547	10 <5
A-6-S	16548	
A-5-S	16549	<5 <5
A-4-S	16550	196
A-3-S	16551	<5
A-2-S	16552	38
F-3-S	16553	31
E-4-S	16554	7
F-4-S	16555	, <5
G-4-S	16556	<5
D-3-S	16557	61
G-3-S	16558	<5
D-4-S	16559	48
E-2-S	16560	32
E-3-S	16561	<5
D-5-S	16562	7
D-2-S	16563	37
B-6-S	16564	<5
B-5-S	16565	<5
B-4-S	16566	119
B-7-S	16567	<5
c-1-s	16568	32
C-2-S	16569	40
C-3-S	16570	63
C-4-S	16571	95
C-5-S	16572	<5
C-6-S	16573	<5
	Blank 479	<1
-	Blank 480	<1
	Blank 481	<1
		5.00 m



TABLE I Continued

		PCB CONCENTRATION	SPIKE RES	SULTS
UR & H #	BIOS #	$\mu g/g$ (AROCLOR 1260)	µg/g Added	% RECOVERY
F-1-S	16542	19	14.8	96
E-3-S	16561	21	13.2	120 ·
D-5-S	16567	18	14.7	82

^{*}Results are based on wet weight and have been adjusted for QC recoveries (65%)

QUALITY CONTROL NUMBER	PCB CONCENTRATION pg/g (AROCLOR 1260) % RECO	
QC 479	487	98
QC 480	518	104
QC 481	498	100



TABLE II

DATE RECEIVED	AREA	SAMPLE DEPTH	QUALITY CONTROL	SPIKE
10/8/85	В	4"	WP 683, #3 Aroclor 1260 Transformer Oil 10.1 µg/g	WP 282, #1 Aroclor 1260 Transformer Oil 576 µg/g

NR & H #	BIOS #	PCB CONCENTRATION* pg/g (AROCLOR 1260)
B-A-4"	16693	15
B-B-4"	16694	15
B-C-4"	16695	<5
B-D-4"	16696	<5
1941 ACC 194	Blank 482	<1

^{*}Results are based on wet weight and have been adjusted for QC recoveries (65%)

QUALTIY CONTROL	PCB CONCENTRATION	
NUMBER	$\mu g/g$ (AROCLOR 1260)	% RECOVERY
QC 482	10.6	105

ORIGINAL (Red)

TABLE III

DATE RECEIVED	AREA	SAMPLE DEPTH	QUALTIY CONTROL	SPIKE
10/8/85	С	Surface	WP 683, #3 Aroclor 1260 Transformer Oil 10.1 μg/g	WP 282, #1 Aroclor 1260 Transformer Oil 576 μg/g
			Dan acres	DUMP'S MY CULL

	randomina i	PCB CONCENTRATION*
UR & H #	BIOS #	$\mu g/g$ (AROCLOR 1260)
	14400	
B-8-S	16697	9
A-9-S	16698	<5
A-8-S	16699	<5
C-9-S	16700	<5
C-8-S	16701	<5
B-9-S	16702	<5
E-8-S	16703	7
D-8-S	16704	<5
D-9-S	16705	<5
G-8-S	16706	<5
F-9-S	16707	18
E-9-S	16708	<5
G-7-S	16709	21
G-2-S	16710	<5
G-5-S	16711	9
F-6-S	16712	7
G-6-S	16713	<5
D-6-S	16714	<5
D-7-S	16715	7
F-5-S	16716	<5
E-5-S	16717	18
E-6-S	16718	10
E-7-S	16719	19
L / J	Blank 483	
		<1
	Blank 484	<1



TABLE III Continued

		PCB CONCENTRATION	SPIKE RES	SULTS
UR & H #	BIOS #	$\mu g/g$ (AROCLOR 1260)	$\mu g/g$ Added	% RECOVERY
			<i>¥</i>	
E-8-S	16703	18	14	85
F-6-S	16712	22	15	102 .
D-7-S	16715	12	6	90

^{*}Results are based on wet weight and have been adjusted for QC recoveries (65%)

QUALTIY CONTROL NUMBER	PCB CONCENTRATION pg/g (AROCLOR 1260)	% RECOVERY
QC 483	10.2	101
QC 484	10.1	100

ORIGINAL (Red)

TABLE IV

DATE RECEIVED	AREA	SAMPLE DEPTH	QUALITY CONTROL	SPIKE
10/9/85	С	Surface	WP683, #1 Aroclor 1260 Transformer Oil 10.1 µg/g	WP683, #1 Aroclor 1260 Transformer Oil 499 µg/g

UR & H #	BIOS #	PCB CONCENTRATION* µg/g (AROCLOR 1260)
A-3-S	16676	<1
A-4-S	16677	17
B-4-S	16678	32
B-3-S	16679	4
A-2-S	16680	<1
B-2-S	16681	1
C-1-S	16682	6
C-2-S	16683	19
C-3-S	16684	6
C-4-S	16685	93
D-1-S	16686	4
D-2-S	16687	3
D-3-S	16688	12
D-4-S	16689	64
E-3-S	16690	5
E-2-S	16691	2
E-1-S	16692	1
	Blank 486	<1
	Blank 487	<1

		PCB CONCENTRATION	SPIKE RES	SULTS
UR & H #	BIOS #	$\mu g/g$ (AROCLOR 1260)	µg/g Added	% RECOVERY
C-1-S	16682	20	12	109
C-3-S	16684	20	11	122

^{*}Results are based on wet weight and have been adjusted for QC recoveries (65%)



TABLE IV Continued

QUALTIY CONTROL NUMBER	PCB CONCENTRATION pg/g (AROCLOR 1260)	% RECOVERY
QC 485	10.4	103
QC 486	10.4	103
QC 487	10.5	104

ORIGINAL (Red)

TABLE V

10/9/85 F 1 Surface WP683, #1 Aroclor 1260 Transformer Oil 499 µg/g	RECEIVED	AREA	SAMPLE DEPTH	SPIKE
	10/9/85	F 1	Surface	Aroclor 1260 Transformer Oil

UR & H #	BIOS #	PCB CONCENTRATION* _µg/g (AROCLOR)	
F1-1	16720	2 (1260)	
F1-2	16721	87 (1242)	
F1-3	16722	178 (1242)	
F1-4	16723	46 (1242)	
F1-5	16724	44 (1242)	
F1-6	16725	34 (1242)	
F1-7	16726	184 (1242)	
	Blank 488	<1 <1	

UR & H #	BIOS #	PCB CONCENTRATION pg/g (AROCLOR 1260)	SPIKE RES pg/q Added	
F1-1	16720	16	12.5	110

^{*}Results are based on wet weight and have been adjusted for QC recoveries (65%)

ORIGINAL (Red) TABLE VI

			TABLE VI		ined)
DATE			SAMPLE		
RECEIVED		AREA	DEPTH	SPIKE	
		<u> </u>	DEFTI	SPIKE	
10/9/85		F 4	Surface	WP683, #1	
				Aroclor 1260	
				Transformer Oil	
				499 µg/g	
110 5 11 #		DTOG #		PCB CONCENTRATION*	
UR & H #		BIOS #		$\mu g/g$ (AROCLOR 1260)	
F4-Al		16727		56	
F4-A2		16728		72	
F4-A3		16729		16	
F4-A4		16730		18	
F4-A5		16731		30	
F4-A6		16732		3	
F4-B1		16733		119	
F4-B2		16734		66	
F4-B3		16735		60	
F4-B4		16736		13	
F4-B5		16737		101	
F4-B6		16738		218	
F4-Cl		16739		166	
F4-C2		16740		113	
F4-C3		16741		364	
F4-C4		16742		108	
F4-C5		16743		235	
F4-C6	*	16744		199	
F4-0-1		16745		13	
F4-0-2		16746		141	
RF-1		16747		<1	
		DCD COV	CENTERMIAN	CDIVE DECLUMO	
UR & H #	BIOS #		CENTRATION	SPIKE RESULTS	
UR a R #	B105 #	μ <u>α/α (Α</u>	ROCLOR 1260	0) µg/q Added % R	ECOVERY
P4-36	16722		0	10 116	

		PCB CONCENTRATION	SPIKE RE	SULTS
UR & H #	BIOS #	$\mu g/g$ (AROCLOR 1260)	µg/g Added	% RECOVERY
F4-A6	16732	18	12	116
F4-R4	16736	28	13	110

^{*}Results are based on wet weight and have been adjusted for QC recoveries (65%)

TABLE VII

DATE RECEIVED	AREA	SAMPLE DEPTH	QUALITY CONTROL	SPIKE
10/10/85	С	Surface	WP683, #3 Aroclor 1260 Transformer Oil 10.1 µg/g	WP 683, #ļ Aroclor 1260 Transformer Oil 499 μg/g

UR & H #	BIOS #	PCB CONCENTRATION* µg/q (AROCLOR 1260)
A-0-S	16775	33
B-0-S	16776	11
C-0-S	16777	5
D-0-S	16778	13
E-0-S	16779	92
Area A, 6-S	16780	<1
E4-S	16781	23
F9-S	16782	1
G7-S	16783	<1
E5-S	16784	<1
E7-S	16785	52
F4-A-S	16786	8
F4-B-S	16787	î
F4-C-S	16788	4
RF4-1	16789	
A-4-S	16790	4
B-4-S	16791	1
C-4-S	16792	2 7
D-4-S	16793	
C-2-S	16794	14
	Blank 489	<1
	DIGIK 409	<1

UR & H #	BIOS #	PCB CONCENTRATION pg/g (AROCLOR 1260)	SPIKE RES µg/g Added	SULTS 8 RECOVERY
F4-A-S	16786	21	13.2	110
C-4-S	16792	19	11.2	101

^{*}Results are based on wet weight and have been adjusted for QC recoveries (65%)

TABLE VII Continued

QUALTIY CONTROL NUMBER	PCB CONCENTRATION pg/g (AROCLOR 1260)	% RECOVERY
QC 488	9.7	96
QC 489	10.0	99
QC 490	10.3	102



SPIKE

WP 683, #1 Arocolor 1260 Transformer Oil

499 µg/g

TABLE VIII

DATE RECEIVED	SAMPLE DEPTH	QUALITY CONTROL	QUALITY CONTROL
10/11/85	Surface	WP 683, #3 Aroclor 1260 Transformer Oil 10.1 μg/g	WP 282, #1 Aroclor 1260 Transformer Oil 576 µg/g
UR & H #		BIOS #	PCB CONCENTRATION* µg/q (AROCLOR 1260)
F3-1-S		16878	<1
F3-2-S		16879	<1
F3-3-S		16880	<1
F3-4-S		16881	<1
F3-5-S		16882	<1
F3-6-S		16883	<1
F3-7-S		16884	<1
F3-8-S		16885	<1
F3-9-S		16886	<1
F3-10-S		16887	6
F3-11-S		16888	56
F3-12-S		16889	256
F3-13-S		16890	22
F3-14-s		16891	4
F3-15-S		16892	15
F3-16-S		16893	10
F3-17-S		16894	5
F3-18-S		16895	30
F3-19-S		16896	7
F3-20-S		16897	11
F3-21-S		16898	6 24
F3-22-S		16899	25
F3-23-S		16900	2
F3-24-5		16901 16902	10
F3-25-S		16903	12
F3-26-S F3-27-S		16904	<1
F3-27-5		16905	<1
F3-29-S		16906	<1
F3-30-S		16907	ī
F3-31-S		16908	<1
F3-32-S		16909	<1
F3-32-5		16910	<1
nes asset is		30-000-000-00-000-000	



TABLE VIII Continued

The same of the sa		PCB CONCENTRATION*
UR & H #	BIOS #	$\mu g/g$ (AROCLOR 1260)
F3-34-S	16911	1
F3-35-S	16912	<1
F3-36-S	16913	146
F3-37-S	16914	9
C-E4-S	16915	<1
C-E7-S	16916	<1
C-E0-S	16917	<1
	Blank 491	<1
	Blank 492	<1
	Blank 493	<1
ACCUSATION OF THE	Blank 494	<1

UR & H #	BIOS #	PCB CONCENTRATION pg/g (AROCLOR 1260)	SPIKE RI µg/q Added	ESULTS % RECOVERY
F3-10-S	16887	16	11.0	92
F3-17-S	16894	22	12.3	127
F3-19-S	16896	20	12.4	105
F3-21-S	16898	24	11.4	137

^{*}Results are based on wet weight and have been adjusted for QC recoveries (65%)

QUALTIY CONTROL NUMBER	PCB CONCENTRATION	
NOPIBER	μg/g (AROCLOR 1260)	% RECOVERY
QC 491	8.9	88
QC 492	527	91
QC 493	544	94
QC 494	539	94



TABLE IX

DATE	SAMPLE	QUALITY	SPIKE
RECEIVED	DEPTH	CONTROL	
10/15/85	Surface	WP683 #2 Aroclor 1260 Transformer Oil 50 µg/g	WP683, #1 Aroclor 1260 Transformer Oil 499 µg/g

		PCB CONCENTRATION*
UR & H #	BIOS #	$\mu g/g$ (AROCLOR 1260)
		P3 3 (.M. Celler, 1200)
F3-38-S	16979	7
F3-39-S	16980	112
F3-40-S	16981	31
F3-41-S	16982	17
F3-42-S	16983	<1
F3-43-S	16984	6
F3-44-S	16985	3
F3-45-S	16986	6
F3-46-S	16987	111
F3-47-S	16988	19
F3-48-S	16989	139
F3-49-S	16990	7
F3-50-S	16991	15
F3-51-S	16992	8
F3-52-S	16993	1
F3-53-S	16994	7
F3-54-S	16995	13
F3-55-S	16996	11
F3-56-S	16997	8
F3-57-S	16998	1
F3-58-S	16999	2
F3-59-S	17000	1
F4-0-1-S	17001	1
F4-0-2-S	17002	6
F4-A-1-S	17003	6
F4-A-2-S	17004	1
F4-A-3-S	17005	<1
F4-A-4-S	17006	<1
F4-A-5-S	17007	<1
F4-A-6-S	17008	<1
F4-B-1-S	17009	1
F4-B-2-S	17010	1



TABLE IX Continued

UR & H #	BIOS #	PCB CONCENTRATION* pg/g (AROCLOR 1260)
F4-B-3-S	17011	<1
F4-B-4-S	17012	<1
F4-B-5-S	17013	ī
F4-B-6-S	17014	<1
F4-C-1-S	17015	ĩ
F4-C-2-S	17016	ī
F4-C-3-S	17017	<1
F4-C-4-S	17018	1
F4-C-5-C	17019	<1
F4-C-6-S	17020	1
	Blank 495	<1
0 = 1	Blank 496	<1
	Blank 497	<1
	Blank 498	<1

		PCB CONCENTRATION	SPIKE RESULTS		
UR & H #	BIOS #	μ <u>g/g (AROCLOR 1260)</u>	µg/g Added	% RECOVERY	
F3-38-S	16979	19	9.2	118	
F3-45-S	16986	11	8.5	75	
F3-49-S	16990	14	9.6	82	
F3-53-S	16994	13	8.6	85	

*Results are based on wet weight and have been adjusted for QC recoveries (65%)

QUALTIY CONTROL NUMBER	PCB CONCENTRATION pg/g (AROCLOR 1260)	% RECOVERY
QC 495	48.8	98
QC 496	47.3	95
Qc 497	45.3	91
QC 498	46.1	92



TABLE X

DATE	AREA	SAMPLE	QUALITY
RECEIVED		DEPTH	CONTROL
10/16/85	Е	Surface	WP683 #2 Aroclor 1260 Transformer, Oil 50 µg/g

UR & H #	BIOS #	PCB CONCENTRATION* \(\pu \frac{1}{9} \) (AROCLOR 1260)
E-75-S	17096	<1
E-76-S	17097	<1
E-73-S	17098	<1
Water, Area F3 Pond	77099	.65 µg/l
1. (a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	Blank 499	<1

^{*}Results are based on wet weight and have been adjusted for QC recoveries (65%)

QUALTIY CONTROL NUMBER	PCB CONCENTRATION pg/q (AROCLOR 1260)	% RECOVERY
QC 499	50.9	102%

CHAIN OF CUSTODY SHEET

PEPCO/UNITED RIGGING CLIENT NAME:

ORIGINAL

	Sample Ide	ntification Client I.D.	Description	Number of Containers	Remarks
AREA B B	4444 D-8-9-	/6693	SOIL CONTAMINATED W/PCB'S		(50ppm
CBE	20000				
100	-8-S	16706			

Custody	Record	1 11 11.		
Samples	Collected by:	Figure 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Date 10-8-85	Time
Samples	Relinquished by:	Signature	Date 10-8-85	Time
Samples	Received by:	Signature	Date 10/8/85	
Samples	Relinquished by:	March Markers	Date 4 85	Time 2:00
Samples	Received at Lab by:	Signature ,	Date_10/10/83	Time 10.15
Samples	Relinquished by Lab	: John cafaly	Date 12/16/85	Time_15:40
Samples	Transferred to:	Signature Signature	Date 12/16/85	Time 1540

CHAIN OF CUSTODY SHEET

CLIENT NAME: PEPCO UNITED RIGGING

**	Sample I	dentification Client I.D.	Description	Number of Containers	Remarks
AREA (F-9-S E-9-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-	16707	SOIL CONTAMINATED W/PCB'S	(3 '	<50ррм
	F-5-S E-5-5 E-7-5	16719			

custody	Record			
Samples	Collected by:	Land Thefulsky	Date 10 - 8 - 85	Time
Samples	Relinquished by:	6igneture	Date 10-8-85	Time
Samples	Received by:		Date 10/2/85	Time 10:00
Samples	Relinquished by:	Markell Vandant	Date 10/4/85	Time 9:00
Samples	Received at Lab by:	7 ~10	Date $\frac{ V }{ V } \frac{3V}{ V }$	Time 10:15
Samples	Relinquished by Lab	Cimptune	Date 12-85	
Samples	Transferred to:	Richard M. amoston	Date 13/16/85	Time 1540

CHAIN OF CUSTODY SHEET

CLIENT NAME: PERCO/UNITED RIGGING

_1		dentification Client I.D.	Description	Number of Containers	Remarks
: =4 Fl- :-Surface	F1-1	CITCH I.D.			
-SURFACE	Fi - 3		SOIL CONTAMINATED	95	
	F1-9		CONTAMINATED		
1	F4 - A1		W/PCB'S		<50ppm.
LEA F4 5-1AIL	43			27 30	
"IAIL	A5 A6			27 35	
	F4- B1 BZ				
()	F4- B1 B2 B3 B5 B6	3			2
	86				
* .	F4 61				
1	27	ROAD FILL RF-1			
1	4 8-1		- 01	_	

Custody Record	1 // 11.	
Samples Collected by:	Signature	Date 10-9-85 Time
Samples Relinquished by:	Signature	Date_10-9-85 Time
Samples Received by:	Signature	Date 10/9/85 Time 12:20
Samples Relinquished by:	Marka. Mandack	Date 10/10/85 Time 9:30
Samples Received at Lab by:	Robert Peny Signature	Date 16/10/85 Time 11:00
Samples Relinquished by Lab	C1 t /	Date 12/2/8 STime
Samples Transferred to:	Richard M. Umotur Signature	Pate 12/16/85 Time 540

CHAIN OF CUSTODY SHEET

CLIENT NAME: PEPCO/UNITED RIGGING



	entification		Number of	
S-SUPFACE E-O-S A-0-5 B-0-5 C-0-5 D-0-5 ADTA A 6-5	Client I.D.	SOIL CONTAMINATED W/PCB'S	Containers	Remarks (50ppm
ADA A 6-5 1 A C F9-5 67-5 E5-5 E7-5		/PCB 5	15	(00)
F7-S A-S B-S C-S				
Custody Reco	ord	Land Show	O.S.	. " -

			1	
Custody	Record		11.	
Samples	Collected by:	Carry Valle	Date_	<u>0-10-8</u> 5 Time
Samples	Relinquished by:	Signature	_	0-0-85 Time
Samples	Received by:	Signature		0/10/85 Time 11:00
Samples	Relinquished by:	Marka () Signature	Millia Bate_1	Ofig/85 Time 4:30 94
Samples	Received at Lab by:	Robert Pur	Date	10/10/85 Time 4:35
Samples	Relinquished by Lab	signatures	Date_/	16/85 Time 15:40
Samples	Transferred to:	Richard M. Un Signature	nothing Date 1	2/16/85 Time 1540

ORIGINAL (Red)

CHAIN OF CUSTODY SHEET

CLIENT NAME: PEPCO/UNITED RIGGING

""	Sample Id Bios #	entification Client I.D.	Description	Number of Containers	Remarks
1. EAC	A-4-5 B-4-5 C-4-5 D-4-5 C-2-5		SOIL CONTAMINATED W/PCB'S	5	<50ppm

Custody Record	/ // //		
Samples Collected by:	Kazzy Shipubli	Date 10-10-85	Time
Samples Relinquished by:	Signature	Date 10-10-85	
Samples Received by:	Mark Mandred	Date 10/10/85	Time 11 100
Samples Relinquished by:	Mobbe Vaulual Signature	Date 10/16/85	Time 4:30gr
Samples Received at Lab by	: Role Pelcy Signature	Date 10/10/25	Time 4:35
Samples Relinquished by La	C1 mature ()		A STATE OF THE PARTY OF THE PAR
Samples Transferred to:	Bitan M. amotory	Date 12/16/85	Time_1540

PCB

BIDSPHERICS INCORPORATED

Number of

CHAIN OF CUSTODY SHEET

Sample Identification

CLIENT NAME: PERCO UNITED RIGGING

ORIGINAL (Red)

Date 12-85 Time____

	Bios # Client I	.D. Description	Containers	Remarks	
AREA E	- 75-5 76 " 13 "	Soul W/PEB'S	4	>50ppm	
REA F3	5355-51 - 1	WATER FROM F3		>0 PPM	
5-945.		BASIN			
				-	
(2.	-	
	Custody Record		// / :	17	
	Samples Collected by:	Signature Signature) 48-85rime	
20	Samples Relinquished	Elenature V) 48-85 Time	
	Samples Received by:	Signature Signature	Date /	0-17-8 Time 15:00	
	Samples Relinquished	Signature		Time	
	Samples Received at 1	Lab by: Fran Della	Date_/	0/15/85 Time_// 60,	Ar

Signature

Samples Relinquished by Lab:

Samples Transferred to:

BIOSPHERICS INCORPORATED 770-7706

CHAIN OF CUSTODY SHEET

CLIENT NAME: PEPCO/UNITED RIGGING

ORIGINAL (Red)

Sample Identification Number *Bios # Client I.D. Description Contain	S 20070000 U.B. U.
A-3-5 A-4-5 B-3-5 A-4-5 B-3-5 A-1-5 C-1-5 C-2-5 C-3-5 C-4-5 D-1-5 D-1-5 D-1-5 D-1-5 E-3-5 E-3-5 E-1-5 16692	

		and the second s		
Custody	Record	0 11 11.		
Samples	Collected by:	HORY Y KUPUKKL	Date 10-8-85	Time 6:10 P
Samples	Relinquished by:	Signature 7	Date 10-8-85	•
Samples	Received by:	Richard M. Clenty	Date_10-8-85	Time 6:10 9
Samples	Relinquished by:	- 1 // / 1	7 Date 10-8-85	Time 6 98 P
Samples	Received at Lab by:	plancy Cargila signature	Date 16-8-85	Time 6:48 P
Samples	Relinquished by Lab	: on to be conse	Date B-R-85	Time
Samples	Transferred to:	Signature Signature	Date 2/1/85	Time 540

Number of Containers

CHAIN OF CUSTODY SHEET

Sample Identification

Client I.D.

PERCO/UNITED RIGGING

Description

ORIGINAL (Red)

Remarks

A-I-S
4
5
B-1-5
B-1-5
G-1-5
TOTAL - 442
Custody Record 5-SURFACE
Ash Vandusai in 16 00.
Samples Collected by: Date 10.75.7 Time
Samples Relinquished by: Date 10.15.85 Time
Samples Relinquished by: Date 10.13.03 Time
Samples Received by: Markel Mulliak Date 10/15/85 Time 1:000
Samples Received by: ///////////////////////////////////
Samples Relinquished by: Mach Audush Date 10/16 Time 9 100 Am
Samples Relinquished by: Many Date 10/16/8) Time 7 100 August Signature
Samples Received at Lab by: Fran Dellon Date 10/6/35 Time 9.00 AM
Samples Received at Lab by: Tran Dillon Date 10/6/25 Time 9.00 AM. Signature
Samples Relinquished by Lab: on 8. Com Date 12-12-85 Time
Signature
Samples Transferred to: Philad M. June Date 12/16/85 Time 1540
Signature

CHAIN OF CUSTODY SHEET

CLIENT NAME: PERCO/UNITED RIGGING .

ORIGINAL (Red)

	Bios #	dentification Client I.D.	Description	Number of Containers	Remarks
e	F3-5 1-37 C-E1-S C-E7-S C-E0-S		SOIL W/pco's	40	O COMP
					-
			1		

Custody Record			
Samples Collected by:	ary thepulke	Date	Time
Samples Relinquished by:	quature	Date_10-11-85	
Samples Received by:	March Malash	Date 10/1/65	Time 12:15
Samples Relinquished by:	Marke Mardank	Date_10/11/85	Time <u>15.</u> 45
Samples Received at Lab by:	gnature	Date	Time
C4	an a trime!	Date 12-85	
Samples Transferred to:	gnature 91. Comments	Date 12/16/83	Time 1540

CHAIN OF CUSTODY SHEET

CLIENT NAME: PEPCO/UNITED RIGGING

ORIGINAL (Red)

å 0	Sample Identification Bios # Client I.D.	Description	Number of Containers	Remarks
AREAC	C-7-5	PCB		SHOULD BE
	F-1-\$	PCB CONTAMINATED SOIL	12	LESS THAN 50 PPM.
5-SUPFACE	1-2-5 B-1-8	501L		50 PPM.
	B-2-5			
	A-7-5			
	4-6-D 4-5-5			8
	A-4-5 A-3-5			e=:
	A-2-5	,		25
(
. '				

Custody Record	
Samples Collected by:	_
Samples Relinquished by: Date 10.7-85 Time 16:	
Samples Received by: Marke Mandage Date 10/15 Time 16:	₹.
Samples Relinquished by: Mackel Mulack Date 10/8/85 Time 120	X
Samples Received at Lab by: Robert W- Pung Date 10/8/8 Stime 13:	<u>``</u> ©
Samples Relinquished by Lab: Mon P. Curisc Date 12-12-85 Time	_
Samples Transferred to: Durbay M. Unistury Date 2/16/85 Time 154	<u>1c</u>

CHAIN OF	CUSTODY	SHEET
----------	---------	-------

ORIGINAL (Red)

CLIENT NAME: PERO / UNITED RIGGING

HREA C EN-S PCB	1	Sample Id	lentification		Number of	
F-4-S G-4-S G-4-S G-3-S D-4-S E-2-S E-3-S D-5-S		Bios #	Client I.D.	Description	Containers	Remarks
	5 SURFACE	5444334235 5444334235 555555555555555555	Let			HOPEPULLY LESS THAN 50 PPM
	10					

custody	Record	1 . // //		
Samples	Collected by:	arry Shurulski	Date 10-7-85	Time 16:35
Samples	Relinquished by:	Signature J	Date 10-7-85	
Samples	Received by:	Markel / Andress	Date 10/1/85	Time 16735
Samples	Relinquished by:	10 - 6 1	Date_10/8/85	Time 12:00
Samples	Received at Lab by:	Robert Perry Signature	Date 10/8/85	Time 12:00
Samples	Relinquished by Lab:	Signature Signature	Date 12-12-85	Time
Samples	Transferred to:		Date	Time
		Signature		

CHAIN OF CUSTODY SHEET

CLIENT NAME: PEPCO/UNITED RIGGING

ORIGINAL (Red)

a 1	Sample Id Bios #	entification Client I.D.	Description	Number of Containers	Remarks
^REAC SURFACE	B-6-5 B-5-5 B-7-5 C-2-5 C-3-5		PCB CONTAMINATED SOIL	10	< 50ppm
	C-4-5 C-5-5 C-6-5				•

Custody Record	1 11 01		
Samples Collected by:	Karry Shipulski	Date 10-7-85	Time
Samples Relinquished by:	Signature	Date <u>10-7-85</u>	Time_16:35
Samples Received by:	Signature,	Date 10/1/85	
Samples Relinquished by:	Madel Madage Signature	Date 10/9/85	Time_12:00
Samples Received at Lab by:	Robert Peny Signature	Date 10/8/85	Time /3:00
Samples Relinquished by Lab	Signature Curisc	Date 12-12-85	Time
Samples Transferred to:	Signature	Date	Time



MOTED NO. 1 1 1007 R.M.A.

November 5, 1985

ORIGINAL (Red)

Mr. R.M. Armstrong United Rigging and Hauling, Inc. 6701 Ammendale Road Beltsville, MD 20705

Dear Mr. Armstrong:

Enclosed are the results of analyses performed on the soil samples received by Biospherics from October 23 through October 30, 1985.

All samples were extracted with hexane, cleaned with sulfuric acid, followed by PCB quantitation via ECD/GC. Blanks were prepared by EPA Method 608. Quality control samples and spiked samples were prepared from EPA ampules.

If you have any questions concerning the results, please do not hesitate to contact us.

Sincerely,

Mark A. Vandriak

Wandrust.

Project Leader

John C. Yarko

Manager

Analytical Services

MAV:JCY:csb Enclosure 0337a

4928 Wyaconda Road

Rockville, Maryland 20852-2496

т	A	В	1.	F	т
-	n	_	_	-	

DATE RECEIVED	AREA	SAMPLE DEPTH	QUALITY CONTROL	SPIKE
10/23/85	F 3	Surface	WP683,#2 Aroclor 1260 Transformer Oil 50 µg/g	WP683, #1 Aroclor 1260 Transformer Oil 499 µg/g

UR & H #	BIOS #	PCB CONCENTRATION* pg/g (AROCLOR 1260)
10	17416	16
11	17417	385
12	17418	392
13	17419	76
14	17420	308
15	17421	360
16	17422	276
17	17423	5
18	17424	100
19	17425	39
20	17426	
21	17427	549
22	17428	306
23	74294	82
24	17430	689
25	17431	
26	17432	86
	Blank 500	95
A. T. C. C. C. C. C. C. C. C. C. C. C. C. C.	DIGIR JOU	<1

ORIGINAL (Red)

TABLE I Continued

ORIGINAL (Red)

		PCB CONCENTRATION	SPIKE RES	SULTS
UR & H #	BIOS #	$\mu g/g$ (AROCLOR 1260)	µg/g Added	% RECOVERY
17	17423	15.5	9.1	110
26	17426	16.2	8.5	70

*Results are based on wet weight and have been adjusted for QC recoveries (65%)

QUALITY CONTROL NUMBER	PCB CONCENTRATION µg/q (AROCLOR 1260)	% RECOVERY
QC 500	42.6	85
QC 501	42.9	86

TABLE II

ORIGINAL (Red)

DATE		SAMPLE	QUALITY
RECEIVED	AREA	DEPTH	CONTROL
10/25/85	F 5	Surface	WP 683, #2
			Aroclor 1260
			50 µg/g

^{*}Results are based on wet weight and have been adjusted for QC recoveries (65%)

QUALTIY CONTROL	PCB CONCENTRATION	
NUMBER	µg/q (AROCLOR 1260)	% RECOVERY
QC 504	46.0	92

TABLE III

ORIGINAL (Red)

DATE	AREA	SAMPLE	QUALTIY
RECEIVED		DEPTH	CONTROL
10/29/85	F 3	Surface	WP 683, #2 Aroclor 1260 Transformer Oil 50 µg/g

		PCB CONCENTRATION*
UR & H #	BIOS #	$\mu q/q$ (AROCLOR 1260)
Water	17544	1.19µg/1
10	17655	46
11	17656	33
12	17657	231
13	17658	62
14	17659	2
15	17660	<1
16	17661	10
17	17662	14
18	17663	32
19	17664	21
20	17665	12
21	17666	68
22	17667	37
23	17668	69
24	17669	79
25	17670	94
26	17671	66
	Blank 505	<1
	Blank 506	<1

^{*}Results are based on wet weight and have been adjusted for QC recoveries (65%)

QUALTIY CONTROL NUMBER	PCB CONCENTRATION µg/g (AROCLOR 1260)	% RECOVERY	
QC 505	45.5	91	
QC 506	45.6	91	

TABLE IV

DATE		SAMPLE
RECEIVED	AREA	<u>DEPTH</u>
10/29/85	F 4	Surface
		PCB CONCENTRATION*
UR & H #	BIOS #	$\mu g/g$ (AROCLOR 1260)
A 5	17652	<1
В6	17653	<1
C3	17654	<1

^{*}Results are based on wet weight and have been adjusted for QC recoveries (65%)

TABLE V

DATE RECEIVED	AREA	SAMPLE DEPTH	QUALITY CONTROL	SPIKE	ORIGINAL (Red)
10/29/85	Е	Surface	WP683, #2 Aroclor 1260 Transformer Oil 50 µg/g	WP683, #1 Aroclor 1260 Transformer Oil 499 μg/g	
			рсв со	NCENTRATION*	
UR & H #		BIOS #	_µ <u>q</u> /q_	(AROCLOR)	
8		17672		4	
9		17673		<1	
10		17674		20	
11		17675	15		
13		17676	8		
14		17677		10	
17		17678		<1	
18		17679		<1	
35		17680		7	
40		17681		1	
41		17682		12	
43		17683		18	
20		17684		2	
21		17685		10	
171		17686		6	
172		17687		33	
173		17688		13	
174		17689		<1	
170		17690		3	

TABLE V Continued

ORIGINAL (Red)

S RECOVERY

108

		PCB CONCENTRATION	SPIKE RESULTS		
UR & H #	BIOS #	$\mu g/g$ (AROCLOR 1260)	$\mu q/q$ Added	% RECOVERY	
13	17676	17.5	8.3	108	
14	17677	13.8	6.9	82	
35	17680	17.0	9.7	102 .	
21	17685	17.7	8.5	96	

^{*}Results are based on wet weight and have been adjusted for QC recoveries (65%)

QUALITY CONTROL NUMBER	PCB CONCENTRATION μg/q (AROCLOR 1260	% RECOVERY	
oc 507	45.8	92	
QC 508	45.4	91	



December 5, 1985

R.M. Armstrong PEPCO 500 Kenilworth Ave., N.E. Washington, D.C. 20019

Dear Mr. Armstrong:

Enclosed are the results of analyses performed on the soil samples received by Biospherics from November 8 through November 25, 1985.

All samples were extracted with hexane, cleaned with sulfuric acid, followed by PCB quantitation via ECD/GC. Blanks were prepared by EPA Method 608. Quality control samples and spiked samples were prepared from EPA ampules.

If you have any questions concerning the results, please do not hesitate to contact us.

Sincerely,

Mark A. Vandriak

Project Leader

John C. Yarko

Manager

Analytical Services Laboratory Division

MAV: JCY: csb Enclosure 0423a

TABLE I

DATE RECEIVED	AREA	SAMPLE DEPTH	QUALITY CONTROL	(Red)
11/08/85	F 3	Surface	WP683, #2 Aroclor 1260 Transformer Oil 50 µg/g	•

UR & H #	BIOS #	PCB CONCENTRATION* µg/q (AROCLOR 1260)
11-6-12" 14-6-12" 19-6-12" 24-6-12"	18073 18074 18075 18076 Blank 510	<1 <1 <1 <1 <1

^{*}Results are based on wet weight and have adjusted for QC recoveries (70%)

QUALITY CONTROL NUMBER	PCB CONCENTRATION pg/g (AROCLOR 1260)	% RECOVERY	
QC 510	51.2	102	

ORIGINAL (Red)

TABLE II

DATE RECEIVED 11/14/85	AREA F 2	SAMPLE <u>DEPTH</u> Surface	QUALITY CONTROL WP 683, Aroclor I Transform 50 µg/g	1260	Aroc.	B3, #1 lor 1260 sformer Oil
			105100 -0 11 1 -0 1		ATTENDED OF	- J. J
NR & H #		BIOS #		PCB CONCEN		
50		10004				
51		19234		<1		
52		19235		<1		
53		19236 19237		<1		
54		19237		<1		
55		19238		<1		
56		19239		<1		
57		19240		<1		
58		30040				
59		19242		<1		
60		19244		<1		
61		19245		<1		
		Blank 511		<1 <1		
		DIGIN SII		\1		
		PCB CONCENTE	MOTTA	CDIV	E RES	II ma
UR & H #	BIOS #	μg/g (AROCLO		μg/g Add		
jatoria de la company		Par A Vincoppe	12007	PALA MAG	ued	% RECOVERY
50	19234	3.5		3.5		100
*Results a	re based on	wet weight				
QUALITY CO NUMBE		PCB CONCENTRA pg/g (AROCLOR		% RE	ECOVER	<u>RY</u>
QC 511		57.6		1	115	

TABLE III

DATE RECEIV		SAMPLE DEPTH	QUALTIY CONTROL	SPIKE
11/18/	85 F3,E, F2	Surface	WP 683, #2 Aroclor 1260 Transformer Oil 50 µg/g	WP 683, #1 Aroclor 1260 Transformer Oil 499µg/g

		PCB CONCENTRATION*
UR & H #	BIOS #	$\mu g/g$ (AROCLOR 1260)
-0.10		
F3-10	19419	4
F3-60	19420	12
F3-61	19421	2
F3-62	19422	2
F3-63	19423	<1
F3-64	19424	<1
F3-65	19425	<1
F3-66	19426	<1
F3-67	19427	<1
F3-68	19428	1
F3-69	19429	4
F3-70	19430	3
F3-71	19431	<1
F3-72	19432	1
F3-73	19433	<1
F3-74	19434	2
F3-75	19435	10
F3-76	19436	13
F3-77	19437	8
F3-78	19438	1
F3-79	19439	2
E-4	19440	1
E-5	19441	12
E-6	19442	24
E-7	19443	24
E-10	19444	6
E-11	19445	7
E-172	19446	15
E-173	19447	19
E-41	19448	<1
E-43	19449	6
E-158	19450	<1
E-87	19451	<1
E-112	19452	<1
F2-66	19453	<1
F2-67	19454	<1
F-2	10455	44
F2-69	19456	1
F2-70	19457	<1
F2-71	19458	<1
	Blank 515	<1
		~1

ORIGINAL (Red)

Table III Continued

		PCB CONCENTRATION	SPIKE RE	SULTS
UR & H #	BIOS #	$\mu g/g$ (AROCLOR 1260)	µg/g Added	% RECOVERY
F3-77	19437	13.9	7.8	88
E-10	19444	9.9	3.7	103
E-11	19445	11.0	5.1	91
E-43	19449	11.5	6.9	90

^{*}Results are based on wet weight

QUALITY CONTROL NUMBER	PCB CONCENTRATION pg/g (AROCLOR 1260)	% RECOVERY
QC 512	54.0	108
QC 513	64.5	129
QC 514	65.8	132
QC 515	57.4	115

ORIGINA (Red)

TABLE IV

		15 m	THE IA			
DATE RECEIVED	AREA	SAMPLE DEPTH	QUALTIY CONTROL		SPIKE	
11/20/85	E, F 3, F 2	Surface	WP 683, #2 Aroclor 126 Transformer 50 µg/g		WP 683, #1 Aroclor 1260 Transformer Oil 499µg/g	
UR & H #		BIOS #			TRATION* LOR 1260)	
E-5		19547		-1		
E-6		19548		<1 <1		
E-7		19549		1		
E-172		19550		5		
E-173		19551		<1		
F3-10	19552		40			
F3-30	19553		1			
F3-31	19554			2		
F3-60		19555		48		
F3-69		19556		2		
F3-75		19557		7		
F3-76		19558		í		
F3-77		19559				
F3-61		19560		2		
F2-68		19561		2 2 3		
F2-62		19562		i		
F2-63		19563		ī		
F2-64		19564		1		
F2-65		19565		ī		
		Blank 517		<1		
IID C 17 "	2012/2012	PCB CONCEN		SPIK	E RESULTS	
UR & H #	BIOS #	ug/g (AROC	LOR 1260)	bA p/pu		
E-172	19550	9.2		6.4	0.1	
F3-75	19557	13.2		5.4	81 98	
		0.0000 (PO 07% 0.000)	•		70	

*Results are based on wet weight

QUALITY CONTROLNUMBER	PCB CONCENTRATION μg/g (AROCLOR 1260)	% RECOVERY
QC 516	45.2	90
QC 517	45.6	91

ORIGINAL (Red)

TABLE V

DATE RECEIVED	AREA	SAMPLE DEPTH	QUALITY CONTROL
11/21/85	F3	Surface	WP683, #2 Aroclor 1260 Transformer Oil 50 µg/g
UR & H #	BIOS #		PCB CONCENTRATION*

<u>UR & H #</u>	BIOS #	_µg/g (AROCLOR 1260)
F3-10	19591	2
F3-60 F3-75	19592	<1
	19593 Blank 518	<1
	Didik 518	<1

^{*}Results are based on wet weight

QUALITY CONTROL NUMBER	PCB CONCENTRATION Pg/q (AROCLOR 1260)	% RECOVERY
QC 518	40.8	82

TABLE VI

DATE RECEIVED	AREA	SAMPLE DEPTH	QUALITY CONTROL
11/25/85	F 3	Surface	WP683, #2 Aroclor 1260 Transformer Oil 50 μg/g
UR & H #) 1	BIOS #	PCB CONCENTRATION* µg/g (AROCLOR 1260)
F3-10 F3-15 DISCHARGE-15 F3-25 DISCHARGE-25 RMG		19665 19666 19667 31ank 519 19665**	20 8 10 <1

^{*}Results are based on wet weight

^{**}Analysis repeated on November 27, 1985

QUALITY CONTROL	PCB CONCENTRATION	
NUMBER	$\mu g/g$ (AROCLOR 1260)	% RECOVERY
QC 519	47.1	94

red.

CHAIN OF CUSTODY SHEET

CLIENT	NAME:	_ teleo

ORIGINAL (Red)

Sample 1 Bios #	dentification Client I.D.	Description	Number of Containers	(Red)
F3-10	SOLFACE	SOIL	Du €	Remarks
F3-60	11	11	li li	
F3-75	N	11	N	

Custody	Record		5
Samples	Collected by:	Bog Johns Signature / O	Date 11/21/85 Time 2:00PM
Samples	Relinquished by-	Signature	Date 11/2/1/ Time 2:15 PM
Samples	Received by:		Date 11/2/85 Time 2:15 PM
Samples	Relinquished by:	Marka Vandrak Signature	Date 11/21/85 Time 16:30
Samples	Received at Lab by:	Charlo Hunsin	Date 11-21-8; Time 4:30 P. A
Samples	Relinquished by Lab	Signature	Date 2-12-85 Time
Samples	Transferred to: (Biha M. Amotung Signature	Date 12/16/85 Time 1540

CHAIN OF CUSTODY SHEET

CLIENT NAME: PEPCO UNITED RIGGING

ORIGINAL (Red)

	1		(Red)
Sample Identification Bios & Client I.D.	Description	Number of Containers	B
E 3-10-5 AREA (F) 159 41-5 AREA (F) 112 6-5 66,67-713 170-5 170-5 170-5 170-5 170-5 170-5 170-5 170-5 170-5 170-5 170-5 170-5	05 / 1	40	AREA E LEAST IMPORTANT
733	5-5406		-
Custody Record Samples Collected by:	S-SURF	1.	-15-85 time
Samples Relinquished by:	Signature Signature	Date <u>//</u> -	15-85 time
Samples Received by:	Market March Signature	Date 11/	5/85 Time 16:15
Samples Relinquished by:	Mark a Mandar Signature	./ ,	8/85 Time 13:00
Samples Received at Lab by:	Clark of Hangs) 57 Date 11-1	3.85 Time
Samples Relinquished by Lab			R-85 Time
Samples Transferred to:	Signature Signature	Date 12/	16/85 Time 1540

CHAIN OF CUSTODY SHEET

CLIENT NAME: PERCO/UNITED RIGGING

ORIGINAL (Red)

.	Sample Identification Bios # Client I.D.	Description	Number of Containers	Remarks
	- DISHARGE	501L	3	< 10ppm
. 2	1-5 2-5			
40				
				12-

<u>Custody</u>	Record	1	11 11.		
Samples	Collected by:	Vozer x	Shipulski	Date 11-25-8	Sime
Samples	Relinquished by:	Xovul etgnature	Joung.	Date 11-25-85	Time
Samples	Received by:	Mark Signature	Wanduse	Date 11/25/85	Time 15:00
Samples	Relinquished by:	Mark! Signature	Mandrak	Date 11/25/85	Time 16:30
Samples	Received at Lab by:	Signature	P. Cinse	Date_11 65/85	Time
Samples	Relinquished by Lab:	N-S	P. Cursa	Date	Time
Samples	Transferred to:	Signature	· amoting	Date 12/16/85	Time_1540

CHAIN OF CUSTODY SHEET

ORIGINAL (Red)

CLIENT NAME: Reprolloited Rigging

OLEO E	Sample I Bios 6	dentification Client I.D.	Description	Number of Containers	Remarks
ر	172 173		Macadom	5	
(180 <u>F</u> 3	087855567		Soil	9	
out 5	G i		50îl	5	

custou	y kecord		00		
Sample	Collected by:		Stepull	Space 11-20	rime <u>************************************</u>
Samples	Relinquished by:		tours	Date_11-20	
Samples	Received by:	Mon Signature	Menderal	Date 11/20/05	Time 11:00
Samples	Relinquished by:	Mack	Wordnok	Date 11/20/85	Time 16:€
Samples	Received at Lab b	y: Mondature	a.P. Prinse	Date 11/20/85	Time
Samples .	Relinquished by L	ab: ome	x P. Cins	Date 12 - 13-85	Time
Samples	Transferred to:	Signature	M. anishay	Date_12/16/9	Time 1540
		160	J		

Number of

Containers

Remarks

CHAIN OF CUSTODY SHEET

Sample Identification

Bios # Client I.D.

CLIENT NAME:

PERCO UNITED RIGGING

Description

	-
Custody Record	5-SURFACE
Samples Collected by:	Store Levelor Date 11-14-85 Time
Samples Relinquished by:	Signature Journg Date 11-14-85 Time
Samples Received by:	Marke Manage Date 1/14/85 Time 14:00
Samples Relinquished by:	Markly Induse Date 11/14/85 Time 16:30
Samples Received at Lab by	
Samples Relinquished by Lat	signature Date 12:12-85 Time
Samples Transferred to:	Ritar M. anto Date 12/16/85 Time 15 40

Signature

CHAIN OF CUSTODY SHEET

CLIENT HAME: PEPCO / UNITED RIGGING

Sample Identification
Bios & Client I.D.

Description

Number of (Red)

Containers

Remarks

AREAF 3

-11 -6-12

-14 - 11

-24- 11

Custody Record			
Samples Collected by:	Lany Shepulaki	Date 14-8-85	Time
Samples Relinquished by:	Signatule 20	Date 14-8-85	
Samples Received by:	Mare Maurice Signature	Date 11/8/85	Time 4:50
Samples Relinquished by:	Mark Mandack	Date 11/8/85	Time 16 00
Samples Received at Lab by:	Clals Hungar	Date	Time
Samples Relinquished by Lab	Signature 1. 0	Date 12-12-15	Time
Samples Transferred to:	Richard Unite	Date 12/16/85	Time_1540

APPENDIX J

PCB TEST RESULTS - MARYLAND STATE DEPARTMENT OF HEALTH AND MENTAL HYGIENCE

Program: 850932 RCRA X 55, Baltimore, Maryland 21203 Lab. No. NPDES K Hazardous Waste Laboratory Multi Sample Submission Form SPECIFY Priority _ Sample Source ________ Semple ID No. Su bol ow Preservative Used Long Sample Alert PCB Prom Meduri With 1000 pm to James illes Name/time/date Name/time/date Name/time/date 7INORGANIC 12 , F3-30 RECEIVED OCT 28 1985 ENFORCEMENT FILE FILE COPY ONLY 15 16 18

19

850932 PROGRAM: RCRA NPDES HAZARDOUS WASTE LABORATORY OTHER: Organic_Analysis Report Form Lab No. AV.DU Sample Source Sample ID No. Preservative Used Sample Alert Chain of Custody Sample Possesion: From: To: Name/Time/Date Name/Time/Date From: To: Name/Time/Date Name/Time/Date From: To: Name/Time/Date Name/Time/Date Circle and Specify Parameters Requested: 1. EP Toxicity 2. PCByPesticides Priority Pollutant Scan Specify: Specify/Identify: **动物的** (2013年) FILE COPY GNLY GC/MS Analysis indicates the presence GC Analysis indicates the presence of the following compounds: of the following PCB's/Pesticides: Section Chief: Verified By: JW Authorized By:

MARYLAND STATE DEPARTMENT OF HEALTH AND MONTAL HYCIENE Program: ORIGINAL RCRA 850936 NPDES Lab. No. Hazardous Waste Laboratory SPECIFY Multi Sample Submission Form Collector FRED WOOTTON 10-25-85 Sample Source United & Priority (A Sample ID No. See below Preservative Used Now6 Sample Alore Surface materials for PCB Chain of Custody sample possession 13'.40 1025-85 Januanillage Name/time/date Name/time/date Name/time/date Name/time/date Name/time/date 又7. ORGANIC 7INORGANIC 14 _____ OCT 28 1905 FILE COPY ONLY 17 18

	Parlicus	mduand Rid	dle_Streets		PROGRAM:	
	Pag. Day 23	55 Bartem	e Marylan	21203	RCRA 💢	N
	26	UP				NPDES
21 -7	- Organ	ic Analysis	Report Form	1	OTHER:	
Collector FRBD		11 . 10		115	ORIGIN	DAL 1
Collector (1003)	Name/Time/Date /b		Sample Source	e Muna	Kighing	Beltsvil
Sample ID No.	-5-1		Preservative	Need	HONE	
Sample Alert	urlace Soil		PLR	0364	POOT	
	0	2 901				<u> </u>
Chain of Custody S	ample Possesion:	:40				8
From: Meditule	V. WOOWY	T	o:		· e	
From:	me/Ime/bate M)- J S-85 -		Name/Time/	Date	
	me/Time/Date	Tr	o:	Name/Time/	Dato	
From:		To		rane/IIIe/	Late ,	
ACCORDING TO THE PARTY OF THE P	me/Time/Date			Name/Time/	Date	
				3.5 M		• • •
Circle and Specify	Parameters Reque	sted:			2	ia a
1. EP	Toxicity		3			
		10 6	2.	PCB) Pestic	TACTORY	
1	utant Scan Specif	y: 	4. S	pecify/Ige	EFE LI	
- 11 11 11 12 1 1 1 1 1 1 1 1 1 1 1 1 1						
		1 9 9 9 6 9 1 9 1 9 1 9 1			OCT 28 13	:05
**************************************	તાનકથા કુમ્યા છે.			10 to 10 to	EMPOROEMENT	F Fill Early
	******	· · · · · · · · · · · · · · · · · · ·	A 1-1		FILE COPY C	
K			* 1	•		
		•				
GC/MS Analysis indi	_	æ	CC Analysis	indicates	the presence	
of the following co	mpounds:		of the follo	owing PCB's	/Pesticides:	
			2.8	20m 6	CB AS	1260
				2011	45 773	72.00
						•
			-			
						
			•			
Continu Miss	93849		1.7			and the second s
Section Chief:	Ve:	rified By:	JW_	Auth	norized By: _	
39			- 10 -			

10/27/85

	9 5	
•	MARYLAND STATE DEPARTMENT OF	0.111.1.11
	Laboratories Ad Howard and Bid	munistration
-,-	Pro. por 200 a Balt pri	e Mary 1 nd 21203 RCRA NPDES 2
	Organic Analysis	S REPORT FORM Lab No.
ź		11.4.02 01
*	Wilder (.eus)	Sample Source Mulch Kuffix Belton
	Name/Time/Date 10-2485 Sample ID No. F 5 -2	- U U
		Preservative Used
	Sample Alert Surface Soils	IN PUB (Red)
	Chain of Custody Sample Possesion:	
	A . d	0:
	Name/Time/Date 10-25-85	Name/Time/Date
	From:	0:
	Name/Time/Date	Name/Time/Date
		o:
	Name/Time/Date	Name/Time/Date 1
	"a" dis intelest a " a ""da	
	Circle and Specify Parameters Requested:	
	1. EP Toxicity	2. PCE/Pesticides
	3. Priority Pollutant Scan Specify:	4. Specify/Identify:
		28 1385
		· · · · · · · · · · · · · · · · · · ·
		THE THE PART OF TH
8	the state of the s	THE CORY CNLY
		s s'
	GC/MS Analysis indicates the presence	GC Analysis indicates the presence
	of the following compounds:	of the following PCB's/Pesticides:
		0.7 ppm PCB AS 1260
	•	
		
	<u> </u>	
		2.1
	Section Chief: Verified By:	Authorized By:
	101	2\$185
		2 .555

PARTLAND STATE DEPARTMENT	OFOOO
	s Administration 850936
	tampe Miry No. 21203
	RCRA NPDES
HAZARDOUS W	
	ysis Report Form Lab No.
Collector FREDWOUTTON 11:00	_ Sample Source Untillingery - Belfy
Name/Time/Date 10-25-83	Sample source Without the Bay
Sample ID No. F4-L3	Preservative Used Now
	- Freservative used
Sample Alert Surface Soils	GO TOS OPIGINAL
Chain of Custody Sample Possesion:	(Red)
From: Fredrick 11 orth 13:40	22° %
	_ To:
Name/Time/Date 10-25-85	Name/Time/Date
From:	_ To:
Name/Time/Date	Name/Time/Date
From:	_ To:
_ Name/Time/Date	Name/Time/Date
Circle and Specify Parameters Requested:	
EP Toxicity	2. PCB/Pesticides
3. Priority Pollutant Scan Specify:	4. Specify/Identify:
	ALTERNATION AND THE PROPERTY OF THE PARTY OF
Marian San Carrier Con the State of the San San Carrier	
The state of the second	The second of the second secon
The first the second of the se	and salares of property and the salar salar
	S. C. Electric Learning of E. Age.
COME And And And And And And And And And And	
GC/MS Analysis indicates the presence	GC Analysis indicates the presence
of the following compounds:	of the following PCB's/Pesticides:
·	1. 1 ppm PCB AS 1260
<u> </u>	
0	Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser
v .	•
Section Chief: Verified I	By: Sw Authorized By:
- Criffed I	Authorized By:
© Charles	12710

	I aboratorias	Idministratio	- HENTAL HIGIENE	850	936
60	and a di	Biddle Street		GRAM:	000
		por aryl	A 21202	_ ,	NPDES Ø
	HAZADIOVIC W	ASTE LABORATORY	1		MPDES
		ysis Report For			
	COTTector FRED WOOTTON 11:15		e Writer le		0 11
	Name/Time/Date 10-25-80	Sample Source	ce much ki	47/m/ -	Belton
5.5	Sample ID No. F -52	> Preservativ	No.	0 0	
	0 1 1 1 - 1	JCB		~	
	Sample Alert Asphult for F	2015		ORIGINAL	
	Chain of Custody Sample Possesion:			(Red)	
	From: Munch) Worth 13.40	_ To:			
	Name/Time/Date 10-25-0	3	Name/Time/Date	9	
	From:	_ To:			2
., .	Name/Time/Date		Name/Time/Date	•	3 3 4
	From: Name/Time/Date	_ To:	Na (mi (p)		
	name/Interbace	: *	Name/Time/Date	· ·	
	0:-1-1-2-1-2-1-2-1-2-1-2-1-2-1-2-1-2-1-2-			- 89 - 74	980 (0.0)
•	Circle and Specify Parameters Requested:		_	200	
8	1. EP Toxicity	2. (PCB/Pesticides		1 2 6
	3. Priority Pollutant Scan Specify:	4.	Specify/Identit	V	***
$\pi^{'}$.		કર્કો _{ઈ પા} ર્જી કે 'સ્ _મ ા' પ	RH	CEL	
A X	Total Control (大学) (Total Control Co	4.4			
		<))·	1	OCT 28 19	85
ú.					· · · · · ·
	Copy of Copy to the state of th		ENI	ORCEMENT	NLY
	a e e e e	\$1 \$2			
	GC/MS Analysis indicates the presence	GC Analysi	s indicates the	presence	
,	of the following compounds:	of the fol	lowing PCB's/Pe	sticides:	
	4	1.8.	pm PU	4 118	1260
		1.09	gin i or	1775	1200

,					
		-			
94					_
59		20			
	Section Chief: Verified	By: SW 127/85	Author	ized By:	
		127185	*		
	101	21103			

4.1 ppm PUB AS 1260

Verified By: SW

Section Chief:

Authorized By:

CHEMICAL WASTE MANAGEMENT CHAIN-OF-CUSTODY FORM

DISPOSAL SITE REQUESTED	CITY AND STATE	
PERO LINITED		ORIGINA (Red)
6701 AMMEN		•
SCOTO CONTRACTOR CONTR		
BFITSVILE,	No Control of the	
	20705	
	·	
SAMPLE INV	SAMPLE LOG NUMBER	**************************************
Sample I.D.		Total
F-5-1	SURFACE	
F-5-2		1
	1	
÷	A	
	2 *	
Totals		7
	CUSTODY SIGNATURES	
	CUSTODY SIGNATURES	
samples listed in the sample the samples in their custody	s are listed below certify that the common and master packing list all and the only manner in which custody other persons listed below or to a local common and the common	bove had y was given
DON STON Signature (Print A CUSTODIAN	10-24-85 Date and Time 10-24-85	

CHAIN-OF-CUSTODY RECORD

CUSTODY SIGNATURES

ORIGINAL (Red)

The persons whose signatures are listed below certify that the collected samples listed in the sample inventory and master packing list above had the samples in their custody and the only manner in which custody was given up was either to one of the other persons listed below or to a locked and/or secured area or chest.

and/or Frederick Wooth St. of Mo.	10-24-85
Carrier FREDERICK V. WOUTON LAB	K:30
Signature of Carrier Sent To	Date and Time
(Print Also)	(signed and dis-
patched)	
· · · · · · · · · · · · · · · · · · ·	: . :
Custodian	
Signature (Print Also)	Date and Time
Courier	
and/or	
Commercial	
Carrier	
Signature of Carrier Sent To (Print Also)	Date and Time
	(signed and dis-
patched)	
.ab	
ustodian	
Signature (Print Also)	Date and Time
	921 Marie 920
ab	
lanager/	
Director	
	w , s 1

CHEMICAL WASTE MANAGEMENT CHAIN-OF-CUSTODY FORM

SAMPLE SOURCES

DISPOSAL SITE REQUESTED	CITY AND STATE
PEPCO /UNITED RIGHING	ORIGIN
6701 AMMENDALE	(Red)
BELTS PILLE M.D. 20705	
	•
SAMPLE INVENTORY AND A	
Sample I.D.	Total
F4 - C3	3
E-69-3	9
E-52-\$	
	ii ii
Tabala	
Totals	
CUSTODY SIG	NATURES
The persons whose signatures are listed samples listed in the sample inventory the samples in their custody and the on up was either to one of the other personand/or secured area or chest. SAMPLER (S) John Miland	and master packing list above had ly manner in which custody was given
John Ghilardi	10.05.66 / 11.20
Signature (Print Also)	10-25-86 / 11:30 Date and Time
CUSTODIAN Dan Dondila	10/25/85 11:30

	MARYLAND STAT	TE DEPARTMENT O	F HEALTH AND MENTA	LAYCIENE	
Progra	····	Hoverd and	Administration	4	•
RCRA	P.O. 5	2555 Balt	Administration Administration Iddle Streets more Maryland 21	85094	1
NPDES	<u> </u>	Hazardous V	Waste Laborator	Lab. No.	
SPECIF	Y Mul	ti Sample Su	bmission Form	ORIGINAL (Red)	
	ector FRED WOOTTON Name/time/da 10 ID No. Subclo		Sample Source	wited Rigging	-Bet
	le Alert				
-	n of Custody sample possess Name/time/date	10-28-03	to James mill	250 / 1340 / 10-2 Name/time/date	8-85
	Name/time/date		1	lame/time/date	
From .	Name/time/date		to1	ame/time/date	
→ ORG	ANIC	/	CANIC		
	F3-12 Soil	-		//METAL	.33
-	=3-23 SiL	12			
	=2 -800-WATER	13			
4 <u>t</u>	-3 Builbator				
5 _		15			
6 _		16			
7_	9	17			N.
8 _		18			
9		19	21		
10 _		20		- 10-19	- 85

	. Laboratories	2 dm	inistration	146nca	
				PROGRAM:	
•	P.0, B. 2365, Balt	t mo	le Streets, rei Maryland 21203	RCRA K NPDES O	4
	HAZARDOUS WA			2 GAMBANA PANDANA	`
	Organic Analy			OTHER:	_
	T 11 1 11 12 12		11:-	100 - 11.	,
	collector tres wholton 14:30	_ s	ample Source <u>(MMU</u>	a kuffer txitsur	U
	Name/Time/Date 10-26-85	٠		4.000	
	Sample ID No. F3-12	_ ,P	reservative Used		
	Sample Alert Survey Soils	45	PCB	ORIGINAL	
	Chain of Custody Sample Possesion:	0	•	(Red)	
		-			
	From: JAMULU WING UANNAME/Time/Date 1028-8	T 0	Name/Time	/Data	
		9000 1000000		Date	
	From: Name/Time/Date	_ To	Name/Time	/Date	
		_		/ Date	
	From: Name/Time/Date	_ To	Name/Time	/Data	
	Talle, Thie, bate		Iwaire/ I like	/Date	
					L2009
	Circle and Specify Parameters Requested:				
	1. EP Toxicity		2. PCE Pesti	cides	
	3. Priority Pollutant Scan Specify:		4. Specify/Id		
	received restrained count opening.		Decili/10	cherry.	
				F	
_					
	GC/MS Analysis indicates the presence		GC Analysis indicates	s the presence	
	of the following compounds:			201	
	of the following compounds:		of the following PCB	's/Pesticides:	
			535 ppm	PCB AS 1760	
			77	ý	
		2			
		1 9			
			× ×		
	*				
		9			
			0.70		
	Soction chief.		C.1		
	Section Chief: Verified I	BY:_	<u>SW</u> AU 129/85	thorized By:	_
		0	129/80		
		-/	1/00		

P.O. Box 2255, Baltimore, Maryland 2203 HAZARDOUS WASTE LABORATORY Organic Analysis Report Form Collector Fibi Waste Name/Time/Date Sample ID No. F2 Subasia Waste Preservative Used	PROGRAM: RCRA NPDES NPD
Chain of Custody Sample Possesion: From:	(Red)
Circle and Specify Parameters Requested: 1. EP Toxicity 2. PCB Pesti 3. Priority Pollutant Scan Specify: 4. Specify/Id	cides lentify:

LPUUUU

Laboratories Administration Howard and Biddle Streets PROGRAM: RCRA NPDES Organic Analysis Report Form 11120 Sample Source Winted & WATER Preservative Used _ Sample Alert Chain of Custody Sample Possesion: From: Name/Time/Date Name/Time/Date From: To: Name/Time/Date Name/Time/Date Circle and Specify Parameters Requested: 1. EP Toxicity 2. Pesticides 3. Priority Pollutant Scan Specify: Specify/Identify: GC/MS Analysis indicates the presence GC Analysis indicates the presence of the following compounds: of the following PCB's/Pesticides: 4 ppt PCB AS 1260 Verified By:___ Section Chief: Authorized By: _____

000041

CHEMICAL WASTE MANAGEMENT CHAIN-OF-CUSTODY FORM



DISPOSAL SITE REQUESTED	SAMPLE SOURCES CITY AND STATE
•	
PERCO UNITED RI BELTSVILLE, Md	8GINO
10-T.). approximately	and the second s
20	0705
	OG NUMBER
Sample I.D.	Total
F3-12-5	
F3-23-S	
	18
Totals	2
CUSTODY S	GIGNATURES
The persons whose signatures are list samples listed in the sample inventor the samples in their custody and the up was either to one of the other per and/or secured area or chest.	y and master packing list above had only manner in which custody was given
SAMPLER (S)	
Pobert Johns Plant Har Signature (Frint Also)	10-26-85 Date and Time
FIELD CUSTODIAN	10-26-85 3:00

CHAIN-OF-CUSTODY RECORD

CUSTODY SIGNATURES

The persons whose signatures are listed below certify that the collected samples listed in the sample inventory and master packing list above had the samples in their custody and the only manner in which custody was given up was either to one of the other persons listed below or to a locked and/or secured area or chest.

Courier and/or Commerc:	Jumes Wood	Ma Stato	10-26-85
Carrier	HABDERICK V. WOOTTO	~ LAR	15:00
	Signature of Carrier (Print Also)	Sent To patched)	Date and Time (signed and dis-
Custodia		•	
	Signature (Print Also)	8.	Date and Time
Courier and/or Commerci	al	-	
Carrier	Signature of Carrier (Print Also)	Sent To patched)	Date and Time (signed and dis-
Lab			
Custodiar	Name and the second sec		
	Signature (Print Also)		Date and Time
ab	0	8	
lanager/ Director	ì		
Si	gnature (Print Also)		
-	district Also,		Date and Time

. .

CHEMICAL WASTE HANAGEMENT CHAIN-OF-CUSTODY FORM

PePCO

ORIGINAL
(Red)

	SAMPLE SOURCE	
DISPOSAL SITE REQUESTED	CITY AND STAT	<u></u>
PEPCO/UNITE	D RIGGING	
6701 AMME	NDALF Rd.	
BELTSVILLE	Md	
	20705	
	, ,	;
SAMPLE	INVENTORY AND MASTER PACKING SAMPLE LOG NUMBER	LIST
Sample I.D.		Total
F3- WATER	·	
F2 - "		1_
) 9		
		3
Totals		2
	CUSTODY SIGNATURES	
	3,47,500,000,000	
The persons whose signat	ures are listed below certify	that the collected
samples listed in the sa	mple inventory and master pactody and the only manner in w	hich custody was given
up was either to one of	the other persons listed belo	worto a locked
and/or secured area or c	hest.	
SAMPLER (S)	llan	
SALITECK (S) JAMONAS	0.48	
	350	
Signature (Pri	nt Also) Date and Tim	e
FIELD CUSTODIAN	9 10-2	8-85
	1	

CHAIN-OF-CUSTODY RECORD

CUSTODY SIGNATURES

The persons whose signatures are listed below certify that the collected samples listed in the sample inventory and master packing list above had the samples in their custody and the only manner in which custody was given up was either to one of the other persons listed below or to a locked and/or secured area or chest.

Courier ind/or	Frederick Worth	5447 g M	10-28-85
Commercia Carrier	Signature of Carrier (Print Also)	Sent To patched)	Date and Time (signed and dis-
	Jamonilles Milberge	(HAZARDOUS WASTE	10-28-85
Custodian	Signature (Print Also)		Date and Time
and/or		*	
Commercia	1		
Carrier	Signature of Carrier (Print Also)	Sent To patched)	Date and Time (signed and dis-
Lab			
Custodian	Signature (Print Also)		Date and Time
Lab		a .	
Manager/	190		
Director			•
S	ignature (Print Also)		Date and Time

MARYLAND STATE DEPARTMENT OF HEALTH AND MENTAL HYCIENE Program: 850945 RCRA d Lab. No. (neu) NPDES X Hazardous Waste Laboratory Multi Sample Submission Form SPECIFY Priority A Collector FELD (1007TON) 11:30 Sample Source Writed Russian & Bell Name/time/date 10-29-85 Sample ID No. Subclow Preservative Used Nont Chain of Custody sample possession 12:30 to Samuenille 1230/10-29-85-Name/time/date Prom Name/time/date Name/time/date Name/time/date METAL //INORGANIC 文 ORGANIC 1 F1-5(S) 12 _____ RECEIVED OCT 31 1995 ENFORCEMENT FILE FILE COPY ONLY 16 _____ 19

20

10

DS 10-31-85

Laboratories Administration Organic Analysis Report Form Sample Source Writed L's Preservative Used ___ NONS Sample ID No. Sample Alert Specify Program: OTHER: NPDES: RCRA: Chain of Custody Sample Possesion: To: From: Name/Time/Date Name/Time/Date To: From: Name/Time/Date Name/Time/Date To: From: Name/Time/Date Name/Time/Date Circle and Specify Parameters Requested: PCB Pestidicides EP Toxicity 1. Identify/Compare Priority Pollutant Scan 3. GC Analysis indicates the presence GC/MS Analysis indicates the presence of the following PCB/Pesticides: of the following compounds: OCT 3: 1985 ENFORCEMENT FILE Verified By: DW

Date:

Section Chief:

Authorized By:

MARYLAND STATE DEPARTMENT OF HEALTH AND MELLIAL HIGIENE Laboratories Administration

Priority ASAP	1213 1213 Lab No. 850945
Organic Analysis	E LABORATORY S Report Form - Q.A.
Name/Time/Date0-21-65	mple Source (N-Wakunting 1978)
Sample ID No. F1-13-/S) Pr	eservative Used Nong
Sample Alert Surfusion	of MB
Specify Program:	Ů
RCRA: NPDES:	OTHER:
Chain of Custody Sample Possesion:	
.From: Name/Time/Date	Name/Time/Date
From: Name/Time/Date To	Name/Time/Date
From: Name/Time/Date	Name/Time/Date
Circle and Specify Parameters Requeste	ed:
1. EP Toxicity	2. PCB/Pestidicides
3. Priority Pollutant Scan	4. Identify/Compare
GC/MS Analysis indicates the presence	GC Analysis indicates the presence
of the following compounds:	of the following PCB/Pesticides:
	0.03 ppm PCB AS 126
	RECEIVED
	OCT 81 1985
	ENFORCEMENT FILE FILE COPY ONLY
-	0
Section Chief: Verified By:	Authorized By:
Date: 0 3 85	

DISPOSAL SITE REQUESTED	SAMPLE SOURCES CITY AND STATE	(pey) ORIGINAL (Ped)
	•	
SAMPLE INVENTORY AND	OG NUMBER	Total POI
F1 13(5)	•	1 0.0
Totals		2
CUSTODY	SIGNATURES	
The persons whose signatures are list samples listed in the sample inventor the samples in their custody and the up was either to one of the other persond/or secured area or chest.	only manner in which cust	tody was given
SAMPLER (5) OFFY TREPUBLI	whi 10/29/75	11:30 AM
FIELD CUSTODIAN	Date and Time	

CHAIN-OF-CUSTODY RECORD

CUSTODY SIGNATURES ---

The persons whose signatures are listed below certify that the collected samples listed in the sample inventory and master packing list above had the samples in their custody and the only manner in which custody was given up was either to one of the other persons listed below or to a locked and/or secured area or chest.

and/or Frederick / Worth Mr Stort	10-29-85
Carrier GOBORIUL WOOTTON BOR	11:30
Signature of Carrier Sent To (Print Also) patche	(signed and dis-
Signature (Print Also)	Date and Time
Courier	
Commercial Carrier	
Signature of Carrier Sent To (Print Also) patche	Date and Time (signed and dis- d)
Lab	
Signature (Print Also)	Date and Time
Lab	. 9 C¶.2*
Manager/ Director	
Signature (Print Also)	Date and Time

Laboratories Administration - Box 2355
Priority ASAD Ballemore, Maryland 21203 Lab No. 850946
HAZARDOUS WASTE LABORATORY Organic Analysis Report Form
Collector FRED WOOTTON 14:30 Sample Source Writed Praging Belts.
Name/Time/Date 155
Sample ID No. D-21-S Preservative Used Non b
Sample Alert
Specify Program: RCRA: ▼ NPDES: ▼ OTHER:
Chain of Custody Sample Possesion:
1.1i. 1/1/14/ 15:20 = land nillege 15:30/10.29-85
Name/Time/Date 10-29-05 Name/Time/Date
From: To:
Name/Time/Date Name/Time/Date
From: To: Name/Time/Date Name/Time/Date
Circle and Specify Parameters Requested:
1. EP Toxicity 2. PCB Pestidicides
3. Priority Pollutant Scan 4. Identify/Compare
3. Priority Portagane Bean
- Analysis indicates the presence
GC/MS Analysis indicates the presence GC Analysis indicates the presence of the following PCR/Pesticides:
of the following compounds: of the following PCB/Pesticides:
of the following compounds: of the following PCB/Pesticides: 9.2 ppm PCB AS 1760
of the following compounds: of the following PCB/Pesticides: 9.2 ppm PCB AS 1760
of the following compounds: of the following PCB/Pesticides:
of the following compounds: of the following PCB/Pesticides: 9.2 ppm PCB AS 1760 RECEIVED
of the following compounds: of the following PCB/Pesticides: 9.2 ppm PCB AS 1760 RECEIVED OCT 30 1985
of the following compounds: of the following PCB/Pesticides: 9.2 ppm PCB AS 1760 RECEIVED OCT 30 1985
of the following compounds: of the following PCB/Pesticides: 9.2 ppm PCB AS 1760 RECEIVED OCT 30 1985
of the following compounds: Of the following PCB/Pesticides: 9.2 ppm PCB AS 1760 RECEIVED OCT 30 1985 ENFORCEMENT FILE FILE COPY ONLY
of the following compounds: of the following PCB/Pesticides: 9.2 ppm PCB AS 1760 RECEIVED OCT 30 1985
of the following compounds: Of the following PCB/Pesticides: 9.2 ppm PCB AS 1760 RECEIVED OCT 30 1985 ENFORCEMENT FILE FILE COPY ONLY
of the following compounds: Of the following PCB/Pesticides: 9.2 ppm PCB AS 1760 RECEIVED OCT 30 1985 ENFORCEMENT FILE FILE COPY ONLY
of the following compounds: Of the following PCB/Pesticides: 9.2 ppm PCB AS 1760 RECEIVED OCT 30 1985 ENFORCEMENT FILE FILE COPY ONLY
of the following compounds: Of the following PCB/Pesticides: 9.2 ppm PCB AS 1760 RECEIVED OCT 30 1985 ENFORCEMENT FILE FILE COPY ONLY

(Red)

DRIGINAL SAMPLE SOURCES CITY AND STATE DISPOSAL SITE REQUESTED PEPCO/UNITED RIGGING BELTSVILLE, 20705 SAMPLE INVENTORY AND MASTER PACKING LIST SAMPLE LOG NUMBER Total Sample I.D. 5-SURFACE Totals CUSTODY SIGNATURES The persons whose signatures are listed below certify that the collected samples listed in the sample inventory and master packing list above had the samples in their custody and the only manner in which custody was given up was either to one of the other persons listed below or to a locked and/or secured area or chest. Signatury (Print Also) FIELD 10-29-85 CUSTODIAN

Lab Nc. HAZARDOUS WASTE LABORATORY Organic Analysis Report Form Collector FRED WOOTTON 11:10 Sample Source With Name/Time/Date-31-85 Preservative Used Now 5 Sample ID No. Sample Alert Specify Program: NPDES: OTHER: RCRA: Chain of Custody Sample Possesion: > 12:05 To: Alica Len To: From: Name/Time/Date Name/Time/Date To: From: Name/Time/Date Name/Time/Date Circle and Specify Parameters Requested: PCB Pestidicides 2. EP Toxicity 1. Identify/Compare Priority Pollutant Scan 4. 3. GC Analysis indicates the presence GC/MS Analysis indicates the presence of the following PCB/Pesticides: of the following compounds: 0.3 ppm PCB AS 1260 NOV 1 1985 ENFORCEMENT FILE FILE COPY ONLY Verified By: Sw Authorized By: Section Chief: Date:

P.O. Box 2355 Lab No. 850953 Baltimore, Maryland 21203 Priority ASAP Sample Source United collector from Preservative Used Now BORIGINAL Sample ID No. Sample Alert Specify Program: OTHER: NPDES: Y RCRA: Chain of Custody Sample Possesion: To: Alice Len 12205 7 12:05 To: From: Name/Time/Date Name/Time/Date To: From: Name/Time/Date Name/Time/Date Circle and Specify Parameters Requested: PCB Pestidicides 2. EP Toxicity 1. Identify/Compare Priority Pollutant Scan 4. 3. GC Analysis indicates the presence GC/MS Analysis indicates the presence of the following PCB/Pesticides: of the following compounds: FRM PCB AS 1260 NOV 1 1985 ENFORCEMENT FILE

FILE COPY ONLY Verified By: Authorized By:

Section Chief:

Date:

DISPOSAL SITE REQUESTED	SAMPLE SOURCES CITY AND STATE	ORIGINAL (Red)
PEPCO/UNITED RIGGIN	G	(veo)
BELTSVILLE, Md	10	
20705	9	
SAMPLE INVENTORY AND	MASTER PACKING LIST	
SKITEL LO		Total
Sample I.D.		7
AREA F3 - 12,24,	SURFACE	
		· ·
<u></u>	8	
-	p	
Totals		2
	1.403.0	
	IGNATURES	
The persons whose signatures are list samples listed in the sample inventor the samples in their custody and the up was either to one of the other per and/or secured area or chest.	only manner in which custody was rsons listed below or to a locked	given
SAMPLER (S) LARRY Shepuski	<u>10-30-85</u>	
Signature (Print Also)	Date and Time	
FIELD CUSTODIAN	10-30-85	

MARYLAND STATE DEPARTMENT OF HEALTH AND MENTAL HYGIENE Laboratories Administration

P.O. Box 2355
Baltimore, Maryland 21203

Priority AJAP		Tund 212	ab No.	850987
-	ZALDONS WAST	ALORAT	RY "	
org.	anic Analysi	a cont		
Collector 1245 WOOTTON	11!D San	mple Sour	ce United Re	young Belt
	Date Fie		228	V U (PRIGINAL (Red)
Sample ID No. F3-25		Servativ O/ D	e Used Nove	<u> </u>
	Soils for	PUD		
Specify Program:		1		
RCRA:	NPDES:	<u>K</u> 0	THER:	
Chain of Custody Sample Po				
From: Newwill Worte	~ \$30 TO:	(P)	· Unter Di	30 11-12-65
Name/Time/Da	te 1412-85		Name/Time/Da	te
From:	To:	i el		
Name/Time/Da			Name/Time/Da	te
From: Name/Time/Dat	To:	-	Name/Time/Da	+ 0
name, rime, ba			Name/Time/Da	
Circle and Specify Paramet	ers Requested	•		
	ero nequebecu			
1. EP Toxicity		2.	(PCB/Pestidi	cides
 Priority Pollutant 	Scan	4.	Identify/Co	mpare
				Paradicini — Virgini Paradicini di Siri
	¥			
GC/MS Analysis indicates the pre	esence		ysis indicates th	
of the following compounds:		of the	following PCB/Pes	sticides:
		no	ne detect	
			= 0.03 pp	w PIR DS
		Chemical Property — a major — on Edward	The state of the s	1254
		-		
		0		
			Bross	TED
		-	Naive Car	122
			NOV 26 3	2005
			NOV 181	1909
			ENFORCEMEN	IT FILE
			FILE CONY	<u> </u>
	20	8	`	
Section mine	erified By:	/ . l.s		
Section Chief: Ve	rifled By:	.	Authorized By:	

DISPOSAL SITE RE	QUESTED		SAMPLE SOUR CITY AND ST			0.5
Perco loui	TED RIGE	26				ORIGINAL (Red)
Nam e	, a	_¥" = 4	** **	5. 1		- 96.
		1				-
el-				4-4	2	-
8		20 × X			· 6	- .::
	SAMPLE INVEN	TORY AND MA		LIST	ă ă	
Sample I.D.					Total	le .
F-3/25	PRB A.	וזרקקוכ	FOR SO,	L	Q NE (1)	<u>-</u>
F-3/22	ıı.	١,	1, ,,		000(1)	
2	Andrew Manager - Control				×	
Totals Tu	اه (2) کم	morçı				
		STODY SIGN	ATURES			
The persons whose samples listed in the samples in the up was either to cand/or secured are SAMPLER (S)	signatures a the sample i ir custody a one of the ot a or chest.	re listed inventory and the only her persons	below certify manner in wasted below s listed below	cking list which cust	above had odv was given	
Signatur	Alepula Pring Also	hi	12 JoJ85 Date and Tim		5 AM	
FIELD CUSTODIAN						

Priority ASAP

Lab No. 851002

MAZARDOUS WASTE LABORATORY
Organic Analysis Report Form

Organic Analysi	s Report Form
COLLECTOR FREN WOOTON 11-14-85 5	ample Source Until Wifty DOUSING
Sample ID No. 1001-5	reservative Used None (Red)
Specify Program:	
RCRA: NPDES:	✓ OTHER:
From: Juliudi Worth 11-14-85 To Name/Time/Date 15:40	10: PD Usetino 15:40 11.14-85 Name/Time/Date
From: Name/Time/Date	Name/Time/Date
	Name/Time/Date
Circle and Specify Parameters Request	ted:
1. EP Toxicity	2. PCB Pesticides
3. Priority Pollutant Scan	4. Identify/Compare
GC/MS Analysis indicates the presence of the following compounds:	of the following PCB/Pesticides: O.O. ppm PCB ni 1760
	RECEIVED NOV 18 1985
	ENFORCEMENT FILE
	FILE COPY TO YELL
Section Chief: DS Verified By:	SW Authorized By:
Date:	

DISPOSAL SITE REQUESTED		SAMPLE SOUR CITY AND ST		ORIGIN	AL
$\overline{}$	D RIGGINI	F		(Red)	
BELTSVILLE					
- DELISTIFIC					
	2070	2			
-					
SAMPLE I	NVENTORY AND MAS		G LIST		
Sample I.D.	3.233	<u> </u>		Total	الممار
		(*)		1	(0.01 pm) Factor free
<u>F2-61-5</u>					(U.Ulpm)
	KS-SURFACE				Free
a b					
	1 1.	Ð		, X ,	Fe.
			in		2
Totals	9				
	CUSTODY SIGNA	ATURES			n
The persons whose signatur samples listed in the samp the samples in their custoup was either to one of the and/or secured area or che	ole inventory and ody and the only ne other persons	nd master p y manner in	which cust	t above had tody was given	
SAMPLER (S) LARRY SHE	PULSKI				
Jarry Stress Signature (Print	rukki Also)	Date and T	1-85		
FIELD CUSTODIAN	oung		4-85		

Maximas Diale Ellianianes of Ababil and Abbaratories Administration

P.O. Box 2355

/ <	AD E	altimore,	Maryl	and 21203	2 10 100	05	1007
Priority AS	CI	Page 1	D	All PA Pry	Lab Nc.	00	1.007
-	1, 3 T		1.0	eiart or	71	DRIGINAL	0 11
Collector 1	BA WOOTTON Name/Time	Date K:40		le Source		you	Belt
Sample ID No.			Prese	rvative	used <u>Wor</u>	1E	
Sample Alert		Surfa	u.	sorls			
Specify Progr	ram:	O'					
	RCRA:		:s: 🐣	OTH:	ER: <u>+</u>		
Chain of Cust	ody Sample P	ossesion:		. 0	1,	1	
From: Indi	WWW. JUSTY Name/Time/Da	> 12:15	To:	Jamush	illage 11	415/11-1	5-85
From:	Name/11me/Da	11-15-0	To:	2 4	ame, prime, b	acc	
	Name/Time/Da	ate	10.	N	ame/Time/D	ate	
From:			To:				
	Name/Time/Da	ate		N	lame/Time/D	ate	
Circle and Sp	ecify Parame	ters Reque	sted:				
1. EP To:	kicity		2	. (PCB)Pestion	cides	
3. Prior	ity Pollutan	t Scan	4	•	Identify/C	Compare	
GC/MS Analysis	indicates the p	resence			s indicates		
of the followin	g compounds:				lowing PCB/PG		
		10102000		80.4	ppm PC	B As 1	260
*					77		
	1)						
-							
					ارتناكنا	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	
					RELEI	لحستث	•
					NOV 12	1985	
					FUEDBAR		
					FILE COPY		**
						S 1997 100	
			\mathcal{C}	. 1			
Section Chief:		Verified By:	Ji	U. At	uthorized By:		i.
D-4	1. 1141						

MANIERO DIALE DELANIANO. OF HEADER AND MERCAD HISTERS

Laboratories Administration

P.O. Box 2355

Baltimore, Maryland 21203

Lab Nc.

851007

HAZARDOUS N	A STATE OF THE STA
Collector Audituch Work	Sample Source Winted Rigging Bets
Name/Time/Date 16'.40	Preservative Used
Sample ID No. F3-ldo	Preservative Used
Sample Alert Yuff	a sous
Specify Program:	ORIGINAL
RCRA: NPDE	S: OTHER: (Red)
From: Juditudible Possesion:	To: Samoonille get 1615/11-15-f
111-03	•
From: Name/Time/Date	To: Name/Time/Date
From:	To:
Name/Time/Date	Name/Time/Date
Circle and Specify Parameters Reques	sted:
1. EP Toxicity	2. PCB/Pesticides
3. Priority Pollutant Scan	4. Identify/Compare
GC/MS Analysis indicates the presence of the following compounds:	OC Analysis indicates the presence of the following PCB/Pesticides: O. Eppm. PCB AS 1260
	RECEIVED
	NOV : 2 18-5
	FILE COLL

Laboratories Administration
P.D. Box 2355

Priority	ASA	Baltimore,	Maryl	and 2120	3		0.5	4 // // >
Priority	71,11	E Col W	D	DI AR		Lab Nc.	85.	100,
	- 11 3	A THE OWNER	N		em,	. n		
Collector	FRED WOOTTO	11-15-85 ne/Date/6:00	Samp	le Sourc	e (<i>l</i> /2	rtelli	squy.	Bett
Sample ID	::0. F2-	-70				1 NOW		
Sample Al		Sorls	Sin	plus			,	
Specify P	rogram:			7				
	RCRA: K_	NPDE	s: _	\propto ot	HER:			
Chain of	Custody Cample	Possesion:				,	i	
From: JAL	Mane (Time	16:15 Date 11-15-80	To:	James	Mara	1615	11-15	-85
From:		11-12.0	To:		lvae	/ Dime/Da	Ce	
	Name/Time/	Date		1	Name	/Time/Da	te	
From:	Name/Time/	Date	To:	-	Name	/Time/Da	te	and the part of the control of the c
					5)			
Circle and	d Specify Param	neters Reque	sted:		_			
1. E	P Toxicity		:	2.	PCB	Pestici	des	
3. P	riority Polluta	int Scan	4	1.	Ide	ntify/Co	mpare	
GC/MS Analy	sis indicates the	presence		CC Analys	ıs in	dicates th	e prese	nce
of the follo	owing compounds:					ng PCB/Pes		
				0.5	non	PCB	AS I	7.60
				0.6	Com	PCB	95 /	242
				1.10	ca	TOTAL	121	5
	·							
					0127	777777	m	-
		-			KE!	CEIV		
	8				N	IOV 18 198	5	
						CCPY ON		K
			0	(16.)				
			8.5					
C	. DC		5.	.)				
Section Chie	ef: <u>DS</u>	Verified By:	<u> </u>	<u>~</u> A	uthor	ized By: _		

F3-61,66-SURFACE 2 366	
BELTSVILLE, MD 20705 SAMPLE INVENTORY AND MASTER PACKING LIST SAMPLE LOG NUMBER Sample I.D. Total F3 - 61,66 - SURFACE F2 - 70 - 11 I	
SAMPLE INVENTORY AND MASTER PACKING LIST SAMPLE LOG NUMBER Sample I.D. Total F3 - 61,66 - SUPFACE F2 - 70 - 11	
Sample I.D. Sample I.D. Total F3 - 61,66 - Sueface F2 - 70 - 11	
Sample I.D. Sample I.D. Total F3 - 61,66 - Sueface F2 - 70 - 11	
Sample I.D. F3 - 61,66 - SUPFACE F2 - 70 - 11 I Total P 1	
F3 - 61,66 - SUPFACE 2 366 F2 - 70 - 11	
F2 - 70 - "	BM
	80,4
	1.0
Totals 3	
Totals 3	
Totals 3	
<u> </u>	
CUSTODY SIGNATURES	
The persons whose signatures are listed below certify that the collected samples listed in the sample inventory and master packing list above had the samples in their custody and the only manner in which custody was given up was either to one of the other persons listed below or to a locked and/or secured area or chest.	
SAMPLER (S) LARRY SHEPULSKI	
Signature (Print Also) Date and Time	
CUSTODIAN KOVETTO Young 11-15-85	

P.O. Bex 2355 Baltimore, Maryland 21203

Priority ASAP

Lab No. _851021

6

	Office Alaly Person
0-11-5	tor FRED WOOTON 76:00 Sample Source United Rigging Belts
Collec	Name/ I included [[P]]
Sample	ID No. F3(5) Preservative Used Non6
	Alert Discharge Pipe Surfer Sort
70 500	y Program:
	RCRA: NPDES: OTHER:
Chain	of Custody Sample Possesion:
From:	Name/Time/Date/1-20-85 To: alice few 11:t5 11-20-ft Name/Time/Date
110	Name/Time/Date/1-20-85 Name/Time/Date
From:	To: Name/Time/Date
	Hame/ Time/ bacc
From:	Name/Time/Date Name/Time/Date
Circle	and Specify Parameters Requested:
	2 Cock postisidos
1.	Li ionicity
3.	Priority Pollutant Scan 4. Identify/Compare
GC/MS A	nalysis indicates the presence CC Analysis indicates the presence
	following compounds: of the following PCB/Pesticides:
02 4.0	13.8 ppm PCB AS 126

-	
-	
-	
	v.
-	
\ <u>-</u>	
Section	n Chief: Verified By: Siv Authorized By:
Date	11-0.1-85

DISPOSAL SITE REQUESTED	CITY AND STATE	ORIGINAL
Repro/United Rigging 6	101 Ammendale Ad	(Red)
DETENTE Mountaine 30	705	-
		<u>4</u> 2
	`` .	
SAMPLE INVENTORY AND MA		
Sample I.D.	Total	
F3 Discharge Pipe (5)		13.8
F. 1,		•
2 × -		
160	6 B	
1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1		
Totals		
CUSTODY SIGNA	ATURES	
The persons whose signatures are listed be samples listed in the sample inventory and the samples in their custody and the only up was either to one of the other persons and/or secured area or chest.	nd master packing list above had manner in which custody was given	
SAMPLER (S) LORDY Shopubly	11-16-45	
Signatuffe (Pfint Also)	Date and Time	
CUSTODIAN TOTAL TOTAL	11-18-85	

MARILMAN STATE DELARIMENT OF BEAUTH AND MERIAL BISTONE

Laboratories Administration

P.O. Box 2355

851021 Lab Nc.

	ORIGINAL ORIGINAL
Collector FRED WOOTTON 16:00 Name/Time/Date 11-19-	Sample Source United Rigging Bel
Name/Time/Date 11-19-	85
Sample ID No. F2 - 68(5)	Preservative Used
Sample Alert Surface Soi	
Specify Program:	
RCRA: NPDES	S: K OTHER:
Chain of Custody Sample Possesion:	
From: Judituh Woother 1155	To: Alia Ca 11:15 11-20-85 Name/Time/Date
Name/Time/Date M-20-85	Name/Time/Date
From:	To:
Name/Time/Date	Name/Time/Date
From:	To:
Name/Time/Date	Name/Time/Date
Circle and Specify Parameters Reques	sted:
(8)	
1. EP Toxicity	2. PCB/ Pesticides
3. Priority Pollutant Scan	 Identify/Compare
•	10
GC/MS Analysis indicates the presence	GC Analysis indicates the presence
of the following compounds:	of the following PCB/Pesticides:
or the fortowing compounds.	
	C. 7 ppm PCB AS 1260
	-
	Land of the seco
Budden (Made of Section	
ALEX POSSIBLE THE PROPERTY OF	
Section Chief: Verified By:	Sid Authorized Day
verified by:	Authorized By:

Laboratories Administration

P.O. Box 2355

Priority ASAP Baltimore, Mary	land 21203 Lab No. 851021
ARDUS A DA	LAUR PY Report Form
Collector FRED WOOTTON 16:00 Sam	ple Source Mull Ruging Buts
Sample ID No. +3-75(5), Pre	servative Used 1676
Sample Alert Suffee Solo	
Specify Program:	
RCRA: NPDES:	OTHER:
Chain of Custody Sample Possesion: From: Industry Worth 11:55 Name/Time/Date 11-20-85	acice Len 11:11 11-21-81 Name/Time/Date
From: To:	
Name/Time/Date	Name/Time/Date
From: To: Name/Time/Date	Name/Time/Date
Circle and Specify Parameters Requested	:
1. EP Toxicity	2. PCB Pesticides
3. Priority Pollutant Scan	4. Identify/Compare
GC/MS Analysis indicates the presence	GC Analysis indicates the presence
of the following compounds:	of the following PCB/Pesticides:
	41.4 ppm f CB 45 126
P	
Section Chief: Verified By:	Authorized By:

i al	: 40 13 _3	WALE COURCE			ORIGINAL (Red)
DECUESTED.		MPLE SOURCE		20 Pag	
DISPOSAL SITE REQUESTED				290	Ba
Down Onted Riggina	6/1	2140	Moon	age	_ (4.
Battavilla Hd Jo	201				<u> </u>
BELLDIIIIK) KA					
a * = *					
			-1 <u>;</u>		
SAMPLE INVENTOR	Y AND MAS	TER PACKING	LIST		
					Total
Sample I.D.					1
F7-69 K)		11			<u> </u>
					1
13-15(5)					
	100				
Totals 🔿					
d					
cus	TODY SIGN	ATURES			
The persons whose signatures ar samples listed in the sample in the roustody an	1 -11	anner in	which o	ustody	was given
up was either to one of the oth	er person	s listed be	100 01	.0 4 100	
and/or secured area or chest.	, 1	11 10	d =		
SAMPLER (6) TORRY Shee	sulski	11-10	C67		
	1 los	(160	MAR	<)	<u> </u>
Com & work	MANEY	-60			
		D-10	Time		
Signature (Print Also	o)	Date and	TIME		
FIELD A		11-1	9-85		10
CUSTODIAN DISTORT			1		

ASAP . Organic Analysis Report Form Collector FRED WOOTTON 10:45 Sample Source United Preservative Used Non6 Sample ID No. F3-10 Sample Alert Specify Program: NPDES: Chain of Custody Sample Possesion: 1280 To: To: From: Name/Time/Date To: From: Name/Time/Date Name/Time/Date Circle and Specify Parameters Requested: BiPesticides EP Toxicity 1. Priority Pollutant Scan Identify/Compare GC/MS Analysis indicates the presence GC Analysis indicates the presence of the following PCB/Pesticides: of the following compounds: 3.5 ppm PCB AS 1260 NOV 22 1985 Section Chief: DS Verified By: Ju Authorized By:

DISPOSAL SITE REQUESTED	SAMPLE SOURCES	*	ORIGINAL
Remo United Rigging	Bramen 1053	ale fel.	(Red)
B. Hardle Md 20505	i er i	578	
Delibring in the	Se i som	ů.	th.
	-		_
	, Tr		-
SAMPLE INVENTORY AND	MASTER PACKING LIST		9
Sample I.D.		Tota	1
to 10 surve	•		-
13 10 3/11/2		5	
	(4)		_
			-
			_
			_
			_
Totals			
CUSTODY	SIGNATURES		
The persons whose signatures are list samples listed in the sample invento the samples in their custody and the up was either to one of the other peand/or secured area or chest.	only manner in which	custody was giv	en
SAMPLER (S) LOPPLE Showking	11-21-95		•
Jan Shepubly	10:45	MA	
Signature (Print Also)	Date and Time		
FIELD CUSTODIAN Roboth young	11-21-	85	

MARYLAND STATE DEPARTMENT OF HEALTH AND MENTAL HYCIENE Laboratories Administration of

. •	MARYLAND STATE DEPAR	tories Administration	
Program	: Hova	rd and Buedle'Stinette	851039
RCRA _	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Lab. No.
NPDES	Haba	tories Administration of and Burdle Stigetting 21203 Marking Wiste Laboratory mple Submission Form	ORIGINAL
788888778	MILLE	mple Submission Form	ty(Red)
SPECIF	Y	11 7	1 8
	Sherulski 1200 - 1801	Sample Source United	Kitchina
2012	ector Shapulski 1200 - 1500 h		
c'	ser below	Preservative obta	New
Samp.	le Alert	+ FPSCAn'	
Samp?	le Alert		
Chair	n of Custody sample possession Name/time/date	1-1- 1. millus	-/1630/11-25-85
From	Merry Z. Sonberg 163.	11/25ES to Jimus Tut	ne/fime/date
-5.000°	Name/time/date		_
From	Name/time/date	toNan	ne/time/date
	Name/time/uavo	**	
From	Name/time/date	toNan	me/time/date
	Rame/ Class, and		
-		//INORGANIC	/_/METAL
X/ OF	RGANIC		
1	F 3-10	11	
	F3 - 10 from discharge		NAC
2	+3-10 from discharge	12	
			#
3	F3 discharge area	13	
. 4		14	
5	·	15	
	13		
(5	16	•
		17	E
	7	17	•
		18	
	8	10	
		. 19	
	9	.*/	
28		20	D715-2.42
•	0		6000 (0)

Lar care the Administration A 7 m Al No. New 2355 Employed, Maryland 21203

		7.
Lab	No.	35/639

HAZARDOUS WASTE LABORATORY Organic Analysis Report Form

Collector Sherulati	Sample Source United Reggin			
Sample ID No. $F3-10$	Preservative Used (Red)			
Sample Alort				
Specify Program:				
AND THE STATE OF T	NPDES: GTHER:			
Chain of Custody Sample Possesi				
From:	To:			
Name/Time/Date	Name/Time/Date			
From:	To:			
Name/Ilme/Date	Name/Time/Date			
From: Name/Time/Date	Name/Time/Date			
Name/ Lime/ Date	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
Circle and Specify Parameters Ro	equested:			
1. EP Toxicity	2. PCB/ Pesticides			
	4. Identify/Compare			
3.) Priority Pollutant Scan				
GC/MS Analysis indicates the presence				
of the following compounds:	of the following PCE/Pesticides:			
1.8 mm 12-1 Tricklor	13. 1 ppm PCF RS 1260			
C. 2 mm tetrachlerite	117 cne			
C. 4 pm Pentachinice	2177614			
C. Clopm Kaphthalin				
3				
	*			
2 2				
•				
Section Chief: OS Verific	ed By: Authorized By:			
11/11/195				

INTERNACOUS WASTE LABORATORY Organic Analysis Report Form

Lab	Nc.	851039	7
-		U .	_

collector Skipulski	Sample Source United Rigging		
Name/ . L. W/ Dice	ORIGINAL		
Sample 10 No. <u>F3-10'</u>	Preservative Used (Red)		
sample Alort from discharge			
Specify Program:			
RCRA: V	PDES: CTHER:		
Chain of Custody Sample Possesion	1.2		
From:	To:		
Name/Time/Date	Name/Time/Date		
From:	To:Name/Time/Date		
Name/Time/Date	Seattlement Responsibilities and Seattlement Seattleme		
From: Name/Time/Date	To:Name/Time/Date		
Circle and Specify Parameters Req	quested:		
1. EP Toxicity	2. PC3 Pesticides		
	4. Identify/Compare		
3) Priority Pollutant Scan	4. Identify compare		
GC/MS Analysis indicates the presence	CC Analysis indicates the presence		
of the following compounds:	of the following PCB/Pesticides:		
0.011	15.6 scm FCB AS 12-60		
0.01 pm fluorant			
	By: SiJ Authorized By:		
Section Chief: Verified	By: Authorized By:		
Date: 11 - 26-85			

Prior Box 2355
Baltimore, Maryland 21203

Baltimore	1. Maryland 21203 Lab No. \$5/0.39				
	WASTE LABORATORY				
Organic And	alysis Report Form				
Sample ID No. F3 Preservative Used					
					sample Alert discharge area
Specify Program:					
PCPA: V	ODES: CTHER:				
Chain of Custody Sample Possesion	(Red)				
From:	To:				
Name/Time/Date	Name/Time/Date				
From:					
Name/Iime/Date	Name/Time/Date				
From: Name/Time/Date	To:Name/Time/Date				
Name/IIme/Date	Name/ Time/ Date				
Circle and Specify Parameters Req	wested.				
Circle and specify Parameters Req					
1. EP Toxicity	2. PCB Pesticides				
3. Priority Pollutant Scan	4. Identify/Compare				
of the following compounds: C. C. 3 ppor pyrene- O. O. I ppor markthale	of the following PCE/Pesticides: 4.2 Fgm. PCB AS 1260				
	•				
S.	$C \cdot I$				
Section Chief: Verified E	ey: Authorized By:				
Date: 11-26-85					

SAMPLE SOURCES

DISPOSAL SITE REQUESTED CITY AND STATE
Pear United Rigging 6701 anneydate Rd.
By He will My JA JOSOF
ORIGINAL (Red)
Theo,
SAMPLE INVENTORY AND MASTER PACKING LIST SAMPLE LOG NUMBER
Sample I.D. Total
13-10-501face
(taken from a & ft hole)
* a =
, 924
Totals
Totals
CUSTODY SIGNATURES
The persons whose signatures are listed below certify that the collected
samples listed in the sample inventory and master packing list above had
the samples in their custody and the only manner in which custody was given up was either to one of the other persons listed below or to a locked
and/or secured area or chest.
SAMPLER (S) ORRY Shouthi 11-25-85
La Sepulsa 12:00 NOON
WOV 29 1892
Signature (Print Also) Date and Time ENFORCEMENT FILE
FIELD FILE COPY ONLY
CUSTODIAN TOTAL YOUNG
Α // .

TODY SIGNATURES

All Falls At SE

en y a siderale de Marcola de

and the same and the same of the same of

The	persons	whose si	gnatures ar	e listed b	elov certi	fy that th	e collected
SAD	oles lis	ted in th	ne sample in	ventory an	d master p	acking lis	t above had
the	samples	in their	custody and	d the only	manner in	which cus	tody was given
י־קט	ras eith	er to one	of the other	er persons	listed be	low or to	a locked (neo)
and	or secu	red area	or chest.			Table content table	

and/or s	secured area or chest.			
Courier and/or Commerci Carrier	Gregory E. Somberg Signature of Carrier (Print Also)	Sent To patched)	1125/85 1515413. Date and Time (signed and dis-	
20 8			· 19	
Custodian			S 00	
	Signature (Print Also)		Date and Time	
· · · · ·	Andrew San Bank Control of the Contr	¥ \$ N	a 54 functional laws	
Courier				
and/or				
Commercia	1			
Carrier				
	Signature of Carrier	Sent To		
	(Print Also)	Sent 10	Date and Time	
	(FILIT AISO)	area or ma	(signed and dis-	
		patched)		
14 21/02/0				
Lab				
Custodian			·	
	Signature (Print Also)		Date and Time	
Lab	A SERVICE			
Hanager/				
Director				
87 %				
	£0 (600 € 1			
Si	gnature (Print Also)		Date and Time	
31	Energie (Italie Miso)		Date and Time	

CHAIN-OF-CUSTODY FORM

AMPLE SOURCES	
DISPOSAL SITE REQUESTED 11Y AND STATE	
PEPCO/UNITED RIGGING	
BELTSVILLE, Md	
20705 ORIGINA	
·	
- La F	: 第 版
SAMPLE INVENTORY AND MASTER PACKING LIST SAMPLE LOG NUMBER	3
Sample I.D. Total	
F3 DISCHARGE - 2 (10 ft. from PIPE) - SURFACE	
" -1 (foot of pipe) -5	
1 101 01 11 1	
	20
Totals	ä
CUSTODY SIGNATURES	v ====================================
The persons whose signatures are listed below certify that the collected samples listed in the sample inventory and master packing list above had	
the samples in their custody and the only manner in which custody was given up was either to one of the other persons listed below or to a locked and/or secured area or chest.	
SAMPLER (S) LARRY Shepubli	A
Darry Shepulally	20 4.
Signayory (Prant Aiso) Date and Time ENERGY	NOTE OF
FIELD 7	OW CNTA
CUSTOBIAN Artid young 11-25-85	
(V // ·	

1-501-35-30

THE STUNATURES



The persons whose signatures are listed below certify that the collected samples listed in the sample inventory and master packing list above had the samples in their custody and the only manner in which custody was given up was either to one of the other persons listed below or to a locked and/or secured area or chest.

	$ \Omega$ Ω			
Courier and/or	Juay 2. Sabus		<u></u>	_
Commerci Carrier	GREGERY E. School		11/25/85 151	5413.
	Signature of Carrier (Print Also)	Sent To	Date and Time (signed and dis-	
		patched)	(Signed and dis-	
	mor lbean		1/24 6 40	
C 1'	in lanes Milberger	8	1631 hrs.	=
Custodia	Signature (Print Ado)	- '	Date and time	-
	•		8 U 8 929	
Courier				
and/or Commerci	al			- 2
Carrier				
	Signature of Carrier (Print Also)	Sent To	Date and Time	- 31
	7	patched)	(signed and dis-	*
Lab				
Custodian	n	,		-
	Signature (Print Also)		Date and Time	
				e, xx
Lab	9			
danager/ Director	525			MOV (20 EAR
	8		a s mente	T y - No. 1 and
Si	ignature (Print Also)	***************************************	Date and Time	San Jan Carr

MARYLAND STATE DEPARTMENT OF BEAUTH AND WENTAL HYGIENE

Program:	Embraturies iddinistration of the Embrardiand Eddin 5 th of P. ox 155 martimore, Maryl	tal 21203 851040 Lab. No.
NPDES	Hazardous Waste Labo	
SPECIFY	Multi Sample Submission	Form (Red)
collector Sonling	1400-1500hs. 11/25/85 Sample So	purce United Raying
gr	ed below Preservat	
	PCB analyses only	TVO DECE
Chain of Custody samply		
From Many 2	Jerg 1630 11/25/25 to James	Phillips / 1630/11-25-85
W Secretary Constitution of the Constitution o		
Name/t:	ime/date to	Name/time/date
FromName/ti	me/date to	Name/time/date
ORGANIC	·/_/INORGANIC	//METAL
1 1125856EZ XI	(1-8-t) 11	
5 115282 CE2 XS	(1-802) 12	
3 115282GEZ X3	<u>R (1-8cz</u>) 13	RECEIVED
4 1125856ESX4	(1.80)	C 2000 1570
5 1125856ES X6	(\(\lambda \text{VoF}_i \) 15	ENFORCEMENT FILE FILE COPY ONLY
6	16	
7	17	•
8	18	
9		
10	20	DS 11-27-45

Laboratories Administration P.O. Box 2355 Narcinore, Maryland 21203 AMERICAN WASTE LABORATORY Lab No. 85/040

Organic Ana	lysis Report Form
collector Sonling	_ sample source United Riggin
Name/Dime/Date	
Sample ID No. 112585 GESXI	Preservative Used
Sample Alert	ORIGINAL
Specify Program:	
	DES: OTHER:
Chain of Custody Sample Possesion	:
From:	To:
Name/Time/Date	Name/Time/Date
From:	_ то:
Name/Time/Date	Name/Time/Date
From:	To:
Name/Time/Date	Name/Time/Date
Circle and Specify Parameters Req	uested:
1. EP Toxicity	2. Pesticides
2 Priority Pollutant Scan	. 4. Identify/Compare
 Priority Pollutant Scan 	. 4. Identili/compare
(8)	
GC/MS Analysis indicates the presence	CC Analysis indicates the presence
of the following compounds:	of the following PCB/Pesticides:
of the following contourns.	SSI S
	11.0 pm PCB AS 1260
	RECEIVED
	NOV 29 1985
* 4	FILE COSY OR Y
5	•
3	CY
Section Chief: Verified B	By: JW Authorized By:
Date: 11-27-85.	

Lappratories Administration

	p.o. Bax 2355		
	Balleryland 21203	Lab Nc.	851040
Priority	P.O. Box 2355 Ball Art, Maryland 21203 HAZARDOUS WASTE LABORATORY Organic Analysis Report Form		

•		lysis Report Form			
Collec	Sonberg Name/Time/Date	Sample Source United Rigging			
	Name/ I Inc/ Date				
	10 No. 1125856ESX2				
Sample	Alert	ORIGINAL (Red)			
Specif	y Program:				
	RCRA: V NPD	ES: OTHER:			
Chain	of Custody Sample Possesion:				
r		то:			
From:	Name/Time/Date	Name/Time/Date			
From:		To:			
1 1 0	Name/Time/Date	Name/Time/Date			
From:		To: -			
	Name/Time/Date	Name/Time/Date			
	l a life Parantage Pogu	nested:			
Circle	and Specify Parameters Requ	esteu.			
1.	EP Toxicity	2. Pesticides			
•	Priority Pollutant Scan	4. Identify/Compare			
3.	priority politicant Scan				
	•				
CC/MS I	Analysis indicates the presence	GC Analysis indicates the presence			
		of the following PCB/Pesticides:			
of the	following compounds:				
		0.1 ppm PCB AS 1260			
		-			
		- RECEIVE			
		- NOV 50 1006			
		NOV 29 1965			
		ENFORCEMENT FILE			
		FILE CUPY ONLY			
		-			
		_			
	•				
Section	n Chief: Verified B	y: Sw Authorized By:			
500010	11.27.8C				
Date:	11-2/-03				

Laporatories Administration D. Box 2355 Baltimore, Maryland 21203 Lab No. 851040 a Allysis Report Form Sample Source United Collector Sonterg Sample ID No. 112585 GES X3 Preservative Used _____ Sample Alert Specify Program: NPDES: CTHER: RCRA: Chain of Custody Sample Possesion: To: From: Name/Time/Date Name/Time/Date From: To: Name/Time/Date Name/Time/Date To: From: Name/Time/Date Name/Time/Date Circle and Specify Parameters Requested: 2. EP Toxicity 1. Identify/Compare Priority Pollutant Scan CC Analysis indicates the presence GC/MS Analysis indicates the presence of the following PCB/Pesticides: of the following compounds: 1. 4 ppm FCB AS 1260

ection Chief: Verified By: Si Authorized By:

SEC Palermore, Maryland 21203

Lab No. 85/640

HAZARDOUS WASTE LABORATORY

	Organic An.	alysis Rep	ort Form
	Sonberg Name/Time/Date		source United Rigging
Sample ID No.	. 112585 EES X 4	Preser	vative Used
Sample Alert			ORIGINAL
Specify Prog			(Red)
Sp. 102-1	RCRA: NI	PDES:	CTHER:
Chain of Cus	tody Sample Possesion	n:	
		To:	15.2.2
rom:	Name/Time/Date	-	Name/Time/Late
C****		To: _	15.50/53tH
From:	Name/Time/Date		Name/Time/Date
From:		To: _	Name/Time/Date
	Name/Time/Date		Name/IIme/Date
o:le and S	pecify Parameters Re	quested:	
circle and s	pecity rarameters		PCB/Pesticides
1. EP To	oxicity	2.	PCB/ Pesticides
	pollutant Scan	4.	Identify/Compare
3. Pric	ority Pollutant Scan		Section Section Control Contro
	Section 12	2.	
			C Analysis indicates the presence
GC/MS Analysis	s indicates the presence		
of the follows	ing compounds:	•	of the following PCB/Pesticides:
			66.3 ppm PCBAS/2
			77
		<u></u> •	
			A STATE OF THE STA
			Light of the contract of the c
			1:0V 22 ···
			FURNIQUE NT FILE
•			THE CUPY ONLY
	- parent was	-	
		18 miles	Yearnayan (1986)
	Now Fire	ed By: Suit	Authorized By:
Section Chie		N 19.	2
Date: //-	- 27-85		, jag ko men seje

Laboratories Administration Box 2355 allimote, Maryland 21203

Lab No. 85/040

HAZARDOUS WASTE LABORATORY Organic Analysis Report Form

Collector Sontera	Sample Source United Kigging
Name / I im -	Preservative Used
Sample ID No. 1/2585 6E 5x 6	ed oa F 5 areaugnal
Sample Alert Seep destine	(Red)
Specify Program: RCRA: NPDI	ES: CTHER:
Chain of Custody Sample Possesion:	
From: Name/Time/Date	To: Name/Time/Date
From: Name/Time/Date	To: Name/Time/Date
From: Name/Time/Date	To:Name/Time/Date
Circle and Specify Parameters Requ	ested:
1. EP Toxicity	2. Pesticides
3. Priority Pollutant Scan	4. Identify/Compare
GC/MS Analysis indicates the presence of the following compounds:	of the following PCB/Pesticides: 1.3 pch PCB AS 1260
	THE PLET
Section Chief: Verified Date: 11-27-85	By: Sw Authorized By:

CHAIN-OF-CUSTODY RECORD

CUSTODY SIGNATURES

The persons whose signatures are listed below certify that the collected NAL samples listed in the sample inventory and master packing list above hadd the samples in their custody and the only manner in which custody was given up was either to one of the other persons listed below or to a locked and/or secured area or chest.

Courier and/or Commercial Carrier Si	RED WOOTPON RED WOOTPON REALURE OF CARRIER rint Also)	M St. to Sent To	11-05-85 12:00 Date and Time (signed and dis-	_
Custodian		patched)	, targined and dis-	S (1)
Sig	gnature (Print Also)	**	Date and Time	<u>.</u>
Sig	REGORY E. Somero nature of Carrier int Also)	Md. DHMH JERNE TO Sent TO	12/0 Date and Time (signed and dis-	
Lab Custodian Jo	AMES Milberger Hature (Print Also)	Patched) AZARBOUS NASTE JAB	1630 hav 11/25/85 Date and Time	5
Lab Manager/ Director				- 40
Signat	ure (Print Also)		Date and Time	VED

NOV 29 1965

ENFORCEMENT FILE FILE COPY ONLY

HARYLAND STATE DEPARTMENT OF HEALTH AND DEPARTMENT Program: RCRA _ Lab. No. 851045 NPDES Hazardous Waste Laboratory Multi Sample Submission Form SPECIFY 11-27-65 Priority ____ cossector/ arry Sharehar 12:00 Sample Source United Rigging Sample ID No. (List below) Preservative Used Now Le possession 127-85 to pique C 2. Santag 1455 11/21/85 to Paulini F. Wille The 14'55 11-27-5 Name/time/date Name/time/date ORGANIC / /INORGANIC / /METAL 05 11-29-85

Lac rattines Administration

Mar Son Con Lab No. Mar Do Con Report Form Organic Analysis Report Form	851045
The Art Committee of the State	
Organic Analysis Report foun	0 .

Sheakki 1200 11/27/85	Sample Source United Rigging ORIGINAL
Name/Time/Date	ORIGINAL ORIGINAL NCORed)
Sample 10 110. F3 discharge 3	Preservative obs
Sample Alert	
Specify Program: RCRA: NP:	DES: GTHER:
Chain of dustody cample Possesion	: /ac_ra:
From: Jugar & Salera 1455 11/29/6	
From: Name/Time/Date	To: Name/lime/Date
Prom: Name/Time/Date	Name/Time/Date
Circle and Specify Parameters Req	quested:
1. EP Toxicity	PCB/Pesticides
3. Priority Pollutant Scan	4. Identify/Compare
OC/MS Analysis indicates the presence of the following compounds:	of the following PCB/Pesticides: 6.3 pp. PCB AS 1260
	•
Section Chief: Verified	Authorized By:
Section Chief: Verified Verified Verified	nuclei i i i i i i i i i i i i i i i i i i

MARTENAE STATE COMMITTEE HEALTH MASTELLAME THEFTON Lan Jathiren Administration

r.). Box 2355

priority high	Lab No. 851045
Control of the state of the sta	rsis Report Form
Collector Shopulski 1200 11/29/85	Sample Source United Rigging
Sample ID No. F3 discharge 4	Preservative Used (Red)
Sample Alert	
Specify Program: RCRA: V NPDE	S: GTHER:
Chain of Custocy gample Possesion:	
From: (120/85 1/27/85 Name/Tame/Date	To:Name/Time/Date
From: Name/Ilme/Date	To: Name/Time/Date
From: Name/Time/Date	To: Name/Time/Date
Circle and Specify Parameters Reque	
1. EP Toxicity	2. PCB/Pesticides
3. Priority Pollutant Scan	4. Identify/Compare
	OC Analysis indicates the presence
GC/MS Analysis indicates the presence of the following compounds:	of the following PCB/Pesticides:
of the following temporates:	48.7 ppm PCB AS 126
	•
Section Chief: . Verified By	v: Sil Authorized By:

Laporatories Administration T.O. Box 2355

	Lab Nc. 851045 VSIS Report Form
collector Shepulski 1200 11/29/85	Sample Source United Kigging
sample ID No. F3 discharge 5	ORIGINAL (Red)
Sample Alert	
RCRA: NPDE	CS: OTHER:
Chain of Qustody Sample Possesion: From: Name / Time / Date	To:Name/Time/Date
From:	To: Name/Time/Date
Name/Time/Date	To:
From: Name/Time/Date	Name/Time/Date
GC/MS Analysis indicates the presence	CC Analysis indicates the presence of the following PCB/Pesticides:
of the following compounds:	130.5 ppm PCBAS1260
	-
Section Chief: Verified B	y: Sid Authorized By:

Date:

11-29-85

SABILING STATE DEPARTMENT OF HEALTH AND MENTAL BYGIDIE INAL Laboratories Administration (Red)

Program: RCRA		Biddle Streets		(Red)	
NPDES		Waste Laborato	1	Lab. No.	851051
SPECIFY		Submission Form	n	A = 4.5)
	-		Priority.		
collector	Name/time/Cate	Sample Source			1,06
Sample ID No	(List below)	Preservative U	sed	No	
Sample Alert _					
Proo Othe Of	Fire/time/cate	coffeeling ? I	Allesting Fame/11	15 45 mo/cate	1.0/0/15
Prom	Name/time/date	to	Name/ti	me/date	
		to	359	57° J	
7104	Name/time/date	. ~	Name/ti	me/date	9
7 ORGANIC		ORGANIC		<u>//</u> 1	METAL
1 F3 #6	* 11 _				
2 F3 #7	12		*		
3 X4 A	13				
4 K4B	14				
5 <u>K4C</u>	15				
6 K4D	16			•	,
7	17				
8	. 18				
9	19			רם .	12-5.45

MARYLAND STATE DEPARTMENT OF HEALTH AND MENTAL HYGIENE Laboratories Administration

P.O. Box 2355

Baltimore, Maryland 21203 Lab No. 851051 Priority ASAP HAZARDOUS WASTE LABORATORY Organic Analysis Recort Form C

collector Stort 1134 Amiliales 5	1 Shire UNITED KILCING
Name/Time are Pr	eservative Used
Sample 10 Hot	(Rost)
Sample Alert	
Specify Program: BCDA: NPDES:	OTHER:
KCIII.	
Chain of Custody Sample Possesion:	
From: Ophed Meyor Kips 12/2/5 To	Name/Time/Date
Namy/Time/Date	
From:To	Name/Time/Date
Name/Time/Date	
From: To	Name/Time/Date
Circle and Specify Parameters Requeste	ed:
	2 PCB/Pestidicides
	4. Identify/Compare
 Priority Pollutant Scan 	4. Identify/Compare
GC/MS Analysis indicates the presence	GC Analysis indicates the presence of the following PCB/Pesticides:
of the following compounds:	
	16/ ppm PCB AS 1260
	. – //
	Authorized By:

Verified By: _____ Authorized By: _ Section Chief: ___ Date:

Lab	NO
Lau	110.

'æ	11114
MARYLAND STATE DEPARTMENT OF H	EALTH AND MENTAL HYGIENE WMY
Laboratories Adm. P.O. Box 1	2355 051051
Baltimore, Mary.	land 21203
Priority ASAP	Lab No. 801011
HAZARDOUS WASTE Organic_Analys	Pulson F
	Serve UNITED RIGGING
Collector STONE Manual Collector STONE Name / This Date	Salice Opines In the
Sample ID No. F3# 77 Pres	servative Used WA
Sample Alert	
Specify Program: RCRA: NPDES:	OTHER:
	ORIGINAL
Chain of Custody Sample Possesion:	(Red)
From: Och Muga 1545 12/2/8 To:	Name/Time/Date
Name/Time/Date	Name/IIme/Date
From: To: Name/Time/Date	Name/Time/Date
From: Name/Time/Date	Name/Time/Date
Circle and Specify Parameters Requested	
	2. PCB/Pestidicides
1. EP Toxicity (2.
3. Priority Pollutant Scan	4. Identify/Compare
	4. Identify/Compare
3. Priority Pollutant Scan	
3. Priority Pollutant Scan GC/MS Analysis indicates the presence	GC Analysis indicates the presence
3. Priority Pollutant Scan	GC Analysis indicates the presence of the following PCB/Pesticides:
3. Priority Pollutant Scan GC/MS Analysis indicates the presence	GC Analysis indicates the presence of the following PCB/Pesticides:
3. Priority Pollutant Scan GC/MS Analysis indicates the presence	GC Analysis indicates the presence
3. Priority Pollutant Scan GC/MS Analysis indicates the presence	GC Analysis indicates the presence of the following PCB/Pesticides:
3. Priority Pollutant Scan GC/MS Analysis indicates the presence	GC Analysis indicates the presence of the following PCB/Pesticides:
3. Priority Pollutant Scan GC/MS Analysis indicates the presence	GC Analysis indicates the presence of the following PCB/Pesticides:
3. Priority Pollutant Scan GC/MS Analysis indicates the presence	GC Analysis indicates the presence of the following PCB/Pesticides:
3. Priority Pollutant Scan GC/MS Analysis indicates the presence	GC Analysis indicates the presence of the following PCB/Pesticides:
3. Priority Pollutant Scan GC/MS Analysis indicates the presence	GC Analysis indicates the presence of the following PCB/Pesticides:
3. Priority Pollutant Scan GC/MS Analysis indicates the presence	GC Analysis indicates the presence of the following PCB/Pesticides:
3. Priority Pollutant Scan GC/MS Analysis indicates the presence	GC Analysis indicates the presence of the following PCB/Pesticides:
3. Priority Pollutant Scan GC/MS Analysis indicates the presence	GC Analysis indicates the presence of the following PCB/Pesticides:
3. Priority Pollutant Scan GC/MS Analysis indicates the presence	GC Analysis indicates the presence of the following PCB/Pesticides:
3. Priority Pollutant Scan GC/MS Analysis indicates the presence	GC Analysis indicates the presence of the following PCB/Pesticides:
3. Priority Pollutant Scan GC/MS Analysis indicates the presence	GC Analysis indicates the presence of the following PCB/Pesticides:
3. Priority Pollutant Scan GC/MS Analysis indicates the presence	GC Analysis indicates the presence of the following PCB/Pesticides:
3. Priority Pollutant Scan GC/MS Analysis indicates the presence of the following compounds:	GC Analysis indicates the presence of the following PCB/Pesticides:
3. Priority Pollutant Scan GC/MS Analysis indicates the presence	GC Analysis indicates the presence of the following PCB/Pesticides:

Priority ASAP	Lab No. 851051
HAZARDOUS W	WASTE LABORATORY
Organic Anal	lysis Report Form
Collector STOUE 1/30 12/2/85 Name/Time/Date	Sample Source ON. TED RIGGENA
Sample ID No. X4 A	Preservative Used
Sample Alert	
Specify Program: RCRA: NPD	ORIGINAL DES: OTHER: (Red)
Chain of Custody Sample Possesion:	
From: SuMy 1545 12/2/8	To: Name/Time/Cate
From:	То:
Name/Time/Date	Name/Time/Date
From: Name/Time/Date	To:Name/Time/Date
Circle and Specify Parameters Requ	ested:
1. EP Toxicity	2. PCB/Pestidicides
3. Priority Pollutant Scan	4. Identify/Compare
GC/MS Analysis indicates the presence of the following compounds:	of the following PCB/Pesticides: [5.3 ppin f26 45 [260]
	- <u> </u>
	-
Section Chief: Verified By Cate: 12-4-85	y: Sul Authorized By:

MARYLAND STATE DEPARTMENT OF HEALTH AND MENTAL HYGIENE Laboratories Administrations

P.O. Box 2355 Baltimore Maryland 21201

Priority ASAP	n	1794	Lab N	o. <u>85105</u>
The state of the s	A		rm	
Collector Sious 1/30 12/85	Samp	ole Sourc	e 00,7	ED PACCIEX
Sample ID No. X48	Pres	servative	Used	p/A
Sample Alert				
Specify Program:				
	ES:	OT	HER: (Rod)	
Chain of Custody Sample Possesion:				
From: Who Myn 1545 12/2/8	To:			
Name/Time/Date	3	8	Name/Time	e/Date
From:	To:		Name/Tim	e/Date
Name/Time/Date	To:		Name/11m	0,000
From: Name/Time/Date	. 10.	S	Name/Tim	e/Date
			. 201	
Circle and Specify Parameters Requ	ested	:		
1. EP Toxicity		2.	PCB/Pes	tidicides
3. Priority Pollutant Scan		4.	Identif	y/Compare
J. IIIoIIe, IoIIIo				
coluc harlusis indicatos the presence		GC Analys	sis indicat	es the presence
GC/MS Analysis indicates the presence of the following compounds:				B/Pesticides:
or the fortowing compounds.				
	_	.)).	2 pom	PEB AS 12
	-			
	-			
	-			
	-			
	-	-		
	-			
	_			
	-	== 72	0	
	_			
	_			•
	_			
	_			
Section Chief: Verified B Date: $17-5-85$	y: <u>S</u> (u)	Authorized	By:
Date: $17-5-65$				

MARYLAND STATE DEPARTMENT OF HEALTH AND MENTAL HYGIENE Laboratories Administration

P.O. Box 2355

Baltimore, Maryland 21203 Lab No. _ 851051 Priority ASAF eservative Used Sample ID No. Sample Alert ORIGINAL Specify Program: (Red) NPDES: OTHER: RCRA: Chain of Custody Sample Possesion: Name/Time/Date From: Name/Time/Date To: From: Name/Time/Date Name/Time/Date Circle and Specify Parameters Requested: PCB/Pestidicides EP Toxicity Identify/Compare 4. Priority Pollutant Scan GC Analysis indicates the presence GC/MS Analysis indicates the presence of the following PCB/Pesticides: of the following compounds: 16 ppm PCB AS 1260 Verified By: Sw Authorized By: Section Chief:

Cate:

MARYLAND STATE DEPARTMENT OF HEALTH AND MENTAL HYGIENE Laboratories Administration

P.O. Box 2355

1018	Lab No. 851051
Collector STOUE 20 2725	STE LABORATE PA
Name Time Date	/
Sample ID No. K4-D	Preservative Used MA
Sample Alert	ORIGINAL
Specify Program: RCRA: NPDES	(Red)
Chain of Custody Sample Possesion:	
From: Ohe Myer 1545 12/2/05 Wame/Time/Date	To: Name/Time/Date
From: Name/Time/Date	To: Name/Time/Date
From: Name/Time/Date	To: Name/Time/Date
Circle and Specify Parameters Reques	sted:
1. EP Toxicity	2. PCB/Pestidicides
3. Priority Pollutant Scan	4. Identify/Compare
GC/MS Analysis indicates the presence	GC Analysis indicates the presence
of the following compounds:	of the following PCB/Pesticides:
	17 rem PCB AS 1260
9	-11/1 1 CS) 113 12 CE
	-
2000 200	H.
Section Chief: Verified By:	Sid Authorized By:
12-5-85	

н	RYLAND STATE PEPARTE	CANCEL EDUCATION ECONO	EXIDE
Program:	1	nd Padi	A
RCRA	P.O. P.	515 Per 515	851060 ORIGINAL No.
NPDES		Ls Waste Laboratory	(Red)
SPECIFY	Multi Sample	e Submission Form	ority ASAP
<u> </u>	n	PT:	TED EVERAL
3000 100000	1015 1215187	Sample Source Un	TIPE RIGHT CO
Sample ID No. (Li	st below)	Preservative Used	A
Sample Alert			
Chain of Custody, sam	ple possession	0.1	,
Pro Tokulite	m-1339 12/de	Es so find nelles	1339/12-5-85
, Kage	/1:=0/ca:e	6	ned time/care
Prom	/11=0/Cate	to	amo/time/date
		to	•
From East.	time/date	w	ame/time/date
/		INORGANIC	/_/METAL
1 <u>F3- 8</u>	11		
2 F3 - 9	12		
2 1 3 1	12		DEVELLATED
3 F3 - 10	13		RECEIVED
			DEC 0 1385
1 F3-11	14		ENFORCEMENT FILE
5 F3 - 12	15		FILE COPY CIVLY
5 / 5 / 10			:
6 X4A2	16		
7 K4D2			
		<u> </u>	
8 KYE	18		
3 -222			N.C A.B.C
9	19		DS 12-9-85

Priority ASAP

HAZARDOUS WASTE LAND TO PROPERTY OF THE PROPER

% No. 851050

Collector STONE 1015 12/5/80 Name/Time/Date	- DOUGE DOUGE KIEDING
Sample ID No. <u>F3-8</u>	Preservative Used
Sample Alert	
Specify Program:	ORIGINAL (Red)
RCRA: NP	OFS.
Chain of Custody Sample Possesion:	
From: The Offen 1339 12/5/00	
From	Name/Time/Date To:
Name/Time/Date From:	Name/Time/Date
Name/Time/Date	To: Name/Time/Date
Circle and Specify Parameters Reque	ested:
1. EP Toxicity	2. PCB/Pestidicides
Priority Pollutant Scan	4. Identify/Compare
of the following compounds:	of the following PCE/Pesticides: 30.4 ppm PCE PS 126
	THE THE STATE OF T
Section Chief: DS Verified By:	Sw Authorized By:

MARYLAND STATE DEFARTMENT OF HEALTH AND MENTAL HYDIENE

Priority A-AD

SECURITY

851050

HAZARDOUS WASTE LABORATORY Organic Analysis Report Form

Collec	tor STONE 1015 12/5/65 Name/Time/Date	Sam	ple Source UNI	TEN RIGGING
	ID No. <u>F3-9</u>			N/A
Sample				ORIGINAL
975 (6744)	y Program:			(Red)
	RCPA: NPDE	s:	CTHER:	
Chain	of Custody Sample Possesion:			
From	John Mynn 1337, 12/5/05	то.		
	/ Name/Time/Date		Name/T	ime/Date
Froker		To:		
	Name/Time/Date		Name/I	'ime/Date
From:	Name/Time/Date	To:	*:>=0/5	'ime/Date
	Name/ Time/ Date		Name/1	The/Date
Circle	and Specify Parameters Reques	sted	:	-
1.	EP Toxicity	1	2. PCB/F	Pestidicides
3.	Priority Pollutant Scan		4. Ident	ify/Compare
	riforite, rollacant Bean		Tuent	illy/compare
	alysis indicates the presence collowing compounds:		of the following	PCB/Pesticides:
				CC. 0
Section (Date:	Chief: Verified By:	2	Authorize	ed By:

MASYLAND STATE DELABLIMENT	OF HEALTH AND MENTAL HYDIENE
La	31777
Priority ASAD HAZARDOUS WA	ASTE LABORATORY No. 851060
STOUT Organic Analy	ysis Report Form
Collector Auge 1015 1015 1015 Name / Time / Date	Sample Source (WITED RIGGING
Sample ID No. F3-10	Preservative Used
Sample Alert	
Specify Program: RCRA: NPDE	S: OTHER: ORIGINAL
Chain of Custody Sample Possesion:	(veo)
From: Jhistly 135 10/8	To: Name/Time/Date
From:	To:
Name/Time/Date	Name/Time/Date
From: Name/Time/Date	To: Name/Time/Date
Circle and Specify Parameters Reques	
1. EP Toxicity	2. PCB/Pestidicides
3. Priority Pollutant Scan	4. Identify/Compare
GC/MS Analysis indicates the presence	GC Analysis indicates the presence
of the following compounds:	of the following PCB/Pesticides:
	55.3 ppm PCB A 126
	RECEIVED
	DEC 5 1995
	ENFORCE
	FILE CUIT
	$\mathcal{L}_{\mathcal{L}}$
Section Chief: Verified By:	Authorized By:

MARYLAND STATE DEPARTMENT OF HEALTH AND MENTAL HYDIENE Labour 1 Airtinistration

<i>B</i>			1 1	7	
Bal	1	Mari	3 6	U.	TW
			U	R	Lad O.

	. 0	Bagecok	
riority	ASAP	- OF CORI	
		UNREPROPER MALTE	

851050

Organic Anal	lysis Report Form
Collector 5 TOUE 1015 10/5/85	Sample Source UNITED RIGGING
Sample ID No. F3-11	Preservative Used
Sample Alert	
Specify Program:	ORIGINAL (Red)
RCRA: NPD	SOCIAL MARKET MA
Chain of Custody Sample Possesion:	
From: The Office 1339 13/5/85	To: Name/Time/Date
From:	To:
Name/Time/Date	Name/Time/Date
From: Name/Time/Date	To: Name/Time/Date
Circle and Specify Parameters Requ	ested:
1. EP Toxicity	2. PCB/Pestidicides
3. Priority Pollutant Scan	4. Identify/Compare
GC/MS Analysis indicates the presence of the following compounds:	of the following PCB/Pesticides: S9. 9ppm FCB AS 126
	DFC 6 1225
	FILE CA.
Section Chief: Verified By Date: 12-8-85	: Sco Authorized By:

Walls

MARYLAND STATE DEFARTMENT OF HEALTH AND MENTAL HYDIENE Labylevoles Administration 2755 B. Maryl

Priority ASAP HAZARDOUS WA	851060
Organic Analy	sis Report for
Collector STUE 1015 12/5/85 Name/Time/Date	Sample Source UNITED RIGGINS
Sample ID No. F3-12	Preservative Used
Sample Alert	
Specify Program:	
PCPA: NPDE	S: OTHER:
Chain of Custody Sample Possesion:	(Red)
From thisky 1877 NS/85	To:
Hame/Time/Date	Name/Time/Date
From:	To:
Name/Time/Date	Name/Time/Date
Name/Time/Date	To: Name/Time/Date
Circle and Specify Parameters Reques	sted:
1. EP Toxicity	2. PCB/Pestidicides
3. Priority Pollutant Scan	4. Identify/Compare -
GC/MS Analysis indicates the presence of the following compounds:	CC Analysis indicates the presence of the following PCB/Pesticides: 17.9 ppm PCB AC 1260
Section Chief: Verified By:	RECEIVED DEC 9 100 Environment FILE ULL: 2 1
Section Chief: Verified By:	Sw Authorized By:

will

MARYLAND STATE DEFARTMENT OF HEALTH AND MENTAL HYDICHE Laborinies Administration Cox 2355

Priority ASAA	Lab No. 851060
HAZARDOUS Organic Anal	lysis Replication
	Sample Source WITED Reach
Sample ID No. XY A2	1.00
Sample Alert	
Specify Program:	
RCRA: NPDE	ES: CTHER: ORIGINAL
Chain of Custody Sample Possesion:	(Reo)
From PhoMy 1339 12/5/05	To: Name/Time/Date
From:	To:
Name/Time/Date	Name/Time/Date
From:	To:
Name/Time/Date	Name/Time/Date
Circle and Specify Parameters Reque	ested:
1. EP Toxicity	2. PCB/Pestidicides
	130-1450/600000
3. Priority Pollutant Scan	4. Identify/Compare
GC/MS Analysis indicates the presence	GC Analysis indicates the presence
of the following compounds:	of the following PCB/Pesticides:
	17.6. pom PCK KS 126
	DEC
	ERFORGERALINA
	FILE COPY, ONLY
8	
Section Chief: Verified By Date: $\frac{\sqrt{2-6-85}}{\sqrt{2-6-85}}$	Authorized By:
Date: 12-6-85	

MARYLAND STATE DEFARTMENT OF HEALTH AND MEDIAL BISTORY

Organic Analysis Report Form Sample Source ONITED KIGGING Collector SIEWE 16 KS 12/5/05
Name/Time/Date Sample ID No. X4D2 Preservative Used Sample Alert ____ Specify Program: OTHER THE CHAN NPDES: RCPA: Chain of Custody Sample Possesion: To: Name/Time/Date To: Name/Time/Date To: From: Name/Time/Date Name/Time/Date Circle and Specify Parameters Requested: PCB/Pestidicides EP Toxicity 1. Identify/Compare Priority Pollutant Scan 3. GC Analysis indicates the presence GC/MS Analysis indicates the presence of the following PCB/Pesticides: of the following compounds: 19.3 ppm PCB 45/26 .: ..

Authorized By:

Section Chief: Verified By: Scul

Date: 12-6-85

MARYLAND STATE DEPARTMENT OF HEALTH AND MUNIAU HYDIENE

Priority ASAP Organic Analysis Report Form Collector STONE 105 Her 12/5/85 Sample Source U.V. TED RECORD Sample ID No. X4E Preservative Used Sample Alert Specify Program: NPDES: OTHER: Chain of Custody Sample Possesion: To: From: To: Name/Time/Date From: To: Name/Time/Date Name/Time/Date Circle and Specify Parameters Requested: EP Toxicity 1. PCB/Pestidicides Priority Pollutant Scan 3. Identify/Compare GC/MS Analysis indicates the presence GC Analysis indicates the presence of the following compounds: of the following PCB/Pesticides: PCE AS 1260

Section Chief:

Verified By: Sal

Authorized By:

Cate:





851050

*916 W. Patapsco Avenue, Baltimore, Maryland 21230

SAMPLE CHAIN OF CUSTODY

	SAMPLE CHAIN OF	0000	
SAMPLE SOURCE UNIT	ED/PEPCO	URIG	NAL
CONTRACTOR CWM		(Re	-
COLLECTOR DON STO	NE	TIME	12-5-85 DATE
SAMPLE ID NO(s):			
AREA F3 DISCHARGE			
# 8			
9			
		— R	TED
<u> </u>			DET 9 1955
12			
X4A2		·E	FILE COST CILEY,
X402			
X4E			
SAMPLE POSSESSION:	***	a112	.2 6 85
FROM Grade RATIO	12.5.85	TO Francisco	7 12-5-85 TIME DATE
TI	ME DATE DS6 12.5-85	TO Ocho May	- 1050 125/25
FROM TOTAL HOUNG	102	NAME	TIME DATE
FROM John Sily 137	9 12/5/85 TME DATE	TO Somewill	FIME DATE
NAME / 11	IME DATE	TO	•
FROM NAME T	IME DATE	NAME	TIME DATE
ANALYSED BY:			DATE -
WINDISED BI.	NAME	TIME	DATE

1

. MARILAND STATE CLEARIMENT OF REALTH AND MENTAL HYDTENE Laparatories Administration

P.C. Box 2355


Priority ASAP Baltimore, Mary	Lab No. 851076
HALAKDULD WASIL	LABORATORY
Organic Analysis	
Collector Don Stone 1045 AM 2/10 Sam	
Sample ID No. X-4 Pre	servative Used Now C
Sample Alert	ORIGINAL
Specify Program:	(Red)
RCRA: NPDES:	CTHER:
Chain of Custody Sample Possesion:	Part. (all 12/10/85 1100 Hrs
From: * Inull ton 1045 17/185 To:	Name/Tyme/Eate
From: x 100 1003 17/145 To: 14 15/10/85 1166 1403 To:	Den Def [11/0/87 1/55] Name/Time/Date
Name Time Date	Name/lime/bate
From: () hame/Tame/Date	Alice Len 12:15 12-10-85 Name/Time/Date
2 4	
Circle and Specify Parameters Requested	!:
1. EP Toxicity	2. PCB/Pesticides
3. Priority Pollutant Scan	4. Identify/Compare
5. Priority rolledon of the	
- Aba anagana	CC Analysis indicates the presence
CC/MS Analysis indicates the presence	of the following PCE/Pesticides:
of the following compounds:	
	20.7 ppm FCE AS 126
	N FANDALES IN EL
	- RECEIVED
	Di : 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	l'e c
	Fig. 15 of Sec. 1
	C I
Section Chief: DS verified By:	Authorized By:
Date: 12-11-85	


Priority	100 No. 85108
Organic Analy	sis Report Form
Collector Day State 10304 12/1/25	Sample Source _ Soil Waita Re
Sample ID No. £30 #5	1 3017,0116
Sample Alert	Preservative Used
Specify Program:	
	ORIGINAL
	GTHER: (Red)
Chain of Custocy Sample Possesion:	
From: Y localar 15 10304 12/11/8	To: [ne Sections 6/1030/12/11
From: for Bliller Kon/12114/12/11/	fo: lime de 1214/12-11-8
Name/Time/Date	Name/Time/Date/
From:	To:
hame/Time/Date	Name/Time/Date
	V
lircle and Specify Parameters Request	ed:
. EP Toxicity	
H 102	2. PCB/Pesticides
Priority Pollutant Scan	4. Identify/Compare
	7,00,000
CIVE Prolings & A	
C/MS Analysis indicates the presence	CC Analysis indicates the presence
f the following compounds:	of the following PCE/Pesticides:
	O. 1 ppm PCB #3/20
	O. 1 ppm PCB #3/20
	O. 1 ppm PCB A3 120
	O. 1 ppm PCB #3/20
	O. 1 ppm PCB #3/20
	0. / ppm PCB #3/20
	0. / ppm PCB #3/20
	0. / ppm PCB #3/20
	0. / ppm PCB #3/20
	0. / ppm PCB #3/20


Sample ID No. F3D # 8	WASTE LABORATORY Lab No. 851098 WASTE LABORATORY Lysis Report Form Sample Source Soil (United Riggin Preservative Used F/H
Chain of Custody Sample Possesion: From: Andrea 1000 12 14/85 From: Ooks. Office 1854 12/16/85 From: Name/Time/Date Name/Time/Date	To: ORIGHAL (Red) To: Oka o May 1000 12/16/85 To: Of Distance 1000 12/16/85 Name/Time/Date Name/Time/Date
1. EP Toxicity 3. Priority Pollutant Scan CC/MS Analysis indicates the presence of the following compounds:	2. PCB pesticides 4. Identify/Compare CC Analysis indicates the process
	of the following PTE/Pesticides: O. 05 com FG RS 176
Section Chief: Ds Verified By: State: 12-17-85	Authorized By:


APPENDIX K

SITE PLANS











UNITED RIGGING SITE AREA "D"





'F1' AREA

